


350 W 50 V HF/VHF DMOS in STAC moisture-resistant flangeless package



STAC780-4F

Pin connection			
Pin	Connection		
1	Drain		
2	Source (bottom side)		
3	Gate		

Features

Order code	Frequency	V _{DD}	P _{OUT}	Gain	Efficiency
STAC4932F1MR	123 MHz	50 V	450 W	24 dB	60 %

- Improved ruggedness V_{(BR)DSS} > 200 V
- Load mismatch 65:1 all phases @ 350 W 50 V 123 MHz
- P_{OUT} = 450 W typ. with 24 dB gain at 123 MHz
- In compliance with the 2002/95/EC European directive
- Moisture resistant package specifically designed to operate in extreme environments
- · Drying recommendation before soldering:
 - 48 hrs at 125 °C
- Back finishing:
 - Sn96.5/Ag3/Cu0.5 solder
 - Base flatness < 0.2 mm
 - Gold content < 0.1%
 - Minimum solder thickness > 2 μm

Description

The STAC4932F1MR is an N-channel MOS fieldeffect RF power transistor. It is intended for use in 50 V / 80 V ISM applications up to 250 MHz.

The STAC4932F1MR benefits from the latest generation of environmentally designed packaging, ruggedized against cyclic high moisture operation and severe storage conditions.

This device contains Beryllium oxide (BeO), which is hazardous if inhaled or ingested.



Product status link STAC4932F1MR

Product summary					
Order code	STAC4932F1MR				
Marking	STAC4932F1MR				
Package	STAC780-4F				
Packing	Box				
Base / Bulk qty	20 / 80				



1 Electrical data

1.1 Maximum ratings

Table 1. Absolute maximum ratings (T_{CASE} = 25 °C)

Symbol	Parameter	Value	Unit
V _{(BR)DSS}	Drain source voltage	200	V
V _{DGR}	Drain-gate voltage (RGS = 1 $M\Omega$)	200	V
V _{GS}	Gate-source voltage	±20	V
T _J	Maximum operating junction temperature	200	°C
T _{STG}	Storage temperature range	-65 to +150	°C

1.2 Thermal data

Table 2. Thermal data

Symbol	Parameter	Value	Unit
R _{thJC}	Junction-case thermal resistance	0.28	°C/W

1.3 ESD protection characteristics

Table 3. ESD protection

Symbol	Test Methodology	Class
HBM	Human Body Model (per JESD22-A114)	1C

DS9904 - Rev 2 page 2/16



2 Electrical characteristics

 T_{CASE} = +25 °C (unless otherwise specified)

2.1 Static

Table 4. Static

Symbol	Parameter	Test conditions	Min.	Тур.	Max.	Unit
V _{(BR)DSS}	Drain - source Breakdown voltage	V _{GS} = 0 V, I _{DS} = 100 mA	200	240		V
I _{DSS}	Zero gate voltage drain leakage current	V _{GS} = 0 V, V _{DS} = 100 V			1	mA
I _{GSS}	Gate - source leakage current	V _{GS} = 20 V, V _{DS} = 0 V			250	nA
V _{TH}	Gate - source threshold voltage	V _{DS} = 10 V, I _D = 250 mA	2.0		4.0	V
V _{DS(ON)}	Drain - source on voltage	V _{GS} = 10 V, I _D = 10 A			3.6	V
G _{FS}	Forward transconductance	V _{DS} = 7 V, I _D = 2.5 A	3.0			S
C _{ISS}	Input capacitance			580		pF
Coss	Ouput capacitance	$V_{GS} = 0 \text{ V}, V_{DS} = 50 \text{ V},$		180		pF
C _{RSS}	Reverse transfer capacitance	f = 1 MHz		10		pF
ΔV _{TH}	Gate - source threshold voltage variation	I _D = 250 mA			0.2	V
Δ G _{FS}	Forward transconductance variation	V _{DS} = 7 V, I _D = 2.5 A			0.6	S

2.2 Dynamic

Table 5. Dynamic (1)

Symbol	Parameter	Test conditions	Min.	Тур.	Max.	Unit
P _{OUT}	Output power		350	450	-	W
η _D	Drain efficiency	P _{OUT} =350 W		60	-	%
G _{ps}	Power gain	P _{OUT} = 350 W		24	-	dB

1. $V_{DD} = 50 \text{ V}$, $I_{DQ} = 2 \times 250 \text{ mA}$, f = 123 MHz

DS9904 - Rev 2 page 3/16



Table 6. GFS sorts

Marking	Minimum	Maximum
Α	3.0	3.6
В	3.6	4.2
С	4.2	4.8
D	4.8	5.4
Е	5.4	6.0
F	6.0	6.6
G	6.6	7.2
Н	7.2	7.8
I	7.8	8.4
J	8.4	9.0


DS9904 - Rev 2 page 4/16



3 SOA and Thermal data

Figure 1. Safe operating area





DS9904 - Rev 2 page 5/16




Figure 3. Transient thermal model

DS9904 - Rev 2 page 6/16



4 Product and environmental safety for toxic materials use

This product contains beryllium oxide. The product is entirely safe provided that the BeO base is not damaged. All persons who handle, use or dispose of this product should be aware of its nature and of the necessary safety precautions. After use, dispose of as chemical or special waste according to the regulations applying at the location of the user. It must never thrown out with general or domestic waste.

DS9904 - Rev 2 page 7/16



5 Recommended heat profile and reflow soldering

Ramp-up

TL

TS_{max}

Ts_{min}

Ts_{min}

Ts_{min}

Ts_{min}

Ts_{min}

Preheat

Time

Time

Figure 4. Reflow profile chart

Note:

 t_p = 20-40 s, ramp-up = 3 °C/s max., t_L = 60-150 s, ramp-down = 6 °C/s max., T_L = 217 °C, T_S max. = 200 °C, T_S min. = 150 °C, t_S = 60 - 180 s, from T_i = 25 °C to peak = 8 minutes max., t_p = see Table 7.

Table 7. Pb-free process - package classification reflow temperatures (1)

Package thickness	Volume mm ³ < 350	Volume mm ³ 350-2000	Volume mm ³ > 2000
< 1.6 mm	260 + 0 °C	260 + 0 °C	260 + 0 °C
1.6 mm - 2.5 mm	200 + 0 C	250 + 0 °C	245 + 0 °C
≥ 2.5 mm	250 + 0 °C	240 + 0 °C	243 + 0 C

1. Tolerance: the device manufacturer/supplier shall assure process compatibility up to and including the stated classification temperature (this means peak reflow temperature + 0 °C. For example 260 °C + 0 °C) at the rated MSL level.

Note:

The profiling tolerance is + 0 °C, -X °C (based on machine variation capability) whatever is required to control the profile process but at no time will it exceed - 5 °C. The producer assures process compatibility at the peak reflow profile temperatures.

Note:

Package volume excludes external terminals (balls, bumps, lands, leads) and/or nonintegral heat sinks.

Note:


The maximum component temperature reached during reflow depends on package thickness and volume. The use of convection reflow processes reduces the thermal gradients between packages. However, thermal gradients due to differences in thermal mass of SMD packages may still exist.

DS9904 - Rev 2 page 8/16



5.1 Evaluation flow

Figure 5. Evaluation flow



SMD1309131539

Note: The STAC4932F1MR can withstand 3 times reflow.

5.2 Manual leads soldering

- 10 sec max at temperature lower than 260 °C
- 3 sec max at temperature lower than 350 °C
- Use of ESD protected soldering iron (80 W)

DS9904 - Rev 2 page 9/16



5.3 Acceptable missing soldering

Figure 6. STAC tinning limit




Figure 7. Examples of acceptable missing solder



DS9904 - Rev 2 page 10/16





6 Package information

In order to meet environmental requirements, ST offers these devices in different grades of ECOPACK packages, depending on their level of environmental compliance. ECOPACK specifications, grade definitions and product status are available at: www.st.com. ECOPACK is an ST trademark.

6.1 STAC780-4F package information

Figure 8. STAC780-4F package outline





PIN	CONNECTED N
1	DRAIN
2	SOURCE
3	GATE

DM00481940-1

DS9904 - Rev 2 page 11/16



Table 8. STAC780-4F mechanical data


Ref.		Milimeters	
Kei.	Min.	Тур.	Max.
А	3.76		3.86
A1	5.03		5.13
В	4.57		5.08
С	9.65		9.91
D	20.17		20.37
E	20.45		20.70
F	0.11		0.17
G	0.97		1.14
Н	1.52		1.70
I	3.18		4.32
J	9.52		9.78
q		1.37	
r		1.52	
S		0.51	
CH1		2.03	

DS9904 - Rev 2 page 12/16



6.2 Marking information

PACKAGE FACE TOP



LEGEND

- Marking Composition Field
- A MARKING AREA
- B ADDITIONAL INFORMATIO! (MAX CHAR ALLOWED = 1)
- C STANDARD ST LOGO
- D Assy Plant
- E FE Sequence
- F Diffusion Traceability Plant (WX)
- G COUNTRY OF ORIGIN (MAX CHAR ALLOWED = 3)
- H Test and Finishing Plant (TF)
- I Assy Year
- J Assy Week (WW)

6.3 Packing and shipping specifications

Table 9. Packing and shipping data

Order codes	Packaging	Pcs per tray	Dry pack humidity	G _{FS} and lot code
STAC4932F1MR	Box (plastic tray)	20	< 10%	Two codes max.

Note: Dry pack specification in accordance with JEDEC J-STD-033.

DS9904 - Rev 2 page 13/16



Revision history

Table 10. Document revision history

Date	Version	Changes
24-Oct-2013	1	First release.
17-Apr-2020	2	Updated package information. Added Section 1.3 ESD protection characteristics.

DS9904 - Rev 2 page 14/16



Contents

1	Electrical data				
	1.1	Maximum ratings	2		
	1.2	Thermal data	2		
	1.3	ESD protection characteristics.	2		
2	Electrical characteristics				
	2.1	Static	3		
	2.2	Dynamic	3		
3	SOA	and Thermal data	5		
4	Product and environmental safety for toxic materials use				
5	Recommended heat profile and reflow soldering				
	5.1	Evaluation flow	9		
	5.2	Manual leads soldering	9		
	5.3	Acceptable missing soldering	. 10		
6	Package information				
	6.1	STAC780-4F package information	. 11		
	6.2	Marking information	. 13		
	6.3	Packing and shipping specifications	. 13		
Revi	ision l	nistory	.14		
Con	tents		.15		



IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to www.st.com/trademarks. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2020 STMicroelectronics - All rights reserved

DS9904 - Rev 2 page 16/16