

MCON | MCON Interconnection System

TE Internal #: 1801606-1

Housing for Male Terminals, Wire-to-Wire, 10 Position, 4.5 mm [.177

in] Centerline, Sealable, Black, Wire & Cable, Signal, MCON

Interconnection System

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings











Connector System: Wire-to-Wire

Number of Positions: 10

Connector & Housing Type: Housing for Male Terminals

Centerline (Pitch): 4.5 mm [.177 in]

Sealable: Yes

Features

Product Type Features

Troduct Type readures	
Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Male Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	10
Number of Rows	2
Electrical Characteristics	
Operating Voltage	16 VDC

16 V

Nominal Voltage Architecture



Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	A
Contact Features	
Contact Size	1.2mm
Contact Type	Tab
Contact Current Rating (Max)	6 A
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	4.5 mm[.177 in]
Dimensions	
Connector Height	21.45 mm[.844 in]
Product Width	47.6 mm[1.874 in]
Product Length	30.2 mm[1.189 in]
Row-to-Row Spacing	4.5 mm[.177 in]
Usage Conditions	
Operating Temperature (Max)	150 °C[302 °F]
Operating Temperature Range	-40 - 150 °C[-40 - 302 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Degree of Protection	IP67, IP69K
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	900



Packaging Method Box

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts















Also in the Series | MCON Interconnection System



Automotive Connector Caps & Covers (36)



Automotive Connector Locks & Position Assurance(15)



Automotive Housings(119)



Automotive Terminals(26)



Connector Seals & Cavity Plugs(9)



Insertion & Extraction Tools(31)



Other Automotive Connector Accessories(4)



PCB Headers & Receptacles(4)


Customers Also Bought



TE Part #953697-1 MQS, CONNECTOR HOUSING



TE Part #1379658-1 TH/.025 CONNECTOR SYSTEM, HOUSING



TE Part #963143-1 MQS BLINDSTOPFEN



TE Part #1801600-1 RECEPTACLE HOUSING, MCON, 10 W, SEALED



TE Part #1379095-3
COV+LEV MQS 12W 0DEG BLAC



TE Part #1801606-2
TAB HOUSING, MCON, 10 W, SEALED



TE Part #1801823-1 4POS,MCON 0.5 CB,REC HSG,BLACK, ASSY,SLD



Documents

Product Drawings

TAB HOUSING, MCON, 10 W, SEALED

English

TAB HOUSING, MCON, 10 W, SEALED

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1801606-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1801606-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1801606-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

English