

Part Number: 2065232121 Product Description: Mini50 Unsealed

Product Description: Mini50 Unsealed Receptacle, Dual Row, UL94-HB, with CPA, 12

Circuits, Polarization Option A, Black

Status: Active

Series Number: 206523

**Product Category:** Connector Housings

#### **Documents & Resources**

#### **Drawings**

Drawing 2065232121\_sd.pdf
Packaging Design Drawing PK-31301-538-001.pdf
Packaging Design Drawing PK-31301-538-001.pdf

### 3D Models and Design Files

3D Model 2065232121\_stp.zip

#### **Specifications**

Application Specification 2065230000-AS-000.pdf
Application Specification 2065230000-AS-CH-000.pdf
Product Specification 2065230000-PS-000.pdf

### **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Compliant
China RoHS	<b>©</b>
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

# EU RoHS Certificate of Compliance

## **Part Details**

### General

Status	Active
Category	Connector Housings
Series	206523
Description	Mini50 Unsealed Receptacle, Dual Row, UL94-HB, with CPA, 12 Circuits, Polarization Option A, Black
Application	Automotive, Power, Wire-to-Board
Product Family	Mini50 Connection Systems
Product Name	Mini50
UPC	191128857055

# Physical

Circuits (maximum)	12
Color - Resin	Black
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	PBT
Net Weight	1.700/g
Number of Rows	2
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.00mm
Pitch - Termination Interface	2.00mm
Polarization	А
Polarized to Mating Part	Yes

Stackable	No
Temperature Range - Operating	-40° to +100°C

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
Mini50 Unsealed Header, Right- Angle, SMT, Dual Row, 12 Circuits, Tin (Sn) Plating, Polarization Option A, Black, Tape and Reel	<u>348978120</u>
Mini50 Unsealed Header, Right- Angle, SMT, Dual Row, 12 Circuits, Tin (Sn) Plating, Polarization Option A, Black, Tube	<u>348979120</u>
Mini50 Unsealed Vertical Header, Dual Row, 12 Circuit, Polarization Option A, Black, Tray	<u>348250124</u>
Mini50 Unsealed Vertical Header, Dual Row, 12 Circuit, Polarization Option A, Black, Tube	<u>348259124</u>
Mini50 Unsealed Right-Angle Header, Dual Row, 12 Circuit, Polarization Option A, 2.80mm Pin Length, Black, Tray	<u>348260124</u>
Mini50 Unsealed Right-Angle Header, Dual Row, 12 Circuit, Polarization Option A, 2.80mm Pin Length, Black, Tube	<u>348269124</u>

# Use with Part(s)

Description	Part Number
CTX50 Unsealed Receptacle Terminals	<u>560023</u>