







△ TABLE 1

番号 NO.	部品 PART	材質 MATERIAL
①	ハウジング HOUSING	ポリアミド (PA), ガラス充填, UL94V-0, 色 : SHEET 5 参照 POLYAMIDE (PA), GLASS FILLED, UL94V-0, COLOR : SEE SHEET 5
②	ターミナル TERMINAL	黄銅 BRASS
		金めっき (接点部) : SHEET 5 参照 GOLD PLATING (CONTACT) : SEE SHEET 5
		ニッケルめっき (下地めっき) : 2.0 MICROMETER MINIMUM NICKEL PLATING (UNDERPLATING)
③	ネイル NAIL	リン青銅 PHOSPHOR BRONZE
		錫めっき : 1.0 MICROMETER MINIMUM MATTE TIN PLATING
		ニッケルめっき (下地めっき) : 1.0 MICROMETER MINIMUM NICKEL PLATING (UNDERPLATING)
④	カバーテープ COVER TAPE	ポリイミド POLYIMIDE

DOCUMENT STATUS	P1	RELEASE DATE	2023/11/06	03:04:33
-----------------	----	--------------	------------	----------



NOTES

- △ 材質及び仕上げ(めっき仕様) : TABLE 1, TABLE 2 参照
MATERIAL AND FINISHES (PLATING SPECIFICATION) : SEE TABLE 1 AND TABLE 2
- △ 製品仕様書、コネクタ取扱説明書、適合嵌合相手はSHEET 5をご参照下さい。
PLEASE REFER TO SHEET 5 FOR PRODUCT SPECIFICATION, APPLICATION SPECIFICATION AND MATE WITH.
- △ 偶数極に適用
APPLY TO EVEN CIRCUIT
4. 本製品は金めっき品である。
錫めっき品は5055750001 PSD 000をご参照下さい。
THIS IS GOLD PLATING PRODUCT.
PLEASE REFER TO 5055750001 PSD 000 FOR TIN PLATING PRODUCT.
5. 端子テール部及びネイルの平坦度 : 0.1mm以下
TAIL AND NAIL COPLANARITY TO BE 0.1mm MAXIMUM.
- △ 発注番号 : SHEET 5参照
ORDER NUMBER : PLEASE REFER TO SHEET 5


505575****

極数
CIRCUIT SIZE


番号 NO.	ハウジングカラー HOUSING COLOR
0	ナチュラル(白) NATURAL (WHITE)
1	黒 BLACK

番号 NO.	接点部金めっき厚 CONTACT GOLD PLATING THICKNESS [MICROMETER MINIMUM]	カバーテープ COVER TAPE
9	0.1	有 WITH
3	0.38	
5	0.76	
6	0.1	無 WITHOUT
2	0.38	
4	0.76	


34.53	30	36	16
32.53	28	34	15
30.53	26	32	14
28.53	24	30	13
26.53	22	28	12
24.53	20	26	11
22.53	18	24	10
20.53	16	22	9
18.53	14	20	8
16.53	12	18	7
14.53	10	16	6
12.53	8	14	5
10.53	6	12	4
8.53	4	10	3
6.53	2	8	2
C	B	A	極数 CIRCUIT SIZE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex									
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				MICRO-LOCK PLUS 2.0 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY GOLD PLATING											
ANGULAR TOL ± 3.0 °															
4 PLACES		± 0.2		EC NO: 767521		PRODUCT CUSTOMER DRAWING									
3 PLACES		± 0.2		DRWN: SOKUMURA01 2023/10/31											
2 PLACES		± 0.2		CHK'D: SAKIYAMA 2023/11/02											
1 PLACE		± 0.2		APPR: AIDA 2023/11/06		DOCUMENT NUMBER 5055750002-SD									
0 PLACES		± 0.2		INITIAL REVISION:						DOC TYPE PSD		DOC PART 000		REVISION B	
DRWN: SOKUMURA01 2019/07/17															
APPR: MARAI 2023/08/04															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING A3-SIZE		SERIES 505575		MATERIAL NUMBER SEE SHEET 5		CUSTOMER GENERAL		SHEET NUMBER 1 OF 5	
															

製品形状
PRODUCT SHAPE




基板パターンレイアウト
PCB PATTERN LAYOUT



推奨基板パターンレイアウト
(参考：基板厚1.6mm, メタルマスク厚0.15mm, マスク開口率100%)
RECOMMENDED PCB PATTERN LAYOUT
(REFERENCE: PCB THICKNESS 1.6mm, STENCIL THICKNESS 0.15mm, APERTURE RATIO 100%)

パターン禁止エリア
RESTRICTED AREA
NO PCB COMPONENTS ALLOWED


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex MICRO-LOCK PLUS 2.0 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY GOLD PLATING				
mm		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)												
ANGULAR TOL		±	3.0 °	EC NO: 767521 DRWN: SOKUMURA01 2023/10/31 CHK'D: SAKIYAMA 2023/11/02 APPR: AIDA 2023/11/06				PRODUCT CUSTOMER DRAWING				
4 PLACES		±	0.2									
3 PLACES		±	0.2									
2 PLACES		±	0.2									
1 PLACE		±	0.2	INITIAL REVISION: DRWN: SOKUMURA01 2019/07/17 APPR: MARAI 2023/08/04				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
0 PLACES		±	0.2					5055750002-SD		PSD	000	B
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER		
				A3-SIZE		505575		SEE SHEET 5		GENERAL		
										2 OF 5		

F


カバーテープ無
WITHOUT COVER TAPE

カバーテープ有
WITH COVER TAPE

F



嵌合状態図
MATED CONNECTOR



5	11.5	16	C
		15	
		14	
		13	
		12	
4	9.5	11	B
		10	
		9	
		8	
		7	
8	4.5	6	A
		5	
		4	
6	2.5	3	B
		2	
E	D	極数 CIRCUIT SIZE	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE
mm	NTS
GENERAL TOLERANCES (UNLESS SPECIFIED)	
ANGULAR TOL	± 3.0 °
4 PLACES	± 0.2
3 PLACES	± 0.2
2 PLACES	± 0.2
1 PLACE	± 0.2
0 PLACES	± 0.2
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

CURRENT REV DESC:

EC NO: 767521
DRWN: SOKUMURA01
CHK'D: SAKIYAMA
APPR: AIDA

2023/10/31
2023/11/02
2023/11/06

INITIAL REVISION:
DRWN: SOKUMURA01
APPR: MARAI

2019/07/17
2023/08/04

THIRD ANGLE PROJECTION

DRAWING
A3-SIZE

SERIES
505575

molex

MICRO-LOCK PLUS 2.0 W/B
SINGLE ROW VERTICAL SMT PLUG ASSEMBLY
GOLD PLATING

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

5055750002-SD

DOC TYPE

PSD

DOC PART

000

REVISION

B

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

SEE SHEET 5

GENERAL

3 OF 5

DOCUMENT STATUS	P1	RELEASE DATE	2023/11/06	03:04:33
-----------------	----	--------------	------------	----------

FORMAT: moxstd001-05A3
REVISION: J1
DATE: 2021/05/01

10987654321

△2 適合製品及び各種仕様書 APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS

梱包仕様書
PACKAGING SPECIFICATION

5055759200 PS 200

適合嵌合相手シリーズ番号
MATE WITH SERIES NUMBER

505570

製品仕様書
PRODUCT SPECIFICATION

5055700002-PS PS 000

コネクタ取扱説明書
APPLICATION SPECIFICATION

5055700001 PS A03

△6 製品一覧
ORDER NUMBER LIST

カバーテープ有 WITH COVER TAPE

BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	HOUSING COLOR
5055751651	5055751650	5055751631	5055751630	5055751691	5055751690	16
5055751551	5055751550	5055751531	5055751530	5055751591	5055751590	15
5055751451	5055751450	5055751431	5055751430	5055751491	5055751490	14
5055751351	5055751350	5055751331	5055751330	5055751391	5055751390	13
5055751251	5055751250	5055751231	5055751230	5055751291	5055751290	12
5055751151	5055751150	5055751131	5055751130	5055751191	5055751190	11
5055751051	5055751050	5055751031	5055751030	5055751091	5055751090	10
5055750951	5055750950	5055750931	5055750930	5055750991	5055750990	9
5055750851	5055750850	5055750831	5055750830	5055750891	5055750890	8
5055750751	5055750750	5055750731	5055750730	5055750791	5055750790	7
5055750651	5055750650	5055750631	5055750630	5055750691	5055750690	6
5055750551	5055750550	5055750531	5055750530	5055750591	5055750590	5
5055750451	5055750450	5055750431	5055750430	5055750491	5055750490	4
5055750351	5055750350	5055750331	5055750330	5055750391	5055750390	3
5055750251	5055750250	5055750231	5055750230	5055750291	5055750290	2
発注番号：ORDER NUMBER						極数 CIRCUIT SIZE
梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL						

カバーテープ無 WITHOUT COVER TAPE

BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	HOUSING COLOR
5055751641	5055751640	5055751621	5055751620	5055751661	5055751660	16
5055751541	5055751540	5055751521	5055751520	5055751561	5055751560	15
5055751441	5055751440	5055751421	5055751420	5055751461	5055751460	14
5055751341	5055751340	5055751321	5055751320	5055751361	5055751360	13
5055751241	5055751240	5055751221	5055751220	5055751261	5055751260	12
5055751141	5055751140	5055751121	5055751120	5055751161	5055751160	11
5055751041	5055751040	5055751021	5055751020	5055751061	5055751060	10
5055750941	5055750940	5055750921	5055750920	5055750961	5055750960	9
5055750841	5055750840	5055750821	5055750820	5055750861	5055750860	8
5055750741	5055750740	5055750721	5055750720	5055750761	5055750760	7
5055750641	5055750640	5055750621	5055750620	5055750661	5055750660	6
5055750541	5055750540	5055750521	5055750520	5055750561	5055750560	5
5055750441	5055750440	5055750421	5055750420	5055750461	5055750460	4
5055750341	5055750340	5055750321	5055750320	5055750361	5055750360	3
5055750241	5055750240	5055750221	5055750220	5055750261	5055750260	2
発注番号：ORDER NUMBER						極数 CIRCUIT SIZE
梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL						

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

ANGULAR TOL

±

3.0 °

4 PLACES

±

0.2

3 PLACES

±

0.2

2 PLACES

±

0.2

1 PLACE

±

0.2

0 PLACES

±

0.2

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

505575

MATERIAL NUMBER

SEE CHART

CUSTOMER

GENERAL

SHEET NUMBER

5 OF 5

CURRENT REV DESC:

EC NO: 767521

DRWN: SOKUMURA01

CHK'D: SAKIYAMA

APPR: AIDA

INITIAL REVISION:

DRWN: SOKUMURA01

APPR: MARAI

2023/10/31

2023/11/02

2023/11/06

2019/07/17

2023/08/04

molex

MICRO-LOCK PLUS 2.0 W/B
SINGLE ROW VERTICAL SMT PLUG ASSEMBLY
GOLD PLATING

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

5055750002-SD

DOC TYPE

PSD

DOC PART

000

REVISION

B

DOCUMENT STATUS

P1

RELEASE DATE

2023/11/06

03:04:33