

2980296

https://www.phoenixcontact.com/us/products/2980296

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Passive feed-through bridge; can be inserted instead of a relay or solid-state relay, bridges terminal points (A1 and 14) and (A2 and 13)

Commercial data

Item number	2980296
Packing unit	10 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	C461
Product key	CK62Z5
GTIN	4017918882174
Weight per piece (including packing)	4.86 g
Weight per piece (excluding packing)	4.86 g
Customs tariff number	85389099
Country of origin	HU



2980296

https://www.phoenixcontact.com/us/products/2980296

Technical data

Product properties

Product type	Bridge
Product family	PLC-INTERFACE
Data management status	
Article revision	01

Approvals

Corrosive gas test

Identification	ISA-S71.04. G3 Harsh Group
	EN 60068-2-60

Mounting



2980296

https://www.phoenixcontact.com/us/products/2980296

Classifications

UNSPSC 21.0

ECLASS

ECLASS-	11.0	27371692
ECLASS-	12.0	27371692
ECLASS-	13.0	27371692
ETIM		
ETIM 9.0		EC002586
UNSPSC		

39122300



2980296

https://www.phoenixcontact.com/us/products/2980296

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com