



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Single Wire Seal (SWS)**

Primary Product Material: **Silicone**

Primary Product Color: **Brown**

Cavity Diameter: **4.4 mm [.173 in]**

Compatible Insulation Diameter Range: **2 – 2.6 mm [.079 – .102 in]**

Features

Product Type Features

Connector Seal & Plug Type	Single Wire Seal (SWS)
----------------------------	------------------------

Body Features

Primary Product Material	Silicone
Primary Product Color	Brown

Dimensions

Cavity Diameter	4.4 mm[.173 in]
Compatible Insulation Diameter Range	2 – 2.6 mm[.079 – .102 in]

Usage Conditions

Operating Temperature (Max)	65 °C, 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C [149 °F][158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Industry Standards

UL Flammability Rating	None
------------------------	------

Other

Resistance to Hydrocarbons	Poor
Shore A Hardness	40



Contains Lubricant	Yes
--------------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CAT-EC7491-CH8172
ECONOSEAL, CONNECTOR HOUSING



TE Part # CAT-EC7491-T273
Econoseal Receptacles and Tabs



TE Part # 171631-2
070 TAB CONT GOLD




TE Part # 174877-2
1 POS HSG MARK II+

Also in the Series | Econoseal J - Mark II



Automotive Connector Caps & Covers (1)



Automotive Connector Locks & Position Assurance(2)



Automotive Housings(25)




Connector Seals & Cavity Plugs(5)



Other Automotive Connector Accessories(4)

Customers Also Bought



TE Part #2-174357-2
070 EJ-2(2) PLUG ASSY 3P SIR



TE Part #936248-2
MULTILOCK, CONNECTOR HOUSING



TE Part #2005097-1
025 RECEPTACLE CONTACT



TE Part #172282-1
ECONOSEAL 12P RUBBER



TE Part #1897635-2
ECU 60P PLUG ASS'Y




TE Part #1-1703543-2
2POS,TAB 2.8X0.8,TAB HSG,ASSY



TE Part #2-1768063-5
LBF-T083400X



TE Part #284723-1
COVER FOR 60 POS RECEPTACLE HO



TE Part #6-1768384-4
LBF-A1203109 <=> 203109

Documents



Product Drawings

COMPRUBBER PLUG SILICON

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1-172888-3_C1.2d_dxf.zip

English

Customer View Model

ENG_CVM_1-172888-3_C1.3d_igs.zip

English

Customer View Model

ENG_CVM_1-172888-3_C1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

Japanese

Product Specification

English

Product Specification

English

(DESIGN OBJECTIVES) AIR BAG CONNECTOR

English

(DESIGN OBJECTIVES) AIR BAG CONNECTOR

Japanese

Product Specification

Japanese

Product Specification

Japanese

Product Specification

English

Product Specification

Japanese

Instruction Sheets

ECONOSEAL J MARK II+ CONNECTOR (EJ-MK II+)

English

Customer Manual (non U.S.)

English

ECONOSEAL J MARK II+ CONNECTOR

1-172888-3

Single Wire Seal (SWS), Silicone, Brown, 4.4 mm [.173 in] Cavity Diameter, 2 – 2.6 mm [.079 – .102 in] Insulation Diameter, Econoseal J - Mark II



English

[Customer Manual \(non U.S.\)](#)

English