



Part Number : 1301500056

Series Number : 130150
Product Category : Wiring Devices

Product Description : 20 Amp Safeway Pin and Sleeve Receptacle with Flip Lid, 2 Pole/3 Wire, 125V, Yellow
Status : Active
Engineering Number : 320R4

Documents & Resources

Drawings
Drawing 1301500056_sd.pdf

Product Environment Compliance

Compliance

| | |
|--------------------|--|
| GADSL/IMDS | Not Relevant |
| China RoHS | Not Reviewed per SJ/T 11365-2006 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Not Reviewed per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Not Reviewed per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------------------|---|
| Status | Active |
| Category | Wiring Devices |
| Series | 130150 |
| Description | 20 Amp Safeway Pin and Sleeve Receptacle with Flip Lid, 2 Pole/3 Wire, 125V, Yellow |
| Comments | IEC Configuration 309-1/309-2 |
| IP Rating | IP44 |
| NEMA Configuration | N/A |
| Product Family | Heavy-Duty Industrial Wiring Devices |
| Product Name | Safeway |
| Specialty | Pin and Sleeve |
| Type | Receptacle |
| UPC | 78678861323 |

Agency

| | |
|----|---------|
| UL | E145923 |
|----|---------|

Electrical

| | |
|-------------------------------|-------|
| Current - Maximum per Contact | 20.0A |
| GFCI | No |
| Voltage - Maximum | 125V |

Physical

| | |
|-------------------|---------------|
| Cord Type | N/A |
| Flange | No |
| Flip Lid | Yes |
| Gender | Female |
| Length | N/A |
| Lighted Connector | No |
| Locking Blade | No |
| Poles | 2-pole/3-wire |
| Receptacle Type | Single |
