



Passive Components > Resistors > Through-Hole Resistors > Wirewound Resistor: Vertical Mount



Resistor Type: **Power Resistor**

Element Type: **Wire Wound**

Power Rating: **17 W**

Resistance Class: **1kΩ – 1MΩ**

Resistance Value: **1.5K Ω**

[All Wirewound Resistor: Vertical Mount \(137\)](#)

Features

Product Type Features

|               |                |
|---------------|----------------|
| Resistor Type | Power Resistor |
| Element Type  | Wire Wound     |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Resistors | 1 |
|---------------------|---|

Electrical Characteristics

|                             |           |
|-----------------------------|-----------|
| Power Rating                | 17 W      |
| Resistance Class            | 1kΩ – 1MΩ |
| Resistance Value            | 1.5K Ω    |
| Passive Component Tolerance | 5 %       |

Body Features

|           |              |
|-----------|--------------|
| Lead Type | Axial-Leaded |
|-----------|--------------|

Termination Features

|                                |        |
|--------------------------------|--------|
| Termination Area Base Material | Copper |
| Number of Terminations         | 2      |

Dimensions

|                              |                |
|------------------------------|----------------|
| Passive Component Dimensions | 75 x 10 x 9 mm |
|------------------------------|----------------|



Usage Conditions

|                             |              |
|-----------------------------|--------------|
| Operating Temperature Range | -55 – 350 °C |
| Temperature Coefficient     | ±200 ppm/°C  |

Packaging Features

|                  |                   |
|------------------|-------------------|
| Packaging Method | Loose Piece - Box |
|------------------|-------------------|

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

|                                               |                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                       |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                       |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                         |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JUNE 2023 (235)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                             |
| Solder Process Capability                     | Wave solder capable to 265°C                                                                                                    |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

SBCHE151K5J

Power Resistor, Wire Wound, 17 W, 1.5K ohm, 5 %, ±200 ppm/°C, Axial-Leaded, Copper Termination, 75 x 10 x 9 mm, Loose Piece - Box, CGS SBC





TE Part # 1623728-3  
BCHE 11 W 10R 5%



TE Part # 1-1623728-1  
BCHE 11 W 220R 5%



TE Part # 1-1623728-2  
BCHE 11 W 22K 5%




TE Part # 2-1623728-2  
BCHE 11 W 47R 5%



TE Part # 1623729-1  
BCHE 17 W 100R 5%

Also in the Series | CGS SBC



Surface Mount Resistors(1)




Through-Hole Resistors(212)

Customers Also Bought



TE Part #2-1623729-2  
BCHE 17 W 4K7 5%



TE Part #925486-1  
MOD. IV SNAP-IN HSG 96 POS.




TE Part #3-640428-8  
08P MTA156 CONN ASSY 22AWG RED



TE Part #4-640426-0  
10P MTA156 CONN ASSY 18AWG ORA



TE Part #1367147-1  
SFP COVER, UNPLATED



TE Part #282837-3  
TERMI-BLOK PCB MOUNT 3P



TE Part #2600023-1  
2CCT BLACK PLUG W/SMALL SEAL



TE Part #502750-1  
KIT,COUPLING RECEPT,2.5BAY,SM





Documents

Product Drawings

BCHE 17 W 1K5 5%

English

Datasheets & Catalog Pages

4-1773460-6\_RESISTIVE\_SOLUTIONS\_RAIL

English

1309350\_PASSIVE\_COMPONENT

English

8-1773459-4\_POWER\_FILTERING\_AND\_RESISTIVE\_SOLUTIONS\_FOR\_ELEVATORS\_AND\_ESCALATORS

English

High Power Resistor - Type SBC (Square Ceramic) Series - Tyco Electronics Passives

English