



Terminals & Splices > Splices



Splice Type: Closed End Splice

Wire Size: 22 – 10 AWG

Sealable: No

Splice Capacity: 3 + Ground

Splice Features: Standard

Features

Product Type Features

Splice Accessory Type	Wire Cap
Splice Type	Closed End Splice
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Splice Capacity	3 + Ground
Compatible With Wire & Cable Type	Discrete Wire

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Body Features

Splice Features	Standard
Primary Product Color	Yellow

Contact Features

Contact Base Material	Steel
Barrel Type	Closed

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------



Dimensions

Wire Size	22 – 10 AWG
-----------	-------------

Usage Conditions

Insulation Option	Fully Insulated
Operating Temperature Range	105 °C

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Method	Bag
------------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # 2324697-2  
PUSH GRIP CONNECTOR 2P

TE Part # 2324697-3  
PUSH GRIP CONNECTOR 3P

TE Part # 2324697-4  
PUSH GRIP CONNECTOR 4P

TE Part # 2324697-5  
PUSH GRIP CONNECTOR 5P

TE Part # 2324697-6  
PUSH GRIP CONNECTOR 6P

Customers Also Bought

TE Part #104257-9  
10 MTE RCPT HSG SR LATCH .100

TE Part #2-111196-4  
100 RCPT SYSTEM 50, LEAD FREE

TE Part #103653-1  
02 MTE SHRD PIN HSG SR LATCH

TE Part #CR2103-000  
CPGI-WC-WG-OR-BULK

TE Part #87631-5  
10 MODIV HSG COMP DR .100 POL

TE Part #103653-9  
10 MTE SHRD PIN HSG SR LATCH

TE Part #5-104505-5  
MTE PIN LP

TE Part #104480-8  
SHORT POINT RCP CONT LP

TE Part #4-1879160-2  
RN 0805 5R11 0.1% 10PPM 1K RL



Documents

Product Drawings

CPGI-WC-CG-YW-BULK

English

Datasheets & Catalog Pages

Twist Splice Wire Connectors flyer

English

Twist Splice wire connectors