



Part Number : [2132740003](#)
Product Description : PowerPlane BusBar Assembly, Vertical Mount, Dual Hole, Open Side Walls, Silver (Ag) Plated
Series Number : 213274
Status : Active
Product Category : PCB Headers and Receptacles



Documents & Resources


Drawings
[2132740003_sd.pdf](#)

3D Models and Design Files
[2132740003_stp.zip](#)

Specifications
[2132740001-AS-000.pdf](#)
[2132740001-PS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements
- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents
- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	PCB Headers and Receptacles
Series	213274
Description	PowerPlane BusBar Assembly, Vertical Mount, Dual Hole, Open Side Walls, Silver (Ag) Plated
Application	Power
Component Type	PCB Receptacle
Product Family	PowerPlane Busbar Power Connectors
Product Name	PowerPlane
UPC	195842286313

Agency

UL	E29179
----	--------

Electrical

Current - Maximum per Contact	320.0A
Voltage - Maximum	1000V

Physical

Circuits (Loaded)	1
Circuits (maximum)	1
Color - Resin	Black
Durability (mating cycles max)	200
Flammability	94V-0
Glow-Wire Capable	No
Guide to Mating Part	No
Keying to Mating Part	None

Lock to Mating Part	None
Material - Metal	Copper Alloy
Material - Plating Mating	Silver
Material - Plating Termination	Nickel
Material - Resin	Polyester
Net Weight	19.424/g
Number of Rows	2
Orientation	Vertical
Packaging Type	Tray
PCB Locator	No
PCB Retention	Yes
Pitch - Mating Interface	N/A
Polarized to Mating Part	No
Polarized to PCB	Yes
Stackable	No
Temperature Range - Operating	-40° to +125°C
Termination Interface Style	Screw