



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories >

Removal Tools — AMPSEAL 16



Automotive Connector Accessory Type: **Extraction Tool**
Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**

[All Removal Tools — AMPSEAL 16 \(2\)](#)

Features

Product Type Features

Automotive Connector Accessory Type	Extraction Tool
-------------------------------------	-----------------

Usage Conditions

Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Quantity	2
Packaging Method	Bag

Other

Serviceable	No
-------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)




Candidate List Declared Against: JUNE 2022 (224)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability










Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts


 TE Part # CAT-AM7801-CH8172 AMPSEAL 16 Housings	 TE Part # 2339729-1 CAP PIN ASSY, 4P, FLANGE, SEALED COAX	 TE Part # 2338211-1 CAP PIN ASSY, 4P, W2W, SEALED COAX	 TE Part # 2338212-1 PLUG SOCKET ASSY, 4P, W2W, SEALED COAX
 TE Part # 2355843-1 1POS, COAX, SOC HSG ASSY, SLD	 TE Part # 2449917-1 CAP PIN ASSY, 1P, FLANGE, SEALED COAX	TE Part # 2338216-1 TPA PIN HSG, 4POS, DIA 2.8MM	TE Part # 2338218-1 TPA SOC HSG, 4POS, DIA 2.8MM




 TE Part # 2355835-1 TPA SOC HSG,1POS,MATE-AX	 TE Part # 2338211-2 CAP PIN ASSY, 4P, W2W, SEALED COAX	 TE Part # 2338211-3 CAP PIN ASSY, 4P, W2W, SEALED COAX	 TE Part # 2338211-4 CAP PIN ASSY, 4P, W2W, SEALED COAX
 TE Part # 2338212-2 PLUG SOCKET ASSY, 4P, W2W, SEALED COAX	 TE Part # 2338212-3 PLUG SOCKET ASSY, 4P, W2W, SEALED COAX	 TE Part # 2338212-4 PLUG SOCKET ASSY, 4P, W2W, SEALED COAX	 TE Part # 2355843-2 1POS,COAX,SOC HSG ASSY,SLD
 TE Part # 2355843-3 1POS,COAX,SOC HSG ASSY,SLD	 TE Part # 2355843-4 1POS,COAX,SOC HSG ASSY,SLD		

Also in the Series | AMPSEAL 16

 Automotive Connector Caps & Covers (3)	 Automotive Connector Locks & Position Assurance(2)	 Automotive Housings(244)	 Automotive Terminals(35)
 Connector Backshells(84)	 Connector Seals & Cavity Plugs(4)	 Data Connectivity Headers(2)	 Data Connectivity Housings(3)



Customers Also Bought



Documents

Product Drawings
AS 16, EXTRACTION TOOL
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_776441-1_B.2d_dxf.zip



English

Customer View Model
[ENG_CVM_CVM_776441-1_B.3d_igs.zip](#)

English

Customer View Model
[ENG_CVM_CVM_776441-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
[CONNECTOR SELECTOR](#)

English

Product Specifications
[Application Specification](#)

English