



23105 Kashiwa Court, Torrance, CA 90505
Phone: (800) 579-4875 or (310) 534-1505 Fax: (310) 534-1424
E-mail: info@ledtronics.com
Website: <http://www.ledtronics.com>

A19GU24F-xxW-XIW-101AD (SERIES)

LED A19 Bulb, Dimmable, Frosted, GU24 Base
120Vac, Warm White(3000K), 9W & 9.5W
Angle of illumination: 320°



DWG BY:
STL / GP
05-26-17

R&D:
UF
07-17-19

MFG:
LD
07-17-19

QA:
SB
07-18-19

REVISION LTR: A
ECR#: 071519-UF01
07-17-19

○ Features

Operating Temperature	-25°C to +90°C
Heatsink Temperature	85°C
Body Material / Color	Polycarbonate / White
Lens Material / Color	Polycarbonate / Frosted White
UL / cUL Listed	E479058 (SPSA19GU24D9XX)
LED LM80 Report	Yes
LM79 Report	-
Dimmable	Yes (10%)
Lifespan	25,000 hrs.
Warranty	3 Years
Weight (9W)	0.15 lbs.
Weight (10W)	0.37 lbs.



○ Electro-Optical Characteristics

Part Number	A19GU24F-09W-XIW-101AD	A19GU24F-10W-XIW-101AD
Input Voltage (typ)	120Vac	120Vac
Tested @ (Voltage)	120Vac	120Vac
Power Consumption	9W	9.5W
Current Consumption	0.080 A	0.080 A
Efficacy: (Lm/W)	122	115
Lumens	1100 lm	1,085 lm
Max Ft-Cd	160 cd	155 cd
Power Factor	0.94	0.97
CRI (Ra)	82	
CCT	3000K	
Color	Warm White	
Angle of illumination	320°	

○ **Dimensions**



Tolerance:

XXX +/- .010

XX +/- .025

Notes:

1. All Dimensions are in Inches [Millimeters].