


# Data sheet

## 28503.4 KDS-IVR 8/16 BK



Inner locking frame, Length: 125 mm, Height: 11.5 mm, Colour: Black

**RAL:** Ähnlich 9005

### Business data

|                                            |                 |
|--------------------------------------------|-----------------|
| Article number                             | 28503.4         |
| Article name                               | KDS-IVR 8/16 BK |
| GTIN (EAN)                                 | 4044211210793   |
| Packaging unit                             | 10              |
| Quantity unit                              | PC              |
| Weight per piece (not including packaging) | 30.6 g          |
| Weight per piece (including packaging)     | 31.3 g          |
| Unit of weight                             | G               |
| Customs number                             | 39259020        |
| Country of origin                          | DE              |
| Product description                        | Cable Entry     |
| Colour                                     | Black           |

### Technical data

#### Dimensions

|                             |         |
|-----------------------------|---------|
| Length                      | 125 mm  |
| Width                       | 70 mm   |
| Height                      | 11.5 mm |
| Installation height         | 11.5 mm |
| Diameter of the screw holes | 5.5 mm  |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Glass-fibre reinforced    | ✓             |
| Flammability class UL 94  | V-0           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 120 °C        |
| Halogen-free              | ✓             |
| Silicone-free             | ✓             |

#### Further technical data

|                       |        |
|-----------------------|--------|
| Mounting type         | Screws |
| Sheet thickness max.  | 3 mm   |
| Number of screw holes | 4      |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2024-06-27 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

Approvals

cUL Recognized

|                 |                 |
|-----------------|-----------------|
| cUL approval    | C22.2 No. 14-18 |
| cUL File Number | E489821         |
| cUL Recognized  | 1               |


UL Recognized

|                |         |
|----------------|---------|
| UL approval    | UL 508A |
| UL File Number | E489821 |
| UL Recognized  | 1       |

German Lloyd approval

|                           |                                                                                  |
|---------------------------|----------------------------------------------------------------------------------|
| DNV GL Certificate number | TAE00003V7                                                                       |
| DNV GL Location Classes   | Temperature: -40°C to 120°C, Humidity: B, Vibration: B, Ingress protection: IP66 |
| DNV GL approval granted   | 1                                                                                |

Media



### Accessories

#### Small Seals



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 20 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28540.4</u> | KDS-DEG 19-20 BK | 4044211215354 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 33 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28601.4</u> | KDS-DEG 32-33 BK | 4044211215613 | 10 ST          |



Seal dummy, Mounting type: Plug in, Length x width: 42.8 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28534.4</u> | KDS-DEG/B BK | 4044211215255 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 15 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28535.4</u> | KDS-DEG 14-15 BK | 4044211209995 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 16 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28536.4</u> | KDS-DEG 15-16 BK | 4044211215279 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 17 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28537.4</u> | KDS-DEG 16-17 BK | 4044211215293 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 18 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28538.4</u> | KDS-DEG 17-18 BK | 4044211215316 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 24 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28544.4</u> | KDS-DEG 23-24 BK | 4044211215439 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 20 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28581.6</u> | KDS-DEG 19-20 GR | 4044211215347 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 21 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28582.6</u> | KDS-DEG 20-21 GR | 4044211215361 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 22 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28583.6</u> | KDS-DEG 21-22 GR | 4044211215385 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 23 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28584.6</u> | KDS-DEG 22-23 GR | 4044211215408 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### Small Seals




Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 25 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28545.4</u> | KDS-DEG 24-25 BK | 4044211215453 | 10 ST          |




Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 26 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28546.4</u> | KDS-DEG 25-26 BK | 4044211215460 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 27 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28547.4</u> | KDS-DEG 26-27 BK | 4044211215491 | 10 ST          |




Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 28 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28548.4</u> | KDS-DEG 27-28 BK | 4044211215514 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 29 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28549.4</u> | KDS-DEG 28-29 BK | 4044211215538 | 10 ST          |




Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 30 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28550.4</u> | KDS-DEG 29-30 BK | 4044211215552 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 31 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28551.4</u> | KDS-DEG 30-31 BK | 4044211215576 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 32 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28552.4</u> | KDS-DEG 31-32 BK | 4044211215590 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 18 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28579.6</u> | KDS-DEG 17-18 GR | 4044211215309 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 19 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28580.6</u> | KDS-DEG 18-19 GR | 4044211215323 | 10 ST          |



Seal dummy, Mounting type: Plug in, Length x width: 42.8 mm, IP 66, Colour: Grey

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28575.6</u> | KDS-DEG/B GR | 4044211215248 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 15 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28576.6</u> | KDS-DEG 14-15 GR | 4044211209971 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 16 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28577.6</u> | KDS-DEG 15-16 GR | 4044211215262 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 17 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28578.6</u> | KDS-DEG 16-17 GR | 4044211215286 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 32 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28593.6</u> | KDS-DEG 31-32 GR | 4044211215583 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 33 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28594.6</u> | KDS-DEG 32-33 GR | 4044211215606 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 23 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28543.4</u> | KDS-DEG 22-23 BK | 4044211215415 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 24 mm, IP 66, Colour: Black

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>28554.4</u> | KDS-DEG/K 7-24 BK | 4044211216108 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 24 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28585.6</u> | KDS-DEG 23-24 GR | 4044211215422 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 25 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28586.6</u> | KDS-DEG 24-25 GR | 4044211215446 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 26 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28587.6</u> | KDS-DEG 25-26 GR | 4044211215477 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 27 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28588.6</u> | KDS-DEG 26-27 GR | 4044211215484 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 28 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28589.6</u> | KDS-DEG 27-28 GR | 4044211215507 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 29 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28590.6</u> | KDS-DEG 28-29 GR | 4044211215521 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 30 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28591.6</u> | KDS-DEG 29-30 GR | 4044211215545 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 31 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28592.6</u> | KDS-DEG 30-31 GR | 4044211215569 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 19 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28539.4</u> | KDS-DEG 18-19 BK | 4044211215330 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 21 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28541.4</u> | KDS-DEG 20-21 BK | 4044211215378 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 22 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28542.4</u> | KDS-DEG 21-22 BK | 4044211215392 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28567.6</u> | KDS-DE 6-7 GR | 4044211211059 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28568.6</u> | KDS-DE 7-8 GR | 4044211211066 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 9 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28569.6</u> | KDS-DE 8-9 GR | 4044211211073 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 10 mm, IP 66, Colour: Grey

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28570.6</u> | KDS-DE 9-10 GR | 4044211211080 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 11 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28571.6</u> | KDS-DE 10-11 GR | 4044211211097 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 12 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28572.6</u> | KDS-DE 11-12 GR | 4044211211103 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 13 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28573.6</u> | KDS-DE 12-13 GR | 4044211215224 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28563.6</u> | KDS-DE 2-3 GR | 4044211211011 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28564.6</u> | KDS-DE 3-4 GR | 4044211211028 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28565.6</u> | KDS-DE 4-5 GR | 4044211211035 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28566.6</u> | KDS-DE 5-6 GR | 4044211211042 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 14 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28574.6</u> | KDS-DE 13-14 GR | 4044211215231 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28595.6</u> | KDS-DE 2X4-5 GR | 4044211215682 | 10 ST          |

Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28596.6</u> | KDS-DE 2X5-6 GR | 4044211215699 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28597.6</u> | KDS-DE 4X2-3 GR | 4044211215705 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28598.6</u> | KDS-DE 4X3-4 GR | 4044211215712 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28599.6</u> | KDS-DE/1XASI GR | 4044211215729 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28560.4</u> | KDS-DE/2XASI BK | 4044211215675 | 10 ST          |



Seal dummy, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Grey

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28561.6</u> | KDS-DE/B GR  | 4044211211004 | 10 ST          |

Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28562.6</u> | KDS-DE 1,5-2 GR | 4044211209988 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28600.6</u> | KDS-DE/2XASI GR | 4044211215736 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 11 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28530.4</u> | KDS-DE 10-11 BK | 4044211210960 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 12 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28531.4</u> | KDS-DE 11-12 BK | 4044211210977 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 13 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28532.4</u> | KDS-DE 12-13 BK | 4044211210984 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 14 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28533.4</u> | KDS-DE 13-14 BK | 4044211210991 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 11 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28553.4</u> | KDS-DE/K 2-11 BK | 4044211216092 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28555.4</u> | KDS-DE 2X4-5 BK | 4044211215620 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28556.4</u> | KDS-DE 2X5-6 BK | 4044211215637 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28557.4</u> | KDS-DE 4X2-3 BK | 4044211215644 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28558.4</u> | KDS-DE 4X3-4 BK | 4044211215651 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28559.4</u> | KDS-DE/1XASI BK | 4044211215668 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### Small Seals



Seal dummy, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28520.4</u> | KDS-DE/B BK  | 4044211210878 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28521.4</u> | KDS-DE 1,5-2 BK | 4044211210007 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28522.4</u> | KDS-DE 2-3 BK | 4044211210885 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28523.4</u> | KDS-DE 3-4 BK | 4044211210892 | 10 ST          |




Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28524.4</u> | KDS-DE 4-5 BK | 4044211210908 | 10 ST          |




Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Black


| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28525.4</u> | KDS-DE 5-6 BK | 4044211210915 | 10 ST          |




| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| 28526.4        | KDS-DE 6-7 BK | 4044211210922 | 10 ST          |



| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| 28527.4        | KDS-DE 7-8 BK | 4044211210939 | 10 ST          |



| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| 28528.4        | KDS-DE 8-9 BK | 4044211210946 | 10 ST          |



| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| 28529.4        | KDS-DE 9-10 BK | 4044211210953 | 10 ST          |

28503.4 KDS-IVR 8/16 BK

Inlays

Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black



| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28516.4</u> | KDS-Inlay 1 BK | 4044211210847 | 5 ST           |



Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28518.4</u> | KDS-Inlay 4 BK | 4044211210861 | 5 ST           |

##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 20 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28540.4</u> | KDS-DEG 19-20 BK | 4044211215354 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 33 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28601.4</u> | KDS-DEG 32-33 BK | 4044211215613 | 10 ST          |



Seal dummy, Mounting type: Plug in, Length x width: 42.8 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28534.4</u> | KDS-DEG/B BK | 4044211215255 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 15 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28535.4</u> | KDS-DEG 14-15 BK | 4044211209995 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 16 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28536.4</u> | KDS-DEG 15-16 BK | 4044211215279 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 17 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28537.4</u> | KDS-DEG 16-17 BK | 4044211215293 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 18 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28538.4</u> | KDS-DEG 17-18 BK | 4044211215316 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 24 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28544.4</u> | KDS-DEG 23-24 BK | 4044211215439 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 20 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28581.6</u> | KDS-DEG 19-20 GR | 4044211215347 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 21 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28582.6</u> | KDS-DEG 20-21 GR | 4044211215361 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 22 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28583.6</u> | KDS-DEG 21-22 GR | 4044211215385 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 23 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28584.6</u> | KDS-DEG 22-23 GR | 4044211215408 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 25 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28545.4</u> | KDS-DEG 24-25 BK | 4044211215453 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 26 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28546.4</u> | KDS-DEG 25-26 BK | 4044211215460 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 27 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28547.4</u> | KDS-DEG 26-27 BK | 4044211215491 | 10 ST          |




Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 28 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28548.4</u> | KDS-DEG 27-28 BK | 4044211215514 | 10 ST          |


## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE




Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 29 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28549.4</u> | KDS-DEG 28-29 BK | 4044211215538 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 30 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28550.4</u> | KDS-DEG 29-30 BK | 4044211215552 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 31 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28551.4</u> | KDS-DEG 30-31 BK | 4044211215576 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 32 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28552.4</u> | KDS-DEG 31-32 BK | 4044211215590 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 18 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28579.6</u> | KDS-DEG 17-18 GR | 4044211215309 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 19 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28580.6</u> | KDS-DEG 18-19 GR | 4044211215323 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal dummy, Mounting type: Plug in, Length x width: 42.8 mm, IP 66, Colour: Grey

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28575.6</u> | KDS-DEG/B GR | 4044211215248 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 15 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28576.6</u> | KDS-DEG 14-15 GR | 4044211209971 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 16 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28577.6</u> | KDS-DEG 15-16 GR | 4044211215262 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 17 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28578.6</u> | KDS-DEG 16-17 GR | 4044211215286 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 32 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28593.6</u> | KDS-DEG 31-32 GR | 4044211215583 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 33 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28594.6</u> | KDS-DEG 32-33 GR | 4044211215606 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 23 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28543.4</u> | KDS-DEG 22-23 BK | 4044211215415 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 24 mm, IP 66, Colour: Black

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>28554.4</u> | KDS-DEG/K 7-24 BK | 4044211216108 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 24 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28585.6</u> | KDS-DEG 23-24 GR | 4044211215422 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 25 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28586.6</u> | KDS-DEG 24-25 GR | 4044211215446 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 26 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28587.6</u> | KDS-DEG 25-26 GR | 4044211215477 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 27 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28588.6</u> | KDS-DEG 26-27 GR | 4044211215484 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 28 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28589.6</u> | KDS-DEG 27-28 GR | 4044211215507 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 29 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28590.6</u> | KDS-DEG 28-29 GR | 4044211215521 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 30 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28591.6</u> | KDS-DEG 29-30 GR | 4044211215545 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 31 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28592.6</u> | KDS-DEG 30-31 GR | 4044211215569 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 19 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28539.4</u> | KDS-DEG 18-19 BK | 4044211215330 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 21 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28541.4</u> | KDS-DEG 20-21 BK | 4044211215378 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 22 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28542.4</u> | KDS-DEG 21-22 BK | 4044211215392 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28567.6</u> | KDS-DE 6-7 GR | 4044211211059 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28568.6</u> | KDS-DE 7-8 GR | 4044211211066 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 9 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28569.6</u> | KDS-DE 8-9 GR | 4044211211073 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 10 mm, IP 66, Colour: Grey

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28570.6</u> | KDS-DE 9-10 GR | 4044211211080 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 11 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28571.6</u> | KDS-DE 10-11 GR | 4044211211097 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 12 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28572.6</u> | KDS-DE 11-12 GR | 4044211211103 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 13 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28573.6</u> | KDS-DE 12-13 GR | 4044211215224 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28563.6</u> | KDS-DE 2-3 GR | 4044211211011 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28564.6</u> | KDS-DE 3-4 GR | 4044211211028 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28565.6</u> | KDS-DE 4-5 GR | 4044211211035 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28566.6</u> | KDS-DE 5-6 GR | 4044211211042 | 10 ST          |

##INVERSE##CONTA-CABLE

|                                                                                     |                                                                                                        |                 |               |                |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------|---------------|----------------|
|    | Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 14 mm, IP 66, Colour: Grey |                 |               |                |
|                                                                                     | Article number                                                                                         | Article name    | GTIN (EAN)    | Packaging unit |
|                                                                                     | 28574.6                                                                                                | KDS-DE 13-14 GR | 4044211215231 | 10 ST          |
|    | Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey  |                 |               |                |
|                                                                                     | Article number                                                                                         | Article name    | GTIN (EAN)    | Packaging unit |
|                                                                                     | 28595.6                                                                                                | KDS-DE 2X4-5 GR | 4044211215682 | 10 ST          |
|   | Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey  |                 |               |                |
|                                                                                     | Article number                                                                                         | Article name    | GTIN (EAN)    | Packaging unit |
|                                                                                     | 28596.6                                                                                                | KDS-DE 2X5-6 GR | 4044211215699 | 10 ST          |
|  | Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Grey  |                 |               |                |
|                                                                                     | Article number                                                                                         | Article name    | GTIN (EAN)    | Packaging unit |
|                                                                                     | 28597.6                                                                                                | KDS-DE 4X2-3 GR | 4044211215705 | 10 ST          |
|  | Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Grey  |                 |               |                |
|                                                                                     | Article number                                                                                         | Article name    | GTIN (EAN)    | Packaging unit |
|                                                                                     | 28598.6                                                                                                | KDS-DE 4X3-4 GR | 4044211215712 | 10 ST          |
|  | Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Grey                             |                 |               |                |
|                                                                                     | Article number                                                                                         | Article name    | GTIN (EAN)    | Packaging unit |
|                                                                                     | 28599.6                                                                                                | KDS-DE/1XASI GR | 4044211215729 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28560.4</u> | KDS-DE/2XASI BK | 4044211215675 | 10 ST          |



Seal dummy, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Grey

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28561.6</u> | KDS-DE/B GR  | 4044211211004 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28562.6</u> | KDS-DE 1,5-2 GR | 4044211209988 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6.5 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28682.4</u> | KDS-DE 2X6,5 BK | 4044211219536 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6.5 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28687.4</u> | KDS-DE 3X5-6 BK | 4044211220501 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP 66, Colour: Grey

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28696.6</u> | KDS-DE 2 GR  | 4044211220884 | 10 ST          |

##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP66, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28697.4</u> | KDS-DE 3 BK  | 4044211220891 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Grey

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28698.6</u> | KDS-DE 3 GR  | 4044211220907 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28600.6</u> | KDS-DE/2XASI GR | 4044211215736 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4.5 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28606.6</u> | KDS-DE 4X4,5 GR | 4044211216252 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6.5 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28607.6</u> | KDS-DE 2X6,5 GR | 4044211216238 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 15 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28608.4</u> | KDS-DE 14-15 BK | 4044211219314 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 15 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28609.6</u> | KDS-DE 14-15 GR | 4044211219307 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 16 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28670.4</u> | KDS-DE 15-16 BK | 4044211219321 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 17 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28671.6</u> | KDS-DE 15-16 GR | 4044211219338 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28672.4</u> | KDS-DE 4X5 BK | 4044211219345 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28673.6</u> | KDS-DE 4X5 GR | 4044211219352 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4.5 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28681.4</u> | KDS-DE 4X4,5 BK | 4044211219543 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 11 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28530.4</u> | KDS-DE 10-11 BK | 4044211210960 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 12 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28531.4</u> | KDS-DE 11-12 BK | 4044211210977 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 13 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28532.4</u> | KDS-DE 12-13 BK | 4044211210984 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 14 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28533.4</u> | KDS-DE 13-14 BK | 4044211210991 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 11 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28553.4</u> | KDS-DE/K 2-11 BK | 4044211216092 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28555.4</u> | KDS-DE 2X4-5 BK | 4044211215620 | 10 ST          |

28503.4 KDS-IVR 8/16 BK

##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28556.4</u> | KDS-DE 2X5-6 BK | 4044211215637 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28557.4</u> | KDS-DE 4X2-3 BK | 4044211215644 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28558.4</u> | KDS-DE 4X3-4 BK | 4044211215651 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28559.4</u> | KDS-DE/1XASI BK | 4044211215668 | 10 ST          |



Seal dummy, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28520.4</u> | KDS-DE/B BK  | 4044211210878 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28521.4</u> | KDS-DE 1,5-2 BK | 4044211210007 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28522.4</u> | KDS-DE 2-3 BK | 4044211210885 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28523.4</u> | KDS-DE 3-4 BK | 4044211210892 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28524.4</u> | KDS-DE 4-5 BK | 4044211210908 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28525.4</u> | KDS-DE 5-6 BK | 4044211210915 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28526.4</u> | KDS-DE 6-7 BK | 4044211210922 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28527.4</u> | KDS-DE 7-8 BK | 4044211210939 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 9 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28528.4</u> | KDS-DE 8-9 BK | 4044211210946 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 10 mm, IP 66, Colour: Black

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28529.4</u> | KDS-DE 9-10 BK | 4044211210953 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28688.6</u> | KDS-DE 3X5-6 GR | 4044211220518 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28689.4</u> | KDS-DE 2X7 BK | 4044211220815 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28690.6</u> | KDS-DE 2X7 GR | 4044211220822 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28691.4</u> | KDS-DE 2X8 BK | 4044211220839 | 10 ST          |

## 28503.4 KDS-IVR 8/16 BK

### ##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28692.6</u> | KDS-DE 2X8 GR | 4044211220846 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 1.5 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28693.4</u> | KDS-DE 1,5 BK | 4044211220853 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 1.5 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28694.6</u> | KDS-DE 1,5 GR | 4044211220860 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28695.4</u> | KDS-DE 2 BK  | 4044211220877 | 10 ST          |



Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28516.4</u> | KDS-Inlay 1 BK | 4044211210847 | 5 ST           |



Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28518.4</u> | KDS-Inlay 4 BK | 4044211210861 | 5 ST           |

##INVERSE##CONTA-CABLE



Cable entry with foamed-in seal, Mounting type: Screws, Length: 126 mm, Width: 70 mm, IP 66, Colour: Black

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28502.4</u> | KDS-SR 8/16 BK | 4044211210786 | 1 ST           |

##INVERSE##CONTA-CABLE



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 19 mm, IP 66, Colour: Grey

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28580.6</u> | KDS-DEG 18-19 GR | 4044211215323 | 10 ST          |