




**Part Number :** [1727040099](#)  
**Product Description :** FCT Metal Backshell for D-Sub Connector, Shell Size 3, 45° Angle Cable Outlet, Large Inner Chamber, with Rubber Bushing and #4-40 Locking Screws  
**Series Number :** 172704  
**Status :** Active  
**Product Category :** D-Sub Backshells  
**Engineering Number :** FMK3



Documents & Resources

**Drawings**  
[1727040099\\_sd.pdf](#)

**3D Models and Design Files**  
[1727040099\\_stp.zip](#)

Product Environment Compliance

Compliance

|                    |                                                                                       |
|--------------------|---------------------------------------------------------------------------------------|
| GADSL/IMDS         | Not Relevant                                                                          |
| China RoHS         |  |
| EU ELV             | Not Relevant                                                                          |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21                                                       |
| REACH SVHC         | Not Contained per D(2024)4144-DC (27 June 2024)                                       |
| EU RoHS            | Compliant per EU 2015/863                                                             |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

---

### Part Details

#### General

|              |                                                                                                                                                  |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Status       | Active                                                                                                                                           |
| Category     | D-Sub Backshells                                                                                                                                 |
| Series       | 172704                                                                                                                                           |
| Description  | FCT Metal Backshell for D-Sub Connector, Shell Size 3, 45° Angle Cable Outlet, Large Inner Chamber, with Rubber Bushing and #4-40 Locking Screws |
| Magnetic     | Yes                                                                                                                                              |
| Product Name | FCT Products                                                                                                                                     |
| Type         | Rugged Metal                                                                                                                                     |
| UPC          | 889056020107                                                                                                                                     |

#### Electrical

|             |             |
|-------------|-------------|
| Shield Type | Solid Metal |
| Shielded    | Yes         |

#### Physical

|                               |                |
|-------------------------------|----------------|
| Cable Diameter                | 3.00-8.50mm    |
| Material - Backshell          | Zinc Die-cast  |
| Material - Bushing            | TPE            |
| Material - Screw              | Steel          |
| Mounting Style                | Locking Screw  |
| Net Weight                    | 67.900/g       |
| Orientation                   | 45° Angle      |
| Packaging Type                | Carton         |
| Plating - Backshell           | Nickel         |
| Temperature Range - Operating | -35° to +100°C |
| Thread Size                   | 4-40 UNC       |

|                        |          |
|------------------------|----------|
| Thread Type            | Standard |
| Tightening Test Torque | 40 Ncm   |
| Waterproof / Dustproof | No       |

Use with Part(s)

|             |                   |
|-------------|-------------------|
| Description | Part Number       |
| Use With    | FCT D-Sub, Size 3 |