

Part Number: 2016472052

Product Description : Spot-On Wire-to-Board Receptacle Housing, 1.50mm Pitch, Single Row, 5 Circuits, Red

Status: Active

Series Number: 201647

Product Category: Connector Housings

Documents & Resources

Drawings

Drawing 2016472052_sd.pdf

3D Models and Design Files 3D Model 2016472052_stp.zip

Specifications

Application Specification 2016440000-A00.pdf Application Specification 2016440000-A01.pdf Packaging Specification 2016479200-200.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|--|
| China RoHS | © |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2- 21 |
| REACH SVHC | Not Contained per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|---|
| Category | Connector Housings |
| Series | 201647 |
| Description | Spot-On Wire-to-Board Receptacle Housing, 1.50mm Pitch, Single Row, 5 Circuits, Red |
| Application | Signal, Wire-to-Board |
| Product Family | Spot-On Wire-to-Board Connector System |
| Product Name | Spot-On |
| UPC | 889056839686 |

Physical

| | 1 |
|-------------------------------|----------------|
| Circuits (maximum) | 5 |
| Color - Resin | Red |
| Gender | Receptacle |
| Glow-Wire Capable | No |
| Keying to Mating Part | Yes |
| Lock to Mating Part | Yes |
| Material - Resin | PBT |
| Net Weight | 409.000/mg |
| Number of Rows | 1 |
| Packaging Type | Bag |
| Panel Mount | No |
| Pitch - Mating Interface | 1.50mm |
| Pitch - Termination Interface | 1.50mm |
| Polarized to Mating Part | Yes |
| Temperature Range - Operating | -40° to +105°C |

Mates With / Use With

Mates with Part(s)

| Description | Part Number |
|---|---------------|
| 1.50mm Pitch, Spot-On Vertical Single Row Headers with Potting Capability | <u>201648</u> |

Use with Part(s)

| Description | Part Number |
|---|---|
| Spot-On 1.5 Crimp Terminal, Female, Matte Tin (Sn) Plating, 24- 28 AWG | /content/molex/molex-dot- com/us/en/products/product-page- pdf.html/2016495000.html |
| Spot-On Terminal Position Assurance (TPA) Wire-to-Board Retainer, 1.50mm Pitch, 5 Circuits, Grey | /content/molex/molex-dot- com/us/en/products/product-page- pdf.html/2016502050.html |

This document was generated on Sep 15, 2024