TE Internal #: 2350434-3

PCB Mount Header, Vertical, Wire-to-Board, 3 Position, 2.5 mm [.


098 in] Centerline, Fully Shrouded, Tin, Signal, Natural, Carton

View on TE.com >





Connectors > PCB Connectors > PCB Headers & Receptacles











Connector System: Wire-to-Board

Number of Positions: 3 Number of Rows: 1

Centerline (Pitch): 2.5 mm [.098 in] PCB Mount Orientation: Vertical

Features

Product Type Features	
Connector System	Wire-to-Board
Header Type	Fully Shrouded
Connector & Contact Terminates To	Printed Circuit Board
PCB Connector Assembly Type	PCB Mount Header
Configuration Features	
Number of Positions	3
Number of Rows	1
PCB Mount Orientation	Vertical
Body Features	
Primary Product Color	Natural
Contact Features	
Contact Mating Area Plating Material Thickness	3.8 μm[149.6 μin]
Contact Mating Area Plating Material Finish	Matte
Contact Underplating Material	Nickel

Tin

Contact Mating Area Plating Material



Contact Type	Tab
Contact Current Rating (Max)	6 A
Mechanical Attachment	
Mating Alignment Type	Keyed, Polarization
Mating Retention	With
Connector Mounting Type	Board Mount
Mating Alignment	With
PCB Mount Alignment	Without
PCB Mount Retention	Without
Housing Features	
Housing Material	Nylon
Housing Material Centerline (Pitch)	Nylon 2.5 mm[.098 in]
Centerline (Pitch)	
Centerline (Pitch) Usage Conditions	2.5 mm[.098 in]
Centerline (Pitch) Usage Conditions Operating Temperature Range	2.5 mm[.098 in]
Centerline (Pitch) Usage Conditions Operating Temperature Range Operation/Application	2.5 mm[.098 in] -40 – 120 °C[-40 – 248 °F]
Centerline (Pitch) Usage Conditions Operating Temperature Range Operation/Application Circuit Application	2.5 mm[.098 in] -40 – 120 °C[-40 – 248 °F]
Centerline (Pitch) Usage Conditions Operating Temperature Range Operation/Application Circuit Application Industry Standards	2.5 mm[.098 in] -40 – 120 °C[-40 – 248 °F] Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought





















Documents

CAD Files

Customer View Model

ENG_CVM_CVM_2350434-3_A.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2350434-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2350434-3_A.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

RAST Connector System Catalog

English

Product Specifications

Product Specification

English

Agency Approvals

VDE Certificate

English