

Product data sheet

Miniature connectors




Product description	Bayonet Female panel mount connector, Contacts: 8, unshielded, THT, IP67
Area	series 770
Part no.	09 0774 090 08

Illustration




Conductor layout




	X	Y
1	1,62	-3,90
2	3,90	-1,62
3	3,90	1,62
4	1,62	3,90
5	-1,62	3,90
6	-3,90	1,62
7	-3,90	-1,62
8	-1,62	-3,90

Scale drawing



Contact arrangement (Plug-in side)



You can find the component part drawing and assembly instructions on the next page.

Technical data

General features

Part no.	09 0774 090 08
Connector design	Female panel mount connector
Version	Connector socket straight
Connector locking system	Bayonet
Termination	THT
Degree of protection	IP67
Cross-sectional area	0.25 mm² / AWG 24
Temperature range from/to	-25 °C / 85 °C
Mechanical operation	> 5000 Mating cycles

Product data sheet

Miniature connectors



Product description	Bayonet Female panel mount connector, Contacts: 8, unshielded, THT, IP67
Area	series 770
Part no.	09 0774 090 08

Weight (g)	4.50
Customs tariff number	85369010
Country of Origin	DE

Electrical parameters

Rated voltage	175 V
Rated impulse voltage	1750 V
Rated current	2.0 A
Insulation resistance	$\geq 10^{10} \Omega$
Pollution degree	2
Overvoltage category	II
Insulating material group	II
EMC compliance	unshielded

Material

Housing material	PA
Contact body material	PA (UL94 V-0)
Contact material	CuSn (bronze)
Contact plating	Au (gold)
REACH SVHC	CAS 7439-92-1 (Lead)
SCIP number	07c7ab4a-1263-44f1-8d38-c1f868516619

Classifications


eCl@ss 11.1	27-44-01-09
ETIM 9.0	EC003569

Product data sheet
Miniature connectors



Product description	Bayonet Female panel mount connector, Contacts: 8, unshielded, THT, IP67
Area	series 770
Part no.	09 0774 090 08

Assembly instructions / Panel cut-out




Product data sheet

Miniature connectors



Product description	Bayonet Female panel mount connector, Contacts: 8, unshielded, THT, IP67
Area	series 770
Part no.	09 0774 090 08

Component part drawing



Product description	Bayonet Female panel mount connector, Contacts: 8, unshielded, THT, IP67
Area	series 770
Part no.	09 0774 090 08

Security notices

The connector must not be plugged or unplugged under load. Non-observance and improper use can result in personal injury.

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

Connectors which are used in circuits with voltages dangerous to the touch may only be installed and used by, or under the supervision of, persons with electrical engineering training, taking into account the applicable regulations and standards.

The user must take suitable safety precautions to ensure that the connector cannot be accidentally disconnected.

Plug connectors with enclosure protection IP67 and IP68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.

The plug connector is not suitable for mains voltages Please observe the pollution degree and the overvoltage category. For further information, please refer to the download center "Technical Information".