



Part Number : [982761002](#)
Product Description : 3.33mm / 6.00mm Pitch
Hybrid Male Inline Housing, Dual Row, 16
Circuits, Green
Series Number : 98276
Status : Active
Product Category : Connector Housings



Documents & Resources

Drawings
[Drawing 982761002_sd.pdf](#)

3D Models and Design Files
[3D Model 982761002_stp.zip](#)

Specifications
[Application Specification AS-98276-001-001.pdf](#)
[Packaging Specification PK-98276-001-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Duty-To-Declare
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements
- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents
- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Housings
Series	98276
Description	3.33mm / 6.00mm Pitch Hybrid Male Inline Housing, Dual Row, 16 Circuits, Green
Application	Power, Wire-to-Wire
Comments	For current designation please refer to FCI Sicma terminal specification for 1.50 and 2.80mm terminals.
Product Family	NSCC - New Standard Casing Contact
Product Name	NSCC
UPC	822348213184

Physical

Circuits Detail	4x2.8mm 12x1.5mm male terminals
Circuits (maximum)	16
Color - Resin	Natural, Natural (White)
Gender	Plug
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Polyester, Polyester Alloy
Net Weight	12.361/g
Number of Rows	2
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	3.33mm, 6.00mm
Polarized to Mating Part	Yes

Ports	1
Stackable	No
Temperature Range - Operating	-40° to +85°C

Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

Mates With / Use With

Mates with Part(s)

Description	Part Number
3.33mm / 6.00mm Pitch Hybrid Inline Female Housing, Right Slide Orientation, Dual Row, 16 Circuits, Green	<u>982731002</u>

Use with Part(s)

Description	Part Number
Use With	1.5 and 2.8mm FCI Sicma Male Terminals