



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: **Power Resistor**  
Element Type: **Thick Metal Film**  
Power Rating: **6 W**  
Resistance Value: **20 Ω**  
Resistance Class: **Up to 1kΩ**

Features

Product Type Features

|               |                  |
|---------------|------------------|
| Resistor Type | Power Resistor   |
| Element Type  | Thick Metal Film |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Resistors | 1 |
|---------------------|---|

Electrical Characteristics

|                             |           |
|-----------------------------|-----------|
| Operating Voltage           | 300 V     |
| Power Rating                | 6 W       |
| Resistance Value            | 20 Ω      |
| Resistance Class            | Up to 1kΩ |
| Passive Component Tolerance | 1 %       |

Termination Features

|                                         |        |
|-----------------------------------------|--------|
| Surface Mount Resistor Termination Type | Solder |
| Number of Terminations                  | 2      |



Dimensions

|                |                  |
|----------------|------------------|
| Product Height | 1.1 mm[.043 in]  |
| Product Length | 11.6 mm[.457 in] |
| Product Width  | 6.85 mm[.27 in]  |

Usage Conditions

|                         |             |
|-------------------------|-------------|
| Temperature Coefficient | ±100 ppm/°C |
|-------------------------|-------------|

Packaging Features

|                  |                |
|------------------|----------------|
| Packaging Method | Taped & Reeled |
|------------------|----------------|

Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant with Exemptions                                                                                                       |
| EU ELV Directive 2000/53/EC                   | Compliant with Exemptions                                                                                                       |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold                                                                                            |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JUNE 2023 (235)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                             |
| Solder Process Capability                     | Reflow solder capable to 260°C                                                                                                  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

356020RFT

Power Resistor, Thick Metal Film, 6 W, 20 ohm, 1 %, ±100 ppm/°C, Solder, 2 Termination, Height 1.1 mm [.043 in], Length 11.6 mm [.457 in], CGS 3560



|                                                                                                                                   |                                                                                                                                    |                                                                                                                                     |                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part # 2-2176407-2<br/>3560 100K 1%</p>   |  <p>TE Part # 3-2176408-2<br/>3560 100K 5%</p>   |  <p>TE Part # 4-2176406-9<br/>3560 100R 1%</p>   |  <p>TE Part # 9-2176407-5<br/>3560 100R 5%</p>   |
|  <p>TE Part # 9-2176406-7<br/>3560 10K 1%</p>   |  <p>TE Part # 2-2176408-0<br/>3560 10K 5%</p>   |  <p>TE Part # 7-2176407-0<br/>3560 10M 1%</p>   |  <p>TE Part # 5-2176408-6<br/>3560 10M 5%</p>   |
|  <p>TE Part # 2-2176406-5<br/>3560 10R 1%</p>  |  <p>TE Part # 8-2176407-3<br/>3560 10R 5%</p>  |  <p>TE Part # 2-2176407-3<br/>3560 110K 1%</p> |  <p>TE Part # 5-2176406-0<br/>3560 110R 1%</p> |
|  <p>TE Part # 9-2176406-8<br/>3560 11K 1%</p>  |  <p>TE Part # 2-2176406-6<br/>3560 11R 1%</p>  |  <p>TE Part # 2-2176407-4<br/>3560 120K 1%</p> |  <p>TE Part # 3-2176408-3<br/>3560 120K 5%</p> |
|  <p>TE Part # 5-2176406-1<br/>3560 120R 1%</p> |  <p>TE Part # 9-2176407-6<br/>3560 120R 5%</p> |  <p>TE Part # 9-2176406-9<br/>3560 12K 1%</p>  |  <p>TE Part # 2-2176408-1<br/>3560 12K 5%</p>  |

Also in the Series | CGS 3560



Customers Also Bought



Documents

Product Drawings

3560 20R 1%

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_3-2176406-2\_A.2d\_dxf.zip

356020RFT

Power Resistor, Thick Metal Film, 6 W, 20 ohm, 1 %, ±100 ppm/°C, Solder, 2 Termination, Height 1.1 mm [.043 in], Length 11.6 mm [.457 in], CGS 3560



English

Customer View Model

[ENG\\_CVM\\_CVM\\_3-2176406-2\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_3-2176406-2\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SMD HIGH POWER RESISTORS - TYPE 3660 SERIES](#)

English