

## MCON | MCON 1.2mm

TE Internal #: 2098641-2

Housing for Female Terminals, Wire-to-Board / Wire-to-Device, 2 Position, 4 mm [.157 in] Centerline, Sealable, Black, Signal, MCON

1.2mm

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings











Connector System: Wire-to-Board, Wire-to-Device

Number of Positions: 2

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 4 mm [ .157 in ]

Sealable: Yes

### **Features**

## **Product Type Features**

Mixed & Hybrid Connector	No		
Connector Shape	Rectangular		
Connector System	Wire-to-Board, Wire-to-Device		
Connector & Housing Type	Housing for Female Terminals		
Sealable	Yes		
Primary Locking Feature	Integrated in Housing		
Configuration Features			
Configuration Features			
Configuration Features  Number of Positions	2		
	2		
Number of Positions			
Number of Positions  Number of Rows			

1.2mm

**Contact Features** 

Contact Size



Contact Type	Receptacle
Mating Tab Width	1.2 mm[.047 in]
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA GF
Centerline (Pitch)	4 mm[.157 in]
Dimensions	
Connector Height	11.2 mm[.441 in]
Product Width	26.5 mm[1.043 in]
Product Length	19.9 mm[.783 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C, 145 °C, 150 °C[158 °F][167 °F][176 °F] [185 °F][194 °F][212 °F][221 °F][230 °F][248 °C][257 °F][266 °F][284 °F][293 °F][302 °F]
Operating Temperature Range	-40 - 150 °C[-40 - 302 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Degree of Protection	IP67
Other	
Serviceable	Yes
Connector Position Assurance Capable	No
Product Compliance	

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
	·	



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts









## Also in the Series | MCON 1.2mm



Automotive Connector Caps & Covers (18)



Automotive Connector Locks & Position Assurance(10)



Automotive Housings(328)



Automotive Terminals(96)










Insertion & Extraction Tools(5)



# Customers Also Bought



TE Part #DTM04-2P-EP10 REC, 2P, BLK, 120 OHM RESISTOR, AU, B



TE Part #1SNF516121R0000 CBS50-4P-BL



Emergency Stop Switch ES-2012-T111
















## **Documents**

## **Product Drawings**

2POS, MCON 1.2 CB REC 2p SL SEALED

English

## **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_2098641-2\_B.2d\_dxf.zip

English

3D PDF



3D

**Customer View Model** 

ENG\_CVM\_CVM\_2098641-2\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2098641-2\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Instruction Sheets** 

Instruction Sheet (U.S.)

English

Instruction Sheet (U.S.)

English