






Amphenol
FCi

© 2016 AFci

spec ref		-		dr		Kaka Zhang		2016/06/27		projection				size		A2		scale		2:1			
tolerance std		-		eng		Kaka Zhang		2016/07/04				mm				ecn no		-		rel level		Released	
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Fancy Zhang		2016/07/04															
				appr		Pei-Ming Zheng		2016/07/04															
										product family		PwrBlade ULTRA											
surface		-		linear		0.X		±0.5		Amphenol FCI		title		10HP+12S, PRESS-FIT VERT RECEPTACLE, PwrBlade ULTRA		dwg no		10127402-04HI400		rev		A	
				0.XX		±0.25																	
ASME Y14.5		✓		0.XXX		±0.130																	
				angular		0°		±2°															
										cat. no.		-		Product - Customer Drw						sheet 1 of 3			



PRODUCT NO.	ROWS	SIGNAL				HIGH POWER										E1
		E2	4	3	2	1	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1
		10127402-04HI400LF	C	B	A											

CODE	DESCRIPTION
PL	POWER CONTACT
F	SIGNAL CONTACT
HD	HOLD DOWN

spec ref		-		dr		Kaka Zhang		2016/06/27		projection				mm		size		A2		scale		2:1	
tolerance std		-		eng		Kaka Zhang		2016/07/04								ecn no		-		rel level		Released	
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Fancy Zhang		2016/07/04								product family		PwrBlade ULTRA					
				appr		Pei-Ming Zheng		2016/07/04															
surface		-		linear		0.X		±0.5		Amphenol FCI		title		10HP+12S, PRESS-FIT		dwg no		10127402-04HI400		rev		A	
				0.XX		±0.25																	
				0.XXX		±0.130																	
ASME Y14.5				angular		0°		±2°		cat. no.		-		Product - Customer Drw				sheet 2 of 3					

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10127402-04H1400LF](#)