




PART NO.

MCDHN - Series


REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Naveen	05/04/10	Jagan	05/04/10	Farnell	19/04/10

MCDHN (Terminal length 6.7mm)



PCB Layout



Dimensions: Millimetres

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2010.

TOLERANCES:

UNLESS OTHERWISE
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

DRAWN BY:

Naveen

DATE:

05/04/10

CHECKED BY:

Jagan

DATE:

05/04/10

APPROVED BY:

Farnell

DATE:

19/04/10

DRAWING TITLE:

MCDHN Switch

SIZE
A

DWG NO.


M10002601

ELECTRONIC FILE
MCDHNREV
A

SCALE: NTS

U.O.M.: mm

SHEET: 1 OF 4

	PART NO. MCDHN - Series	REVISIONS								
		ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
		-	A	RELEASED	Naveen	05/04/10	Jagan	05/04/10	Farnell	19/04/10

Specification Table:

Mechanical Life	Operation Force	Stroke	Operation Temperature	Storage Temperature
1000 cycles	500gf	0.6mm	-40°C to +85°C	-40°C to +85°C

Electrical

Electrical Life	Non-switching Rating	Switching Rating	Contact Resistance	Insulation Resistance	Dielectric Strength	Circuit
1000 Cycles	100 mA, 50V DC	25mA, 24V DC	Maximum 100mΩ at initial	Minimum 100MΩ (at 500V DC)	300V AC/ 1 minute	SPST

Material

- Base : UL 94V-0 nylon high - temperature thermoplastic.
- Colour : Black.
- Cover : UL 94V-0 nylon high - temperature thermoplastic.
- Colour : Black.
- Actuators : LCP high - temperature thermoplastic.
- Colour : White.
- Contact : Alloy copper with gold plated.
- Terminal : Brass with gold plated.
- Tape : KAPTON.

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2010.	TOLERANCES: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.	DRAWN BY:	DATE:	DRAWING TITLE:						
		Naveen	05/04/10	MCDHN Switch						
		CHECKED BY:	DATE:	SIZE	DWG NO.			ELECTRONIC FILE		REV
		Jagan	05/04/10	A	M10002601			MCDHN		A
		APPROVED BY:	DATE:	SCALE: NTS			U.O.M.: mm		SHEET: 2 OF 4	
		Farnell	19/04/10							



PART NO.

MCDHN - Series


REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Naveen	05/04/10	Jagan	05/04/10	Farnell	19/04/10

Soldering Process

Cleaning:

1. Only tape sealed types apply to wash process.
2. Do not remove the tape before wash process.
3. After soldering process, do not continue the wash process immediately. Please wait for at least 3 minutes.
4. Apply alcoholic solvents as cleaning agent do not use other solvents or water.
5. Ultrasonic cleaning is not recommended.
6. The cleaning process per stage is maximum 1 minute and the whole cleaning time are not to exceed 3 minutes.
7. Do not impose any external force on switch while washing.

Any flux enters the switch may fail the conductivity.**Reflow Temperature Profile: (reference)**

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2010.

TOLERANCES:

UNLESS OTHERWISE
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

DRAWN BY:

Naveen

DATE:

05/04/10

CHECKED BY:

Jagan

DATE:

05/04/10

APPROVED BY:

Farnell

DATE:

19/04/10

DRAWING TITLE:

MCDHN Switch

SIZE
A

DWG NO.

M10002601

ELECTRONIC FILE
MCDHNREV
A

SCALE: NTS

U.O.M.: mm

SHEET: 3 OF 4




PART NO.

MCDHN - Series

REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Naveen	05/04/10	Jagan	05/04/10	Farnell	19/04/10

MCDHN Tube

General tolerances maximum $\pm 0.20\text{mm}$

Part Number Table

Part Number	Number per Tube	Number per Reel	Description
MCDHN-02F-V	125	4000	Switch, DIP, SMD, 2 Way
MCDHN-04F-V	75		Switch, DIP, SMD, 4 Way
MCDHN-06F-V	54		Switch, DIP, SMD, 6 Way
MCDHN-08F-V	40		Switch, DIP, SMD, 8 Way
MCDHN-10F-V	33		Switch, DIP, SMD, 10 Way
MCDHN-02F-T-V	125		Switch, DIP, SMD, 2 Way
MCDHN-04F-T-V	75		Switch, DIP, SMD, 4 Way
MCDHN-06F-T-V	54		Switch, DIP, SMD, 6 Way
MCDHN-08F-T-V	40		Switch, DIP, SMD, 8 Way
MCDHN-10F-T-V	33		Switch, DIP, SMD, 10 Way

<http://www.farnell.com><http://www.newark.com><http://www.cpc.co.uk>

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2010.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:

Naveen

DATE:

05/04/10

CHECKED BY:

Jagan

DATE:

05/04/10

APPROVED BY:

Farnell

DATE:

19/04/10

DRAWING TITLE:

MCDHN Switch

SIZE
A

DWG NO.

M10002601

ELECTRONIC FILE
MCDHNREV
A

SCALE: NTS

U.O.M.: mm

SHEET: 4 OF 4