

Features

- Used with threaded fasteners (for example, a bolt or a nut)
- Used to prevent the fastener from loosening, caused by vibration
- External teeth effectively 'bite' into the fastener and substrate surfaces as the fastener is tightened
- Made from Steel
- The bright zinc plated (BZP) finish offers resistance against corrosion
- Conforms to DIN 6797A specifications

RS PRO Lock Washers

RS Stock No.: 276847,276869,276875

,276881,276897,276904,276910,1933452



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

- *Used with threaded fasteners (for example, a bolt or a nut), external tooth lock washers are typically used to prevent the fastener from loosening, caused by vibration. The teeth are situated on the external circumference. Slightly angled like the blades on a fan, they effectively 'bite' into the fastener and substrate surfaces as the fastener is tightened. The bright zinc plated (BZP) finish offers resistance against corrosion. These washers conform to DIN 6797A specifications.*

General Specifications

d1	M3	M4	M5	M6	M8	M10	M12	M16	M20
d2 max.	6	8	10	11	15	18	20.5	26	33
s nom.	0.4	0.5	0.6	0.7	0.8	0.9	1.0	1.2	1.4

Similar Products

Stock No.	Brand
276847	M3 (3.2)
276869	M4 (4.3)
276875	M5 (5.3)
276881	M6 (6.4)
276897	M8 (8.4)
276904	M10 (10.5)
276910	M12 (13)
1933452	M16 (17)
2874238	M20 (21)

