


Datasheet

Art.No. 58.504.7055.0

Multi-tier terminal WT 4 E

Multi-tier terminal block with screw connection for mounting on TS 35; nominal cross section 4 mm²; width 6 mm; color gray



Art.No.	58.504.7055.0
EAN	4049088164415
Order unit	100 pieces

Approvals



Technical data

General

Nominal cross section	4 mm ²
Colour	Grey
Number of levels	2
Number of clamp positions per level	2
Width/grid dimension	6 mm
Insulating housing	PA666
Inflammability class of insulation material acc. with UL94	V0
Mounting method	DIN rail (top hat rail)
Terminal blocks for electrical installations	No

Technical data

Rated current	32 A
Rated voltage	800 V
Rated impulse voltage	8 kV
Pollution degree	3
Closing plate required	Yes
Type of insulation material	Thermoplastic
Length	59 mm

Connection Data

Connection type 1	Screw connection
Connection type 2	Screw connection
Minimum cross section solid	0.14 mm ²

Maximum cross section solid	6 mm ²
Minimum cross section fine stranded	0.14 mm ²
Maximum cross section fine stranded	6 mm ²
Maximum conductor cross section (flex., stranded) with cable end sleeve	0.5 mm ²
Maximum conductor cross section (flex., stranded) with cable end sleeve	4 mm ²
Wire strip length	9 mm
Torque conductor mounting	0.5 Nm


Technical Data UL/CSA

Cross section UL	26-10 AWG
Voltage UL	300 V
Current factory wiring	30 A
Current field wiring	30 A
Cross section CSA	26-10 AWG
Voltage CSA	300 V
Current CSA	30 A

☐ Diese Maße werden bei Abnahme besonders geprüft

☐ Ausschließlich Prüfmaße

Mit VE gekennzeichnete Maße sind nur für interne Zwecke gültig



Teile-Nr. part-no.	Farbe color
58.504.7055.0	grau grey
58.504.7055.5	rot red
58.504.7055.6	blau blue
58.504.7055.9	orange orange

Tolerieranz nach ISO 11405 (Tolerance system Size ISO 11405) (This ISO-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances).					ja/yes ☒ Stoffverbuts- und Deklarationsliste nach UW-TQM-05/03 ist einzuhalten. (Conformity with Wieland document UW-TQM-05/03 [list of prohibited / declarable hazardous substances] to be declared!)					
Freitoleranz nach General tolerance			CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed			1.Verwendung: - First Use:		Blatt: 1 von 1 Sheet: 1 of 1		
/			Werkstoff/Material		2013	Tag/Date	Name	T	Zeichnung Nr./Drawing No. 58.504.7055.0 01K	Index
/					gezeichnet drawn	18.01.	Eller			
/			Maßstab/Scale		geprüft checked	-	-			
/			2:1		geprüft Stand check	-	-			
/		Vol.		mm³	Ofl./Surf.	mm²	Ersatz für/Replacement for: -			
/			wieland		Type		Benennung/Title			
/					WT 4 E		ETAGENKLEMME			
/					Double deck terminal block					
Index		Datum / Blatt Date / Sheet		Elektrische Verbindungen						
Änderung/Revision										