




**Part Number :** [1300130488](#)  
**Product Description :** Mini-Change A-Size  
Receptacle with Leads 1/2" - 14 NPT Threads,  
Male (Straight) to Leads, 5 Poles, 0.20m (7.87")  
Length  
**Series Number :** 130013  
**Status :** Active  
**Product Category :** Circular Industrial  
Connectors  
**Engineering Number :** 1R5006A17A060



## Documents & Resources

**Drawings**  
[1300130488\\_sd.pdf](#)

## Product Environment Compliance

### Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

## Part Details

### General

Status	Active
Category	Circular Industrial Connectors
Series	130013
Description	Mini-Change A-Size Receptacle with Leads 1/2" - 14 NPT Threads, Male (Straight) to Leads, 5 Poles, 0.20m (7.87") Length
IP Rating	IP67
NEMA Rating	NEMA 6
Product Name	Mini-Change
Type	Single Ended (pigtail)
UPC	78678838508

### Agency

CSA	LR6837
UL	E152210

### Electrical

Current - Maximum per Contact	5.6A
Voltage - Maximum	300V AC/DC

### Physical

Coupling Type	External Thread
Gender	Male
Keyway	Single
Length	0.20m
Material - Component	Zinc Die-Cast with Black Epoxy
Mounting Thread Size	1/2" - 14 NPT
Orientation	Straight
Panel Mount	N/A
Poles	5
Temperature Range - Operating	-20° to +80°C
Wire/Cable Type	N/A

Wire Size (AWG)	18
-----------------	----