


Actuator

704.202.408

Distribution by
DigiKey**DigiKey**<https://digikey.eao.com/p/704.202.408>

Your product:



704.202.408 Actuator

FRONT

Front dimension:	35 mm x 35 mm
Front form:	square
Front bezel colour:	Silver
Front bezel material:	Plastic

MOUNTING

Design:	flush
Mounting cut-out:	30 mm x 30 mm

OPERATING-/INDICATION PART

Marking plate optics:	translucent
Lens colour:	Yellow
Marking plate colour:	White
Lens material:	Plastic
Lens optics:	transparent
Lens shape:	flush
Marking plate illumination:	illuminative

ELECTRICAL CHARACTERISTICS

Standards:	The switches comply with the "Standards for low-voltage switching devices" DIN EN 60947-1
------------	---

MECHANICAL CHARACTERISTIC

Weight: 0.061 kg

Terminal: Screw terminal

AMBIENT CONDITION

Storage temperature: – 40 °C ... + 85 °C

Operating temperature: – 40 °C ... + 55 °C

IP Protection: IP65 front side


OTHER

Short Description: Actuator, 30 mm x 30 mm, 35 mm x 35 mm, flush, Yellow, Plastic, transparent, square, Silver, Plastic, Screw terminal



Housing colour: Black

Housing material: Plastic

Wiring diagrams:




Dimension drawings:



A = Screw terminal

Mounting cut-outs:



A = Screw terminal