

TE Internal #: 2364150-1

SPE T1 Industrial, Standard Connector Contact Density, Plug, Shielded, SPE (Single Pair Ethernet), Cable-to-Board, PA, Industrial

Mini I/O Connectors

View on TE.com >




Connectors > Modular Jacks & Plugs > Industrial Mini I/O Connectors











Modular Jacks & Plugs Products: SPE T1 Industrial

Connector Contact Density: Standard

Modular Connector Style: Plug

Shielded: Yes

Performance Category: SPE (Single Pair Ethernet)

Features

Product Type Features

Connector Product Type	Connector Assembly
Modular Jacks & Plugs Products	SPE T1 Industrial
Modular Connector Style	Plug
Connector System	Cable-to-Board
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Port Matrix Configuration	1 x 1
Number of Positions	2
Connector Contact Density	Standard
Number of Loaded Positions	2

Signal Characteristics

Body Features

Shield Material	Stainless Steel



Shield Plating Material	Tin over Nickel

Contact Features

Contact Mating Area Plating Material	Gold Flash over Palladium Nickel
Contact Underplating Material	Nickel
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	4 A

Mechanical Attachment

Mating Alignment Type	Latch
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Color	Black
Centerline (Pitch)	2.8 mm[.11 in]
Housing Material	PA

Usage Conditions

Operating Temperature Range	-40 - 80 °C[-40 - 176 °F]

Operation/Application

Circuit Application	Power & Signal
Shielded	Yes

Industry Standards

UL Flammability Rating	UL 94V-0
Performance Category	SPE (Single Pair Ethernet)

Packaging Features

Packaging Quantity	100
Packaging Method	Loose Piece - Bag
Other	
Field Serviceable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Customers Also Bought














TE Part #1217080-1 FASTON 205/250 PCB MOUNTED TPBR









Documents

Product Drawings

SPE T1 Industrial Plug IP20 KIT

English

CAD Files

Customer View Model

ENG_CVM_CVM_2364150-1_A.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2364150-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2364150-1_A.3d_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English