

https://www.phoenixcontact.com/us/products/3240255



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable clamp, for DIN rails



### Your advantages

- · The cable clamps provide strain relief
- The halogen-free plastic troughs have been designed to be perfectly secure while simultaneously protecting the conductors
- Individual or bundled cables with a diameter of up to 26 mm can be installed safely and easily

#### Commercial data

Item number	3240255
Packing unit	25 pc
Minimum order quantity	25 pc
Sales key	BE74
Product key	BE7421
Catalog page	Page 583 (C-3-2019)
GTIN	4046356464475
Weight per piece (including packing)	44.3 g
Weight per piece (excluding packing)	44.3 g
Customs tariff number	73269098
Country of origin	CN




https://www.phoenixcontact.com/us/products/3240255



### Technical data

### Product properties

	Product type	Cable feed-through
Dir	mensions	
	Dimensional drawing	



### Material specifications

Material	Steel
Coating	galvanized

### Cable/line

External cable diameter	22 mm 26 mm
External cable diameter	22 mm 26 mm

### Mounting

Mounting type	DIN rail mounting

3240255

https://www.phoenixcontact.com/us/products/3240255



## Drawings



https://www.phoenixcontact.com/us/products/3240255



## Classifications

### **ECLASS**

UNSPSC 21.0

ECLASS-11.0	23159090	
ECLASS-13.0	23159090	
ECLASS-12.0	23159090	
ETIM		
ETIM 9.0	EC011571	
UNSPSC		

31162900



https://www.phoenixcontact.com/us/products/3240255



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com