

https://www.phoenixcontact.com/us/products/1621580



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimp contact, Pin, turned, contact diameter: 2 mm, crimp range:  $1.5~\text{mm}^2$  ...  $2.5~\text{mm}^2$ , Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1~%) item no.: 1244464

## Your advantages

- · Crimping connection: vibration- and temperature-resistant assembly
- · High tensile strength of the connection
- · Low contact resistance
- · Easy production monitoring

### Commercial data

Item number	1621580
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	AB36
Product key	ABREAG
Catalog page	Page 121 (C-2-2019)
GTIN	4046356937207
Weight per piece (including packing)	1.244 g
Weight per piece (excluding packing)	0.615 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/us/products/1621580



## Technical data

## Product properties

Product type	Crimp contact
Contact material type	turned
Data management status	
Article revision	00

## Connection data

Connection method	Crimp connection
Contact connection type	Pin
Conductor cross section	1.5 mm² 2.5 mm²

## Material specifications

Contact surface	Nickel-plated (Ni), with gold coating (Au)
Contact material	CuZn

## **Dimensions**

#### Mechanical characteristics

0 4 4 5 4	•
Contact diameter	2 mm

## Mechanical properties

#### Mechanical data

Insertion/withdrawal cycles	100



https://www.phoenixcontact.com/us/products/1621580



## Classifications

UNSPSC 21.0

## **ECLASS**

ECLASS-11.0	27440204
ECLASS-12.0	27440204
ECLASS-13.0	27440204
ETIM	
ETIM 9.0	EC000796
UNSPSC	

39121500



https://www.phoenixcontact.com/us/products/1621580



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	807171ad-e3df-4153-8322-9b54ffdd3d64

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com