




EMI & EMC Solutions > EMI Filters > Power Line Filters > Single Phase Filters > Single Phase Filters, Corcom MV Series



Current Rating: 3 A

Input Termination Type: .250" FASTON

Output Termination Type: .250" FASTON

Leakage Current (Max) (120VAC, 60Hz): .07 mA

Leakage Current (Max) (250VAC, 50Hz): .13 mA

[All Single Phase Filters, Corcom MV Series \(4\)](#)

Features

Product Type Features

Ground Choke Option	No
Filtering Requirements	Filtered
Input Termination Type	.250" FASTON
Output Termination Type	.250" FASTON

Electrical Characteristics

Operating Voltage	250 VAC
Current Rating	3 A
Leakage Current (Max) (120VAC, 60Hz)	.07 mA
Leakage Current (Max) (250VAC, 50Hz)	.13 mA

Mechanical Attachment

Panel Mount Feature Type	Flanged
--------------------------	---------

Usage Conditions

Operating Temperature Range	-10 – 40 °C
-----------------------------	-------------



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | Corcom MV



Single Phase Filters(4)

Customers Also Bought




TE Part #1658608-2
25 POS HDF PLUG, MS, LEAD FREE



TE Part #499252-3
026 STRAIN RELIEF A-L RCPT




TE Part #5746861-2
25 POS HDF RCPT, MS



TE Part #747275-2
025 LP HDF STRAIN RELIEF




TE Part #211758-1
PLUG HSG, 12 POSN, METRIMATE



TE Part #3-521013-2
ULTRA-FAST 250 ASY REC 16-14 AWG TPBR



TE Part #104482-4
10 SHORT PT RCPT HSG DR .100CL



TE Part #103945-2
5X3 MTE SHRD PIN SR LATCH .100



TE Part #5-103957-3
5X4 MTE RCPT SR LATCH .100CL



TE Part #5-103957-4
4X5 MTE RCPT SR LATCH .100CL

Documents

CAD Files

Customer View Model

[ENG_CVM_CVM_6609056-1_C1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_6609056-1_C1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_6609056-1_C1.2d_dxf.zip](#)

3MV1

3A Current Rating, .250" FASTON Input, .250" FASTON Output, Corcom MV, Single Phase Filters



English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

1654001_CORCOM_PRODUCT_GUIDE_MV_SERIES

English

Corcom Combined Selector Charts

English

1-1654250-1_CORCOM_EMI_RFI_QRG

English