






奇数キャビティ：キャビティ番号及び金型番号
偶数キャビティ：トレードマーク
ODD CAV:CAVITY & MOLD NUMBER
EVEN CAV:TRADE MARK

奇数キャビティ：トレードマーク
偶数キャビティ：キャビティ番号及び金型番号
ODD CAV:TRADE MARK
EVEN CAV:CAVITY & MOLD NUMBER

回路番号 1
CIRCUIT 1
回路番号 1 マーク
CIRCUIT 1 MARK
回路番号 N
CIRCUIT N



ターミナル装着図
TERMINAL ASSEMBLY DRAWING

注記：
NOTES：

- 1 材質：TABLE 1参照
MATERIAL：SEE TABLE 1.
- 2 偶数極に適用。
APPLY TO EVEN CIRCUIT.
- 3 製品仕様書、コネクタ取扱説明書、適合嵌合相手、適合ターミナルはSHEET 3をご参照ください。
PLEASE REFER TO SHEET 3 FOR PRODUCT SPECIFICATION, APPLICATION SPECIFICATION, MATE WITH AND APPLICABLE TERMINAL.
- 4 発注番号：SHEET 3 参照
ORDER NUMBER：PLEASE REFER TO SHEET 3

204532**0*


極数
CIRCUIT SIZE

番号 NO.	ハウジングカラー HOUSING COLOR
0	ナチュラル (白) NATURAL (WHITE)
1	黒 BLACK


18.75	22	16
17.5	20.75	15
16.25	19.5	14
15	18.25	13
13.75	17	12
12.5	15.75	11
11.25	14.5	10
10	13.25	9
8.75	12	8
7.5	10.75	7
6.25	9.5	6
5	8.25	5
3.75	7	4
2.5	5.75	3
1.25	4.5	2
B	A	極数 CIRCUIT SIZE

1 TABLE 1


部品 PART	材質 MATERIAL
ハウジング HOUSING	ポリエステル(PBT), UL94 V-0, 色：SHEET 3参照 POLYESTER(PBT), UL94 V-0, COLOR：SEE SHEET 3.
DOCUMENT STATUS	P1
RELEASE DATE	2023/09/12 06:08:37

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex									
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)						MICRO-LOCK PLUS 1.25 W/B SINGLE ROW RECEPTACLE HOUSING LOW-HALOGEN									
ANGULAR TOL ± 3.0 °															
4 PLACES		± 0.2				EC NO: 757367		PRODUCT CUSTOMER DRAWING							
3 PLACES		± 0.2		DRWN: SOKUMURA01 2023/07/21											
2 PLACES		± 0.2		CHK'D: SAKIYAMA 2023/09/12											
1 PLACE		± 0.2		APPR: AIDA 2023/09/12		DOCUMENT NUMBER									
0 PLACES		± 0.2		INITIAL REVISION:						DOC TYPE		DOC PART		REVISION	
DRWN: RWATANABE01 2017/09/15				2045320000-SD											
APPR: TKANEKO 2017/09/26				PSD		000		G							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		204532		SEE SHEET 3		GENERAL		1 OF 3	

製品形状
PRODUCT SHAPE




VIEW Z




VIEW Z

2-13極
2-13 CIRCUIT



VIEW Y



VIEW Y

14-16極
14-16 CIRCUIT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex MICRO-LOCK PLUS 1.25 W/B SINGLE ROW RECEPTACLE HOUSING LOW-HALOGEN PRODUCT CUSTOMER DRAWING											
mm		NTS																
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 757367 DRWN: SOKUMURA012023/07/21 CHK'D: SAKIYAMA2023/09/12 APPR: AIDA2023/09/12						DOCUMENT NUMBER 2045320000-SD			DOC TYPE	DOC PART	REVISION			
ANGULAR TOL ± 3.0°							INITIAL REVISION: DRWN: RWATANABE012017/09/15 APPR: TKANEKO2017/09/26						PSD			000	G	
4 PLACES		± 0.2		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						THIRD ANGLE PROJECTION		DRAWING				SERIES		MATERIAL NUMBER
3 PLACES		± 0.2					A3-SIZE		204532		SEE SHEET 3		GENERAL		2 OF 3			
2 PLACES		± 0.2																
1 PLACE		± 0.2																
0 PLACES		± 0.2																

DOCUMENT STATUS	P1	RELEASE DATE	2023/09/12	06:08:37
-----------------	----	--------------	------------	----------

10	9	8	7	6	5	4	3	2	1																																																																					
△₃ 適合製品及び各種仕様書 APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS <table><tr><td rowspan="2">梱包仕様書 PACKAGING SPECIFICATION</td><td>PART NUMBER</td><td>SPECIFICATION NUMBER</td></tr><tr><td>204532**0*</td><td>2045329200 PS 200</td></tr></table> <table><tr><td rowspan="3">適合ターミナル APPLICABLE TERMINAL</td><td>PART NUMBER</td><td>PLATING TYPE</td><td>WIRE SIZE(AWG)</td></tr><tr><td>5054311000</td><td>TIN</td><td rowspan="2">#26-30</td></tr><tr><td>5054311100</td><td>GOLD</td></tr></table>										梱包仕様書 PACKAGING SPECIFICATION	PART NUMBER	SPECIFICATION NUMBER	204532**0*	2045329200 PS 200	適合ターミナル APPLICABLE TERMINAL	PART NUMBER	PLATING TYPE	WIRE SIZE(AWG)	5054311000	TIN	#26-30	5054311100	GOLD																																																							
梱包仕様書 PACKAGING SPECIFICATION	PART NUMBER	SPECIFICATION NUMBER																																																																												
	204532**0*	2045329200 PS 200																																																																												
適合ターミナル APPLICABLE TERMINAL	PART NUMBER	PLATING TYPE	WIRE SIZE(AWG)																																																																											
	5054311000	TIN	#26-30																																																																											
	5054311100	GOLD																																																																												
SMT <table><tr><td rowspan="3">適合嵌合相手 MATE WITH</td><td rowspan="2">タイプ TYPE</td><td colspan="3">TIN PLATING</td><td colspan="2">GOLD PLATING</td></tr><tr><td>VERTICAL</td><td>RIGHT ANGLE</td><td>VERTICAL (FOR POTTING)</td><td>VERTICAL</td><td>RIGHT ANGLE</td></tr><tr><td colspan="6">2-16 CIRCUIT</td></tr><tr><td rowspan="2"></td><td rowspan="4">製品番号 PART NUMBER</td><td>204530**7*</td><td>204529**7*</td><td>205957**7*</td><td>204530**** 3, 5, 8_↑</td><td>204529**** 3, 5, 8_↑</td></tr><tr><td colspan="2"></td><td></td><td></td><td></td></tr><tr><td colspan="2">製品仕様書 PRODUCT SPECIFICATION</td><td colspan="2">2045320000-PS PS 000</td><td>2045320001-PS PS 000</td><td colspan="2" rowspan="2">2045320000-PS PS 001</td></tr><tr><td colspan="2">コネクタ取扱説明書 APPLICATION SPECIFICATION</td><td colspan="5">5055650000-AS PS 000</td></tr></table>										適合嵌合相手 MATE WITH	タイプ TYPE	TIN PLATING			GOLD PLATING		VERTICAL	RIGHT ANGLE	VERTICAL (FOR POTTING)	VERTICAL	RIGHT ANGLE	2-16 CIRCUIT							製品番号 PART NUMBER	204530**7*	204529**7*	205957**7*	204530**** 3, 5, 8 _↑	204529**** 3, 5, 8 _↑						製品仕様書 PRODUCT SPECIFICATION		2045320000-PS PS 000		2045320001-PS PS 000	2045320000-PS PS 001		コネクタ取扱説明書 APPLICATION SPECIFICATION		5055650000-AS PS 000																													
適合嵌合相手 MATE WITH	タイプ TYPE	TIN PLATING			GOLD PLATING																																																																									
		VERTICAL	RIGHT ANGLE	VERTICAL (FOR POTTING)	VERTICAL	RIGHT ANGLE																																																																								
	2-16 CIRCUIT																																																																													
	製品番号 PART NUMBER	204530**7*	204529**7*	205957**7*	204530**** 3, 5, 8 _↑	204529**** 3, 5, 8 _↑																																																																								
製品仕様書 PRODUCT SPECIFICATION		2045320000-PS PS 000		2045320001-PS PS 000	2045320000-PS PS 001																																																																									
コネクタ取扱説明書 APPLICATION SPECIFICATION		5055650000-AS PS 000																																																																												
THROUGH HOLE <table><tr><td rowspan="3">適合嵌合相手 MATE WITH</td><td rowspan="2">タイプ TYPE</td><td colspan="2">TIN PLATING</td></tr><tr><td>VERTICAL</td><td>RIGHT ANGLE</td></tr><tr><td colspan="2">2-16 CIRCUIT</td><td></td></tr><tr><td rowspan="2"></td><td rowspan="4">製品番号 PART NUMBER</td><td>220097**7*</td><td>220098**7*</td></tr><tr><td colspan="2"></td></tr><tr><td colspan="2">製品仕様書 PRODUCT SPECIFICATION</td><td colspan="2">2045320002-PS PS 000</td></tr><tr><td colspan="2">コネクタ取扱説明書 APPLICATION SPECIFICATION</td><td colspan="2">5055650000-AS PS 000</td></tr></table>										適合嵌合相手 MATE WITH	タイプ TYPE	TIN PLATING		VERTICAL	RIGHT ANGLE	2-16 CIRCUIT				製品番号 PART NUMBER	220097**7*	220098**7*			製品仕様書 PRODUCT SPECIFICATION		2045320002-PS PS 000		コネクタ取扱説明書 APPLICATION SPECIFICATION		5055650000-AS PS 000																																															
適合嵌合相手 MATE WITH	タイプ TYPE	TIN PLATING																																																																												
		VERTICAL	RIGHT ANGLE																																																																											
	2-16 CIRCUIT																																																																													
	製品番号 PART NUMBER	220097**7*	220098**7*																																																																											
製品仕様書 PRODUCT SPECIFICATION		2045320002-PS PS 000																																																																												
コネクタ取扱説明書 APPLICATION SPECIFICATION		5055650000-AS PS 000																																																																												
WIRE TO WIRE <table><tr><td rowspan="3">適合嵌合相手 MATE WITH</td><td rowspan="2">タイプ TYPE</td><td>TIN PLATING</td></tr><tr><td>2-9 CIRCUIT</td></tr><tr><td>製品番号 PART NUMBER</td><td>2145252***</td></tr><tr><td colspan="2">製品仕様書 PRODUCT SPECIFICATION</td><td>5055650003-PS PS 000</td></tr><tr><td colspan="2">コネクタ取扱説明書 APPLICATION SPECIFICATION</td><td>5055650000-AS PS 000</td></tr></table>										適合嵌合相手 MATE WITH	タイプ TYPE	TIN PLATING	2-9 CIRCUIT	製品番号 PART NUMBER	2145252***	製品仕様書 PRODUCT SPECIFICATION		5055650003-PS PS 000	コネクタ取扱説明書 APPLICATION SPECIFICATION		5055650000-AS PS 000																																																									
適合嵌合相手 MATE WITH	タイプ TYPE	TIN PLATING																																																																												
		2-9 CIRCUIT																																																																												
	製品番号 PART NUMBER	2145252***																																																																												
製品仕様書 PRODUCT SPECIFICATION		5055650003-PS PS 000																																																																												
コネクタ取扱説明書 APPLICATION SPECIFICATION		5055650000-AS PS 000																																																																												
製品嵌合図は各嵌合相手図面を参照のこと MATING VIEW：REFER TO EACH "MATE WITH" PART DRAWING.																																																																														
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION <table><tr><td rowspan="2">DIMENSION UNITS</td><td rowspan="2">SCALE</td><td colspan="4" rowspan="2">CURRENT REV DESC:</td><td colspan="4" rowspan="2"> molex MICRO-LOCK PLUS 1.25 W/B SINGLE ROW RECEPTACLE HOUSING LOW-HALOGEN PRODUCT CUSTOMER DRAWING </td></tr><tr></tr><tr><td>mm</td><td>NTS</td><td colspan="4" rowspan="5">EC NO: 757367 DRWN: SOKUMURA01 2023/07/21 CHK'D: SAKIYAMA 2023/09/12 APPR: AIDA 2023/09/12 INITIAL REVISION: DRWN: RWATANABE01 2017/09/15 APPR: TKANEKO 2017/09/26</td><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="6">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2" rowspan="4">2045320000-SD</td><td rowspan="7">PSD</td><td rowspan="7">000</td><td rowspan="4">G</td></tr><tr><td>ANGULAR TOL</td><td>± 3.0 °</td></tr><tr><td>4 PLACES</td><td>± 0.2</td></tr><tr><td>3 PLACES</td><td>± 0.2</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td colspan="2" rowspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td>1 PLACE</td><td>± 0.2</td><td>A3-SIZE</td><td>204532</td><td colspan="2">SEE CHART</td><td colspan="2">GENERAL</td><td>3 OF 3</td></tr><tr><td>0 PLACES</td><td>± 0.2</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td></td><td></td><td colspan="2"></td><td colspan="2"></td><td></td></tr></table>										DIMENSION UNITS	SCALE	CURRENT REV DESC:				molex MICRO-LOCK PLUS 1.25 W/B SINGLE ROW RECEPTACLE HOUSING LOW-HALOGEN PRODUCT CUSTOMER DRAWING				mm	NTS	EC NO: 757367 DRWN: SOKUMURA01 2023/07/21 CHK'D: SAKIYAMA 2023/09/12 APPR: AIDA 2023/09/12 INITIAL REVISION: DRWN: RWATANABE01 2017/09/15 APPR: TKANEKO 2017/09/26				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	GENERAL TOLERANCES (UNLESS SPECIFIED)						2045320000-SD		PSD	000	G	ANGULAR TOL	± 3.0 °	4 PLACES	± 0.2	3 PLACES	± 0.2	2 PLACES	± 0.2	THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	1 PLACE	± 0.2	A3-SIZE	204532	SEE CHART		GENERAL		3 OF 3	0 PLACES	± 0.2	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								
DIMENSION UNITS	SCALE	CURRENT REV DESC:				molex MICRO-LOCK PLUS 1.25 W/B SINGLE ROW RECEPTACLE HOUSING LOW-HALOGEN PRODUCT CUSTOMER DRAWING																																																																								
mm	NTS	EC NO: 757367 DRWN: SOKUMURA01 2023/07/21 CHK'D: SAKIYAMA 2023/09/12 APPR: AIDA 2023/09/12 INITIAL REVISION: DRWN: RWATANABE01 2017/09/15 APPR: TKANEKO 2017/09/26				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																																																																				
GENERAL TOLERANCES (UNLESS SPECIFIED)						2045320000-SD		PSD	000	G																																																																				
ANGULAR TOL	± 3.0 °																																																																													
4 PLACES	± 0.2																																																																													
3 PLACES	± 0.2																																																																													
2 PLACES	± 0.2	THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER				CUSTOMER		SHEET NUMBER																																																																		
1 PLACE	± 0.2			A3-SIZE	204532	SEE CHART				GENERAL		3 OF 3																																																																		
0 PLACES	± 0.2	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																												
DOCUMENT STATUS	P1	RELEASE DATE	2023/09/12	06:08:37																																																																										
10	9	8	7	6	5	4	3	2	1																																																																					