




[+ HARNESSING](#)

FEEDTHROUGHS & CABLE ENTRY SEALS



✓ Active

TE CONNECTIVITY (TE)
TCFS-20-62C-020-100CH

Raychem

TCFS-20-62C-020-100CH
TE Internal Number: 128817-000
Alias ID: 6-1190935-9

[EU RoHS Compliant](#)
[EU ELV Compliant](#)

Product Type Heat Shrink Cable Feedthrough
Thread Size M20 x 1.5
Thread Length 20 mm [.787 in]
Body Diameter (Across Flats) 34 mm [1.34 in]
Feedthrough Inside Diameter (Max) 14 mm [.55 in]

[↓ PRODUCT DRAWING](#)
English

[↓ 3D PDF](#)

DOCUMENTATION

Product Drawings

Customer Drawing
PDF (TIFF AVAILABLE)
English

CAD Files

3D PDF
PDF
3D

Customer View Model
2D_DXF.ZIP
English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Product Specifications

Product Specification

Adapter Finish Specifications

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Product Type Heat Shrink Cable Feedthrough

Thread Size M20 x 1.5

Shielded Yes

Angle Straight

Configuration Features

Modification None

Body Features

Feedthrough Material Stainless Steel

Feedthrough Plating Material Electroless Nickel

Feedthrough Type 1-Sided

Nut Diameter (Across Flats) 27 mm [1.06 in]

Material Code 100

Mechanical Attachment

Mounting Hole Diameter 21 mm [.827 in]

Molded Flange Length 77 mm [3.031 in]

Mounting Style Bulkhead

Dimensions

Thread Length 20 mm [.787 in]

Body Diameter (Across Flats) 34 mm [1.34 in]

Feedthrough Inside Diameter (Max) 14 mm [.55 in]

Expanded Inside Diameter (Min) 10.5 mm [.411 in]

Recovered Inside Diameter (Max) 7.2 mm [.281 in]

Usage Conditions

Flammability Low Fire Hazard

Other

Adhesive Type Hot-Melt

Adhesive Code S1030

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF