

Product Construction:
24 Conductor Cable
Shielded and Jacketed

Product Description
VG 95218 T028 E008
(EPD94259*)

Issue A
S'sedes

Designer Date


Janice Campbell 03/01/2002

Product Manager Date

Martyn Cook 03/01/2002

Page 1

of 1



Controlled Customer Copy

B. W. B.
GERMANY

Specifications

VG 95218 Part 28 Type E

The copyright in this drawing is the property of Tyco Electronics UK Limited. The drawing is issued on condition it is not copied, reproduced or disclosed to a third party either in whole or in part without prior written consent of Tyco Electronics UK Limited.

Layer Type / Operation	Component Details Part Numbers refer to issue in effect at date of issue of this EPD.	Nominal O.D. mm
Components: Cable Cable Cable	2 of VG 95218 T021 C039 (Colour 0/6) 2 of VG 95218 T021 C038 (Colour 0/1) 8 of VG 95218 T021 C040 (Colour 0/8) Colours as above	
Cabling: Layer 1 Layer 2	1 of VG 95218 T021 C039 1 of VG 95218 T021 C038 1 of VG 95218 T021 C040 1 of VG 95218 T021 C039 1 of VG 95218 T021 C038 7 of VG 95218 T021 C040	8.3
Wrap:	Mylar	8.4
Shield: Optimised Braid	Tin Plated Copper	9.1
Wrap:	Mylar	9.2
Wrap:	Mylar	9.5
Shield: Optimised Braid	Tin Plated Copper	10.2
Jacket: Extrusion 1	Zerohal* - Black. Marked 'Raychem - VG 95218 T028 E008 - K1010 - VDE Reg.Nr. 7708 - LFMGSSGO (12x2x0.4)'	11.8 ±0.5 0.80mm minimum wall
Maximum Surface Transfer Impedance 50 milliΩ/metre @ 30 Mhz 5milliΩ/metre @ 30 Mhz 15milliΩ/metre @ 10 MHz	Notes Braids - AWG 34 * - Raychem Trademark	Calculated maximum u Maximum 252 282

If printed this document is an uncontrolled copy and reflects the issue status of the document on 26/10/2005 18:23

Lengths: Unless otherwise specified on your order this cable may be supplied in the following maximum number of continuous lengths:

Order Quantity (m) + One other length
100

Tyco Electronics UK Ltd
Faraday Road, Dorcan
Swindon SN3 5HH
Tel: (01793) 528171
Telex: 449409

Registration Number:
550926 London, England