

## Device connector, rear mounting - RC-1RP1NRAH000 - 1603119

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



The figure shows the 12-pos. product version

Device connector for rear wall, straight, shielded: yes, Screw locking, M23, No. of pos.: 16+2+PE, type of contact: Pin, Crimp connection, Axial O-ring, Central fastening M25 x 1.5, Panel thickness min.: 0.8 mm, Panel thickness max.: 6.5 mm



### **Key Commercial Data**

Packing unit	24 pc
GTIN	4 046356 243582
GTIN	4046356243582

### Technical data

### **Environmental Product Compliance**


REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

### **Drawings**

### Schematic diagram



### Dimensional drawing





# Device connector, rear mounting - RC-1RP1NRAH000 - 1603119

# Dimensional drawing 925+0,1 max. 6,5mm

Installation dimensions

# Approvals Approvals EAC Ex Approvals Approvals Ex Approvals Approval details B.01742

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1603119