

Housing - HC-B 24-TMS-100/O1M40GO1M25SEM - 1585621

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

HEAVYCON ADVANCE standard powder-coated B24 sleeve housing, with screw locking, height: 100 mm, with 1 x M40 gland, straight and 1 x M25 gland, lateral



Key Commercial Data

Packing unit	10 pc
Minimum order quantity	100 pc
GTIN	4 046356 289894
GTIN	4046356289894

Technical data

General

Torque	3 Nm (Locking screw)
Assembly instructions	Tightening torque of locking screw: 3 Nm

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Approvals

Approval	S
----------	---

Approvals

GL / EAC

Ex Approvals

Approval details



Housing - HC-B 24-TMS-100/O1M40GO1M25SEM - 1585621

Approvals

GL	GL	http://exchange.dnv.com/tari/	6196614 HH
EAC	EAC		RU C- DE.Al30.B.01102

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1585621