1-2329463-7 ACTIVE

Dynamic Series | Dynamic 1000 Series

TE Internal #: 1-2329463-7


PCB Mount Header, Vertical, Wire-to-Board, 34 Position, 2 mm [. 079 in] Centerline, Fully Shrouded, Tin, Through Hole - Solder,

Dynamic 1000 Series

View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles > Header Assembly: Wire-to-Board, 3A, Gold or Tin Plated



PCB Connector Assembly Type: PCB Mount Header

Connector System: Wire-to-Board

Number of Positions: **34**Number of Rows: **2**

Centerline (Pitch): 2 mm [.079 in]

All Header Assembly: Wire-to-Board, 3A, Gold or Tin Plated (53)

Features

Product Type Features

| PCB Connector Assembly Type | PCB Mount Header |
|-----------------------------------|-----------------------|
| Connector System | Wire-to-Board |
| Header Type | Fully Shrouded |
| Sealable | No |
| Connector & Contact Terminates To | Printed Circuit Board |
| Configuration Features | |
| Number of Positions | 34 |
| Number of Rows | 2 |
| PCB Mount Orientation | Vertical |
| Body Features | |
| Primary Product Color | Black |



| Contact Mating Area Plating Material Thickness | 1 μm[40 μin] |
|------------------------------------------------|-----------------------|
| Contact Mating Area Plating Material Finish | Matte |
| Contact Mating Area Plating Material | Tin |
| Contact Type | Pin |
| Contact Current Rating (Max) | 3 A |
| Termination Features | |
| Termination Method to PCB | Through Hole - Solder |
| Mechanical Attachment | |

| Mating Alignment Type | Polarization |
|--------------------------|---------------|
| Mating Retention | With |
| PCB Mount Retention Type | Retention Leg |
| Connector Mounting Type | Board Mount |
| Mating Alignment | With |
| PCB Mount Alignment | Without |
| PCB Mount Retention | With |

Housing Features

| Housing Material | Polyester GF |
|--------------------|---------------|
| Centerline (Pitch) | 2 mm[.079 in] |

Usage Conditions

| Operating Temperature Range | -55 - 105 °C[-67 - 221 °F] |
|-----------------------------|----------------------------|
| | |

Operation/Application

| Circuit Application | Power & Signal | |
|---------------------|----------------|--|
| Industry Standards | | |

industry Standards

| UL Flammability Rating | UL 94V-0 | |
|------------------------|----------|--|
|------------------------|----------|--|

Packaging Features

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|-----------------------------------------------|-----------------------------------------|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |



| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| | |

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Also in the Series | Dynamic 1000 Series










Connector Hardware(3)

Insertion & Extraction Tools(2)





Rectangular Connector Housings(2)



Customers Also Bought



TE Part #1-1827863-5
Receptacle and Tab Housing: 2.0 mm pitch, 125V



TE Part #1-1827875-6

DYNAMIC 1200D HDR ASSY V 12PX

BLACK GOLD



TE Part #1-172169-9
9 POS TR MINI UNIV









Documents

Product Drawings

DYNAMIC 1100D HDR ASSY V 34P XBLACK TIN

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2329463-7_A2.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2329463-7_A2.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2329463-7_A2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

PCB Mount Header, Vertical, Wire-to-Board, 34 Position, 2 mm [.079 in] Centerline, Fully Shrouded, Tin, Through Hole - Solder, Dynamic 1000 Series



Product Specifications

Application Specification

English

Agency Approvals

TUV Certificate

English