







極数別ハウジング形状および吸着エリア
HOUSING SHAPE AND VACUUM AREA AT EACH CKTS



嵌合図
MATED CONNECTORS


5.6	5.2	26
		24
	4.2	22
	3.2	20
		18
2.75	2.5	16
		14
	2.3	12
		10
		8
E	D	CKT NO

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex				
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				CLIK-MATE 1.5 DUAL ROW SMT R/A TYPE GOLD PLATING							
ANGULAR TOL ± 3.0°											
4 PLACES		± 0.2		PRODUCT CUSTOMER DRAWING							
3 PLACES		± 0.2									
2 PLACES		± 0.2									
1 PLACE		± 0.2		DOCUMENT NUMBER			DOC TYPE		DOC PART	REVISION	
0 PLACES		± 0.2		2132280000-SD			PSD		000	G	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		213228		SEE CHART	
								GENERAL		SHEET NUMBER	
										3 OF 6	



NOTE

5. 梱包数量 : 550個 / リール
NUMBER OF CONNECTORS : 550 PIECES/REEL
6. リードテープ長さ
LEAD TAPE LENGTH



7. トップテープの剥離強度はJIS C0806-3 準拠
TOP TAPE PEELING OFF FORCE IS DIFINED BY JIS C0806-3.
8. 本製品は乾燥剤入り、ハイバリア梱包である。
THIS PRODUCT IS DELIVERED IN HIGH BARRIER PACKAGE WITH DESICCANT.

番号 No.	部品 PART	材質 MATERIAL
④	エンボステープ EMBOSSSED TAPE	ポリスチレン(PS) POLYSTYLENE
⑤	トップテープ TOP TAPE	ポリエチレン、ポリエチレンテレフタレート POLYETHYLENE (PE), POLYETHYLENE TELEPHTHALATE (PET)
⑥	リール REEL	ポリスチレン (リサイクル材を含む) POLYSTYLENE (CONTAINED RECYCLED MATERIAL)

DOCUMENT STATUS	P1	RELEASE DATE	2023/06/23	10:36:45
-----------------	----	--------------	------------	----------

49.4	45.4	20.2	40.4	44±0.3	26
					24
					22
					20
					18
37.4	33.4	14.2	28.4	32±0.3	16
					14
					12
29.4	25.4	11.5	-	24 ^{+0.3} _{-0.1}	10
					8
K	J	H	G	エンボステープ幅F WIDTH OF TAPE	CKT NO.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex				
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				CLIK-MATE 1.5 DUAL ROW SMT R/A TYPE GOLD PLATING PRODUCT CUSTOMER DRAWING							
ANGULAR TOL ± 3.0 °											
4 PLACES		± 0.2								EC NO: 742719	
3 PLACES		± 0.2								DRWN: MIKEDA01 2023/06/23	
2 PLACES		± 0.2								CHK'D: SAKIYAMA 2023/06/23	
1 PLACE		± 0.2		APPR: AIDA 2023/06/23		DOCUMENT NUMBER 2132280000-SD PSD 000 G					
0 PLACES		± 0.2		INITIAL REVISION:							
DRWN: MIKEDA01 2019/10/01											
APPR: KOMURAKAMI 2019/11/20				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES			
						A3-SIZE		213228			
				SEE CHART		GENERAL		4 OF 6			

10

9

8

7

6

5

4

3

2

1

F

E

D

C

B

A

△3

適用製品及び各種仕様書

APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS

梱包仕様書 PACKAGING SPECIFICATION	PART NUMBER	DOCUMENT NUMBER
	213228 ****	2132289200-SPK

適用嵌合相手 MATE WITH	HOUSING 503149 ****	TERMINAL (GOLD PLATING)		
製品番号 PRODUCT NUMBER		PLATING THK	#24-28	#28-30
		0.1 micro-meters	213028 1*00	213029 1*00
		0.38 micro-meters	213028 3*00	213029 3*00
	0.76 micro-meters	213028 7*00	213029 7*00	
製品仕様書 PRODUCT SPECIFICATION	5031490002-PS/PS/000			
アプリケーション仕様書 APPLICATION SPECIFICATION	AS-503149-001			

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																															
<table><tr><td>DIMENSION UNITS</td><td>SCALE</td></tr><tr><td>mm</td><td>NTS</td></tr></table> <table><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td>ANGULAR TOL</td><td>± 3.0 °</td></tr><tr><td>4 PLACES</td><td>± 0.2</td></tr><tr><td>3 PLACES</td><td>± 0.2</td></tr><tr><td>2 PLACES</td><td>± 0.2</td></tr><tr><td>1 PLACE</td><td>± 0.2</td></tr><tr><td>0 PLACES</td><td>± 0.2</td></tr></table> <table><tr><td>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td>CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td></td><td></td><td>A3-SIZE</td><td>213228</td><td>SEE CHART</td><td>GENERAL</td><td>5 OF 6</td></tr></table>	DIMENSION UNITS	SCALE	mm	NTS	GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL	± 3.0 °	4 PLACES	± 0.2	3 PLACES	± 0.2	2 PLACES	± 0.2	1 PLACE	± 0.2	0 PLACES	± 0.2	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER			A3-SIZE	213228	SEE CHART	GENERAL	5 OF 6	<table><tr><td>CURRENT REV DESC:</td><td rowspan="3"></td></tr><tr><td>EC NO: 742719 DRWN: MIKEDA01 CHK'D: SAKIYAMA APPR: AIDA</td></tr><tr><td>INITIAL REVISION: DRWN: MIKEDA01 APPR: KOMURAKAMI</td></tr></table> <table><tr><td>2023/06/23 2023/06/23 2023/06/23</td><td>2019/10/01 2019/11/20</td></tr></table> <table><tr><td>DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td>2132280000-SD</td><td>PSD</td><td>000</td><td>G</td></tr></table>	CURRENT REV DESC:		EC NO: 742719 DRWN: MIKEDA01 CHK'D: SAKIYAMA APPR: AIDA	INITIAL REVISION: DRWN: MIKEDA01 APPR: KOMURAKAMI	2023/06/23 2023/06/23 2023/06/23	2019/10/01 2019/11/20	DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION	2132280000-SD	PSD	000	G
DIMENSION UNITS	SCALE																																														
mm	NTS																																														
GENERAL TOLERANCES (UNLESS SPECIFIED)																																															
ANGULAR TOL	± 3.0 °																																														
4 PLACES	± 0.2																																														
3 PLACES	± 0.2																																														
2 PLACES	± 0.2																																														
1 PLACE	± 0.2																																														
0 PLACES	± 0.2																																														
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER																																									
		A3-SIZE	213228	SEE CHART	GENERAL	5 OF 6																																									
CURRENT REV DESC:																																															
EC NO: 742719 DRWN: MIKEDA01 CHK'D: SAKIYAMA APPR: AIDA																																															
INITIAL REVISION: DRWN: MIKEDA01 APPR: KOMURAKAMI																																															
2023/06/23 2023/06/23 2023/06/23	2019/10/01 2019/11/20																																														
DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION																																												
2132280000-SD	PSD	000	G																																												

DOCUMENT STATUS	P1	RELEASE DATE	2023/06/23	10:36:45
-----------------	----	--------------	------------	----------

9

8

7

6

5

4

3

2

1

