








CKT SIZE	DIM "A"	DIM "B"	DIM "C"
2	<u>.21</u> [5.4]	---	<u>.370</u> [9.40]
4	<u>.38</u> [9.6]	<u>.17</u> [4.2]	<u>.535</u> [13.60]
6	<u>.54</u> [13.8]	<u>.33</u> [8.4]	<u>.701</u> [17.80]
8	<u>.71</u> [18.0]	<u>.50</u> [12.6]	<u>.866</u> [22.00]
10	<u>.87</u> [22.2]	<u>.66</u> [16.8]	<u>1.031</u> [26.20]
12	<u>1.04</u> [26.4]	<u>.83</u> [21.0]	<u>1.197</u> [30.40]
14	<u>1.20</u> [30.6]	<u>.99</u> [25.2]	<u>1.362</u> [34.60]
16	<u>1.37</u> [34.8]	<u>1.16</u> [29.4]	<u>1.528</u> [38.80]
18	<u>1.54</u> [39.0]	<u>1.32</u> [33.6]	<u>1.693</u> [43.00]
20	<u>1.70</u> [43.2]	<u>1.49</u> [37.8]	<u>1.858</u> [47.20]
22	<u>1.87</u> [47.4]	<u>1.65</u> [42.0]	<u>2.024</u> [51.40]
24	<u>2.03</u> [51.6]	<u>1.82</u> [46.2]	<u>2.189</u> [55.60]

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 784313 DRWN: JERRYW8 CHK'D: XQZHANG APPR: XQZHANG INITIAL REVISION: DRWN: NNGUYEN APPR: FSMITH 2013/05/08 2013/06/03				molex MINI-FIT VERT HDR ASSY W & W/O PEGS SINGLE AND DUAL ROW								
INCH/MM		NTS										PRODUCT CUSTOMER DRAWING				
GENERAL TOLERANCES (UNLESS SPECIFIED)																
ANGULAR TOL ± 0.5 °																
4 PLACES		±														
3 PLACES		±														
2 PLACES		± 0.4														
1 PLACE		± 0.5														
0 PLACES		±														
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION		
						C-SIZE		44472		RSD-44472-XXXX		PSD		001		M7
										SEE TABLE		GENERAL MARKET		SHEET NUMBER		
												2 OF 8				

SEE SHT. 1 FOR SINGLE ROW


DOCUMENT STATUS	P1	RELEASE DATE	2024/09/11	06:39:21
-----------------	----	--------------	------------	----------

12	11	10	9	8	7	6	5	4	3	2	1
DUAL ROW PART NUMBERS WITH MATTE TIN PLATING											
WITH PEGS											
PLATING:	1 (SEE NOTE 2)			PLATING:	1 (SEE NOTE 2)			PLATING:	1 (SEE NOTE 2)		
DRAINS:	WITHOUT DRAIN HOLES			DRAINS:	WITHOUT DRAIN HOLES			DRAINS:	WITHOUT DRAIN HOLES		
PEGS:	WITH PEGS			PEGS:	WITH PEGS			PEGS:	WITH PEGS		
MAT'L:	94V-2 [NATURAL]			MAT'L:	94V-0 [NATURAL]			MAT'L:	94V-2 [NATURAL]		
PACKAGING:	PK-5566-001			PACKAGING:	PK-5566-001			PACKAGING:	PK-5566-001		
	ITEM NO.		CKTS		ITEM NO.		CKTS		ITEM NO.		CKTS
	44472-0250		2		44472-0251		2				2
	44472-0450		4		44472-0451		4		44472-0452		4
	44472-0650		6		44472-0651		6		44472-0652		6
	44472-0850		8		44472-0851		8		44472-0852		8
	44472-1050		10		44472-1051		10		44472-1052		10
	44472-1250		12		44472-1251		12		44472-1252		12
	44472-1450		14		44472-1451		14		44472-1452		14
	44472-1650		16		44472-1651		16		44472-1652		16
	44472-1850		18		44472-1851		18		44472-1852		18
	44472-2050		20		44472-2051		20		44472-2052		20
	44472-2250		22		44472-2251		22		44472-2252		22
	44472-2450		24		44472-2451		24		44472-2452		24
WITHOUT PEGS											
PLATING:	1 (SEE NOTE 2)			PLATING:	1 (SEE NOTE 2)			PLATING:	1 (SEE NOTE 2)		
DRAINS:	WITHOUT DRAIN HOLES			DRAINS:	WITHOUT DRAIN HOLES			DRAINS:	WITHOUT DRAIN HOLES		
PEGS:	WITHOUT PEGS			PEGS:	WITHOUT PEGS			PEGS:	WITHOUT PEGS		
MAT'L:	94V-2 [NATURAL]			MAT'L:	94V-0 [NATURAL]			MAT'L:	94V-2 [NATURAL]		
PACKAGING:	PK-5566-001			PACKAGING:	PK-5566-001			PACKAGING:	PK-5566-001		
	ITEM NO.	HOUSING NO.	CKTS		ITEM NO.		CKTS		ITEM NO.		CKTS
	44472-0254		2		44472-0255		2		44472-0256		2
	44472-0454		4		44472-0455		4		44472-0456		4
	44472-0654		6		44472-0655		6		44472-0656		6
	44472-0854		8		44472-0855		8		44472-0856		8
	44472-1054		10		44472-1055		10		44472-1056		10
	44472-1254		12		44472-1255		12		44472-1256		12
	44472-1454		14		44472-1455		14		44472-1456		14
	44472-1654		16		44472-1655		16		44472-1656		16
	44472-1854		18		44472-1855		18		44472-1856		18
	44472-2054		20		44472-2055		20		44472-2056		20
	44472-2254		22		44472-2255		22		44472-2256		22
	44472-2454		24		44472-2455		24		44472-2456		24
-ITEMS PRECEDED BY AN "X" ARE NOT AVAILABLE.											
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS INCH/MM SCALE NTS GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 0.5° 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.4 1 PLACE ± 0.5 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING C-SIZE SERIES 44472 CURRENT REV DESC: EC NO: 784313 DRWN: JERRYW8 CHK'D: XQZHANG APPR: XQZHANG 2024/09/03 2024/09/11 2024/09/11 INITIAL REVISION: DRWN: NNGUYEN APPR: FSMITH 2013/05/08 2013/06/03 DOCUMENT NUMBER RSD-44472-XXXX DOC TYPE PSD DOC PART 001 REVISION M7 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 3 OF 8											
DOCUMENT STATUS	P1	RELEASE DATE	2024/09/11 06:39:21								

DUAL ROW PART NUMBERS WITH WIDE LATCH OPTION


WITH PEGS			
PLATING:	1 (SEE NOTE 2)		
DRAINS:	WITHOUT DRAIN HOLES		
PEGS:	WITH PEGS		
MAT'L:	94V-2 [NATURAL]		
PACKAGING:	PK-5566-001		
	ITEM NO.		CKTS
			2
X	44472-0470		4
X	44472-0670		6
X	44472-0870		8
X	44472-1070		10
X	44472-1270		12
X	44472-1470		14
X	44472-1670		16
X	44472-1870		18
X	44472-2070		20
X	44472-2270		22
	44472-2470		24

-ITEMS PRECEDED BY AN "X" ARE NOT AVAILABLE.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex MINI-FIT VERT HDR ASSY W & W/O PEGS SINGLE AND DUAL ROW				
INCH/MM		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)												
ANGULAR TOL		± 0.5 °										
4 PLACES		±										
3 PLACES		±		EC NO: 784313 DRWN: JERRYW82024/09/03 CHK'D: XQZHANG2024/09/11 APPR: XQZHANG2024/09/11				PRODUCT CUSTOMER DRAWING				
2 PLACES		± 0.4										
1 PLACE		± 0.5		INITIAL REVISION: DRWN: NNGUYEN2013/05/08 APPR: FSMITH2013/06/03				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
0 PLACES		±						RSD-44472-XXXX		PSD	001	M7
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
						C-SIZE	44472	SEE TABLE		GENERAL MARKET		5 OF 8

[illegible][illegible]

-ITEMS PRECEDED BY AN "X" ARE NOT AVAILABLE.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 784313 DRWN: JERRYW82024/09/03 CHK'D: XQZHANG2024/09/11 APPR: XQZHANG2024/09/11 INITIAL REVISION: DRWN: NNGUYEN2013/05/08 APPR: FSMITH2013/06/03				molex				
INCH/MM		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)								MINI-FIT VERT HDR ASSY W & W/O PEGS SINGLE AND DUAL ROW				
ANGULAR TOL ± 0.5 °												
4 PLACES		±						PRODUCT CUSTOMER DRAWING				
3 PLACES		±										
2 PLACES		± 0.4						DOCUMENT NUMBER RSD-44472-XXXX				
1 PLACE		± 0.5									DOC TYPE	DOC PART
0 PLACES		±						PSD	001	M7		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
						C-SIZE	44472	SEE TABLE		GENERAL MARKET		6 OF 8

DOCUMENT STATUS	P1	RELEASE DATE	2024/09/11	06:39:21
-----------------	----	--------------	------------	----------

DUAL ROW PART NUMBERS WITH MATTE TIN PLATING
(DO NOT USE FOR NEW APPLICATION)

WITH PEGS				
PLATING:	1 (SEE NOTE 2)			
DRAINS:	WITHOUT DRAIN HOLES			
PEGS:	WITH PEGS			
MAT'L:	94V-0 [NATURAL]			
PACKAGING:				
	ITEM NO.			CKTS
	44472-0283	O		2
	44472-0483	O		4
	44472-0683	O		6
	44472-0883	O		8
	44472-1083	O		10
	44472-1283	O		12
	44472-1483	O		14
	44472-1683	O		16
	44472-1883	O		18
	44472-2083			20
	44472-2283			22
	44472-2483	O		24

"O" OBSOLETE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC:		molex							
INCH/MM	NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)											
ANGULAR TOL	± 0.5 °			MINI-FIT VERT HDR ASSY W & W/O PEGS SINGLE AND DUAL ROW							
4 PLACES	±	EC NO: 784313		PRODUCT CUSTOMER DRAWING							
3 PLACES	±	DRWN: JERRYW8									
2 PLACES	±	CHK'D: XQZHANG									
1 PLACE	±	APPR: XQZHANG		DOCUMENT NUMBER							
0 PLACES	±	INITIAL REVISION:									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWN: NNGUYEN									
		APPR: FSMITH									
		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER				
			C-SIZE	44472	SEE TABLE	GENERAL MARKET	8 OF 8				

2024/09/11

06:39:21

12

11

10

9

8

7

6

5

4

3

2

1

A