






LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			C6	REVISED PER ECO-12-007711	26APR2012	KH	MS




796636-3 AS SHOWN




RECOMMENDED PC BOARD LAYOUT

	TIN	-	DETAIL N	108.50	21	2-796636-9
	TIN	-	DETAIL M	78.02	15	2-796636-8
	.762µm GOLD	-	-	42.46	8	2-796636-7
	TIN		DETAIL L	22.14	4	2-796636-6
	TIN	-	-	128.82	25	2-796636-5
	TIN	-	-	123.74	24	2-796636-4
	TIN	-	-	118.66	23	2-796636-3
	TIN	-	-	113.58	22	2-796636-2
	TIN	-	-	108.50	21	2-796636-1
	TIN	-	-	103.42	20	2-796636-0
	TIN	-	-	98.34	19	1-796636-9
	TIN	-	-	93.26	18	1-796636-8
	TIN	-	-	88.18	17	1-796636-7
	TIN	-	-	83.10	16	1-796636-6
	TIN	-	-	78.02	15	1-796636-5
	TIN	-	-	72.94	14	1-796636-4
	TIN	-	-	67.86	13	1-796636-3
	TIN	-	-	62.78	12	1-796636-2
	TIN	-	-	57.70	11	1-796636-1
	TIN	-	-	52.62	10	1-796636-0
	TIN	-	-	47.54	9	796636-9
	TIN	-	-	42.46	8	796636-8
	TIN	-	-	37.38	7	796636-7
	TIN	-	-	32.30	6	796636-6
	TIN	-	-	27.22	5	796636-5
	TIN	-	-	22.14	4	796636-4
	TIN	-	-	17.06	3	796636-3
	TIN	-	-	11.98	2	796636-2
	CONTACT FINISH	MARKING	SPECIAL	DIM L	NO OF POSN	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON		190CT2000		TE Connectivity	
DIMENSIONS:		CHK D. BIEVENOUR		190CT2000			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. BIEVENOUR		190CT2000			
mm		PRODUCT SPEC		NAME			
		-		TERMI-BLOK HEADER ASSEMBLY, 180 DEGREE, CLOSED ENDS, 5.08mm PITCH			
0 PLC ± 1 PLC ±0.3 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH		APPLICATION SPEC		SIZE		RESTRICTED TO	
MATERIAL		WEIGHT		CAGE CODE		DRAWING NO	
		-		A200779		G-796636	
		CUSTOMER DRAWING		SCALE		SHEET	
				4.1		OF 2	
						REV C6	



DETAIL L



DETAIL M
2-796636-8



DETAIL N
2-796636-9

- 1

MATERIALS AND FINISH:
HOUSING: PA 6-6, UL 94-V0, COLOR: GREEN.
TERMINAL: COPPER ALLOY, TIN PLATED.
- 2

SUITABLE FOR 1,6-2, 4mm PC BOARD THICKNESS.
- 3

RECOGNIZED UNDER THE COMPONENT PROGRAM OF
UNDERWRITERS LABORATORIES INC.FILE N° E60677.
- 4

IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY
WITH IEC 998-1/998-2-1.}
- 5

NOT CUMULATIVE TOLERANCE
- 6

INK MARKED WHITE
NUMERICAL SEQUENCE: FROM LEFT TO RIGHT.
- 7

BUCHANAN LOGO TO APPEAR ON HOUSING, LOCATION OPTIONAL
WHERE SPACE PERMITS.
- 8

KEYS TO BE GLUED IN PLACE AS SHOWN.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

S. WELDON

19OCT2000

CHK

D. BIEVENOUR

19OCT2000

APVD

D. BIEVENOUR

19OCT2000

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

MATERIAL

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

NAME

TERMI-BLOK HEADER ASSEMBLY,
180 DEGREE, CLOSED ENDS,
5.08mm PITCH

SIZE

A2

CAGE CODE

00779

DRAWING NO

796636

RESTRICTED TO

-

SCALE

4:1

SHEET

2

OF

2

REV

C6

STE

TE Connectivity

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-796636-1](#)