






| Type                |       |
|---------------------|-------|
| 20/2                | 18 Nm |
| <b>FS1</b><br>S6x16 |       |

**Cubic connector**



- For torsion-resistant corner connection of profiles with equal cross-sections
- *designLINE* version with special silver paint (RAL 9006) for an attractive, high-quality design
- Cover caps to cover the openings
- Screw fitting on profile with self-tapping screws
- Profile finishing: not required

Technical data (p. 19-8)

| Cubic connector 20/2                |                  | Slot | ESD |   | No. | FS                         |
|-------------------------------------|------------------|------|-----|---|-----|----------------------------|
| Set (standard), signal gray         |                  | 6    |     | * | 1   | <b>3 842 549 858</b> 2xFS1 |
| Set <i>designLINE</i> , signal gray |                  | 6    |     | * | 1   | <b>3 842 549 859</b> 2xFS1 |
| Cubic connector                     |                  | 6    |     |   | 20  | <b>3 842 523 875</b>       |
| Cover cap                           | signal gray (PP) |      |     |   | 100 | <b>3 842 548 700</b>       |
|                                     | D12 black (PP)   |      |     |   | 100 | <b>3 842 548 704</b>       |
| Countersunk screw S6x16             |                  | 6    |     |   | 100 | <b>3 842 517 132</b>       |

Material:


Cubic connector: Die-cast aluminum

*designLINE* cubic connector: painted (RAL 9006)



Fastening material: steel; galvanized

Scope of delivery: set incl. fastening material (FS), caps



Cubic connector creates conductive connection, but the cover caps included in the set are not ESD-compatible.




| Type |       |
|------|-------|
| 20/3 |       |
|      | 23 Nm |



| Type |       |
|------|-------|
| 30/2 |       |
|      | 80 Nm |



| Type |       |
|------|-------|
| 30/3 |       |
|      | 85 Nm |



| Cubic connector 20/3                | Slot | ESD | No. | FS                         |
|-------------------------------------|------|-----|-----|----------------------------|
| Set (standard), signal gray         | 6    |     | 1   | <b>3 842 549 860</b> 3xFS1 |
| Set <i>designLINE</i> , signal gray | 6    |     | 1   | <b>3 842 549 861</b> 3xFS1 |
| Cubic connector                     | 6    |     | 20  | <b>3 842 523 872</b>       |
| Cover cap signal gray (PP)          |      |     | 100 | <b>3 842 548 700</b>       |
| D12 black (PP)                      |      |     | 100 | <b>3 842 548 704</b>       |
| Countersunk screw S6x16             | 6    |     | 100 | <b>3 842 517 132</b>       |

Material: Cubic connector: Die-cast aluminum  
*designLINE* cubic connector: painted (RAL 9006)  
 Fastening material: steel; galvanized

Scope of delivery: set incl. fastening material (FS), caps

Cubic connector creates conductive connection, but the cover caps included in the set are not ESD-compatible.

| Cubic connector 30/2                | Slot | ESD | No. | FS                         |
|-------------------------------------|------|-----|-----|----------------------------|
| Set (standard), signal gray         | 8    |     | 1   | <b>3 842 549 862</b> 2xFS2 |
| Set <i>designLINE</i> , signal gray | 8    |     | 1   | <b>3 842 549 863</b> 2xFS2 |
| Cubic connector                     | 8    |     | 20  | <b>3 842 523 876</b>       |
| Cover cap signal gray (PP)          |      |     | 100 | <b>3 842 548 701</b>       |
| D18 black (PP)                      |      |     | 100 | <b>3 842 548 705</b>       |
| Countersunk screw S8x25             | 8    |     | 100 | <b>3 842 517 543</b>       |

Material: Cubic connector: Die-cast aluminum  
*designLINE* cubic connector: painted (RAL 9006)  
 Fastening material: steel; galvanized

Scope of delivery: set incl. fastening material (FS), caps


Cubic connector creates conductive connection, but the cover caps included in the set are not ESD-compatible.

| Cubic connector 30/3                | Slot | ESD | No. | FS                         |
|-------------------------------------|------|-----|-----|----------------------------|
| Set (standard), signal gray         | 8    |     | 1   | <b>3 842 549 864</b> 3xFS2 |
| Set <i>designLINE</i> , signal gray | 8    |     | 1   | <b>3 842 549 865</b> 3xFS2 |
| Cubic connector                     | 8    |     | 20  | <b>3 842 523 873</b>       |
| Cover cap signal gray (PP)          |      |     | 100 | <b>3 842 548 701</b>       |
| D18 black (PP)                      |      |     | 100 | <b>3 842 548 705</b>       |
| Countersunk screw S8x25             | 8    |     | 100 | <b>3 842 517 543</b>       |


Material: Cubic connector: Die-cast aluminum  
*designLINE* cubic connector: painted (RAL 9006)  
 Fastening material: steel; galvanized

Scope of delivery: set incl. fastening material (FS), caps

Cubic connector creates conductive connection, but the cover caps included in the set are not ESD-compatible.



| Type |       |
|------|-------|
| 40/2 | 60 Nm |




| Cubic connector 40/2                | Slot             | ESD | No. | FS                  |
|-------------------------------------|------------------|-----|-----|---------------------|
| Set (standard), signal gray         | 10               |     | 1   | 3 842 549 866 2xFS3 |
| Set <i>designLINE</i> , signal gray | 10               |     | 1   | 3 842 549 867 2xFS3 |
| Cubic connector                     | 10               |     | 20  | 3 842 529 010       |
| Cover cap                           | signal gray (PP) |     | 100 | 3 842 548 702       |
| D24                                 | black (PP)       |     | 100 | 3 842 548 706       |
| Screw S12x30                        | 10               |     | 100 | 3 842 530 236       |


Material: Cubic connector: Die-cast aluminum  
*designLINE* cubic connector: painted (RAL 9006)  
Fastening material: steel; galvanized

Scope of delivery: set incl. fastening material (FS), caps

Cubic connector creates conductive connection, but the cover caps included in the set are not ESD-compatible.



| Type |       |
|------|-------|
| 40/3 | 70 Nm |




| Cubic connector 40/3                | Slot             | ESD | No. | FS                  |
|-------------------------------------|------------------|-----|-----|---------------------|
| Set (standard), signal gray         | 10               |     | 1   | 3 842 549 868 3xFS3 |
| Set <i>designLINE</i> , signal gray | 10               |     | 1   | 3 842 549 869 3xFS3 |
| Cubic connector                     | 10               |     | 20  | 3 842 529 011       |
| Cover cap                           | signal gray (PP) |     | 100 | 3 842 548 702       |
| D24                                 | black (PP)       |     | 100 | 3 842 548 706       |
| Screw S12x30                        | 10               |     | 100 | 3 842 530 236       |


Material: Cubic connector: Die-cast aluminum  
*designLINE* cubic connector: painted (RAL 9006)  
Fastening material: steel; galvanized

Scope of delivery: set incl. fastening material (FS), caps

Cubic connector creates conductive connection, but the cover caps included in the set are not ESD-compatible.



| Type   |        |
|--------|--------|
| 45/2   | 150 Nm |
| 45x45L | 200 Nm |



| Cubic connector 45/2                | Slot             | ESD | No. | FS                  |
|-------------------------------------|------------------|-----|-----|---------------------|
| Set (standard), signal gray         | 10               |     | 1   | 3 842 549 870 2xFS3 |
| Set <i>designLINE</i> , signal gray | 10               |     | 1   | 3 842 549 871 2xFS3 |
| Cubic connector                     | 10               |     | 20  | 3 842 523 877       |
| Cover cap                           | signal gray (PP) |     | 100 | 3 842 548 702       |
| D24                                 | black (PP)       |     | 100 | 3 842 548 706       |
| Screw S12x30                        | 10               |     | 100 | 3 842 530 236       |

Material: Cubic connector: Die-cast aluminum  
*designLINE* cubic connector: painted (RAL 9006)  
Fastening material: steel; galvanized

Scope of delivery: set incl. fastening material (FS), caps

Cubic connector creates conductive connection, but the cover caps included in the set are not ESD-compatible.