TE Internal #: 3-2112231-1

Housing for Female Terminals, Wire-to-Board / Wire-to-Device, 46 Position, 4 mm [.157 in] Centerline, Sealable, Black, Wire & Cable,

Power

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings











Connector System: Wire-to-Board, Wire-to-Device

Number of Positions: 46

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 4 mm [.157 in]

Sealable: Yes

Features

Product Type Features

| Mixed & Hybrid Connector | No |
|-----------------------------------|-------------------------------|
| Connector Shape | Rectangular |
| Connector System | Wire-to-Board, Wire-to-Device |
| Connector & Housing Type | Housing for Female Terminals |
| Sealable | Yes |
| Connector & Contact Terminates To | Wire & Cable |
| Primary Locking Feature | On the Terminal |
| Configuration Features | |
| Number of Positions | 46 |
| Number of Rows | 3 |
| Electrical Characteristics | |
| Operating Voltage | 36 VDC |
| Body Features | |
| Cable Exit Angle | 90° |



| Primary Product Color | Black |
|------------------------------|----------------------------|
| Connector & Keying Code | A |
| Contact Features | |
| Contact Size | 1.5K |
| Contact Type | Receptacle |
| Mating Tab Width | 1.6 mm[.063 in] |
| Contact Current Rating (Max) | 20 A |
| Mechanical Attachment | |
| Terminal Position Assurance | No |
| Strain Relief | With |
| Mating Alignment Type | Keyed |
| Mating Alignment | With |
| Connector Mounting Type | Cable Mount (Free-Hanging) |
| Housing Features | |
| Housing Material | PBT GF20 |
| Centerline (Pitch) | 4 mm[.157 in] |
| Dimensions | |
| Connector Height | 36.4 mm[1.433 in] |
| Product Width | 43.5 mm[1.713 in] |
| Product Length | 104 mm[4.095 in] |
| Row-to-Row Spacing | 6 mm[.236 in] |
| Usage Conditions | |
| Operating Temperature (Max) | 120 °C[248 °F] |
| Operating Temperature Range | -30 - 120 °C[-22 - 248 °F] |
| Operation/Application | |
| Circuit Application | Power |
| Industry Standards | |
| Degree of Protection | IP67 |
| UL Flammability Rating | UL 94HB |
| Packaging Features | |
| Packaging Quantity | 159 |
| Packaging Method | Вох |



Other

| Serviceable | Yes |
|--------------------------------------|-----|
| Connector Position Assurance Capable | No |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Customers Also Bought





TE Part #1-776200-1

AMPSEAL PCB Vertical Headers













Documents

Product Drawings

46POS,AMP MCP1.5K,REC HSG,ASSY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-2112231-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3-2112231-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-2112231-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English