



Connectors > Connector Accessories > Connector Caps & Covers > Latch Connector: Strain Relief



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Gray**

Primary Product Material: **Glass-Filled Nylon**

Number of Positions: **50**

[All Latch Connector: Strain Relief \(10\)](#)

Features

Product Type Features

Connector Cover Type	Strain Relief Cover
----------------------	---------------------

Configuration Features

Number of Positions	50
---------------------	----

Body Features

Primary Product Color	Gray
Primary Product Material	Glass-Filled Nylon

Dimensions

Product Length	68.1 mm
----------------	---------

Packaging Features

Packaging Quantity	250
Packaging Method	Bag & Box

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | AMP-LATCH - NOVO



Connector Caps & Covers(10)



Ribbon Cable Connectors(46)

Customers Also Bought



TE Part #1-178288-6
Receptacle and Tab Housing: 3.81 mm pitch, 250V



TE Part #1-917484-2
DYNAMIC D-3 REC CONT. 2L AU 0.38



TE Part #5-104935-6
05 MTE HDR SRRA LTCH.100CL LF




TE Part #160759-4
PL 250 TERMINAL REC 0.5-1.5 MM2 TPPHBZ



TE Part #926899-1
TERM MACHO UNIVER.MATE-N-LOK



TE Part #170360-1
UNIV M-N-L PIN 22-18 AWG



TE Part #1393557-7
C42334A 386C 61=BKLEV 413 BUEG

Documents

Product Drawings
50P.A/L.STRAIN REL.

English
50P.A/L.STRAIN REL.

English

CAD Files
3D PDF

3D

Customer View Model
ENG_CVM_CVM_5-100103-0_D.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_5-100103-0_D.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_5-100103-0_D.3d_stp.zip



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.