
## ANT-GNFPC-SHL1100M4 V ACTIVE



TE Internal #: L9000343-01 Flexible PCB (FPC) Antenna, Multi Band, GNSS / GPS, Internal /Embedded Mount, Adhesive, MHF4, Omnidirectional, Single Port, Gain 3 < 6 dBi

View on TE.com >



#### Antennas



Wireless Application: GNSS, GPS

Mounting Location: Internal/Embedded

Mounting Type: Adhesive

Frequency Category: 1164 – 1610 Antenna Type: Flexible PCB (FPC)

#### **Features**

#### **Product Type Features**

Configuration Footures				
Antenna Proc	luct Type	Antenna		
Antenna Termination		MHF4		

#### Contiguration Features

Mounting Location	Internal/Embedded
Antenna Type	Flexible PCB (FPC)
Band Type	Multi Band
Port Configuration	Single Port

#### Signal Characteristics

Frequency Category	1164 – 1610
Peak Gain	3 < 6 dBi

#### **Mechanical Attachment**

Mounting Type	Adhesive

#### Operation/Application

Directionality	Omnidirectional		
Industry Standards			
Wireless Application	GNSS, GPS		
Primary Application	GNSS, GPS		



### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**





TE Part # CONMHF1-SMD-T U.FL/MHF1 Jack 50 Ohm PCB Surface Mount









## Customers Also Bought





















### **Documents**

## **Product Drawings**

Antenna GNSS FPC SH L1 25x25 100 MHF4

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_L9000343-01\_A.2d\_dxf.zip

Flexible PCB (FPC) Antenna, Multi Band, GNSS / GPS, Internal/Embedded Mount, Adhesive, MHF4, Omnidirectional, Single Port, Gain 3 < 6 dBi



English

**Customer View Model** 

ENG\_CVM\_CVM\_L9000343-01\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_L9000343-01\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Flexible Embedded L1 GNSS Antennas

English