





ターミナル装着図
TERMINAL ASSEMBLY DRAWING

- 注記 :
NOTES :
- 1 材質 : TABLE 1参照
MATERIAL : SEE TABLE 1.
 - 2 極数 / 2 = 偶数に適合
APPLY TO CIRCUIT SIZE / 2 = EVEN.
 - 3 製品仕様書、コネクタ取扱説明書、適合嵌合相手、適合ターミナルは
SHEET 3をご参照ください。
PLEASE REFER TO SHEET 3 FOR PRODUCT SPECIFICATION,
APPLICATION SPECIFICATION, MATE WITH
AND APPLICABLE TERMINAL.
 - 4 発注番号 : SHEET 3 参照
ORDER NUMBER : PLEASE REFER TO SHEET 3


番号 NO.	ハウジングカラー HOUSING COLOR
0	ナチュラル (白) NATURAL (WHITE)
1	黒 BLACK
2	赤 RED
4	青 BLUE
6	緑 GREEN

505432 ** 0 *
極数
CIRCUIT SIZE


25	29.7	42
23.75	28.45	40
22.5	27.2	38
21.25	25.95	36
20	24.7	34
18.75	23.45	32
17.5	22.2	30
16.25	20.95	28
15	19.7	26
13.75	18.45	24
12.5	17.2	22
11.25	15.95	20
10	14.7	18
8.75	13.45	16
7.5	12.2	14
6.25	10.95	12
5	9.7	10
3.75	8.45	8
B	A	極数 CIRCUIT SIZE

1 TABLE 1


部品 PART	材質 MATERIAL					
ハウジング HOUSING	ポリエステル(PBT), UL94V-0, 色 : SHEET 3参照 POLYESTER(PBT), UL94V-0, COLOR:SEE SHEET 3.					
DOCUMENT STATUS	P1	RELEASE DATE	2023/02/16	15:22:23		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE	CURRENT REV DESC:				molex MICRO-LOCK PLUS 1.25 W/B DUAL ROW RECEPTACLE HOUSING				
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
ANGULAR TOL		± 3.0 °									
4 PLACES		± 0.2									
3 PLACES		± 0.2	EC NO: 736271		DRWN: SOKUMURA01		2022/12/27				
2 PLACES		± 0.2	CHK'D: SAKIYAMA		APPR: AIDA		2023/02/16				
1 PLACE		± 0.2	INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
0 PLACES		± 0.2	DRWN: TAKAIKE				5054320000		PSD	000	H
			APPR: TKANEKO				2017/02/10				
			2023/02/16								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE	505432	SEE SHEET 3		GENERAL		1 OF 3	


製品形状
PRODUCT SHAPE




8-14極
8-14 CIRCUIT




16-24極
16-24 CIRCUIT



26-32極
26-32 CIRCUIT



34-40極
34-40 CIRCUIT



42極
42 CIRCUIT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex				
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 736271 DRWN: SOKUMURA012022/12/27 CHK'D: SAKIYAMA2023/02/16 APPR: AIDA2023/02/16							
ANGULAR TOL ± 3.0 °											
4 PLACES		± 0.2									
3 PLACES		± 0.2									
2 PLACES		± 0.2									
1 PLACE		± 0.2		PRODUCT CUSTOMER DRAWING							
0 PLACES		± 0.2									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION			DRAWING		SERIES		
				A3-SIZE		505432		MATERIAL NUMBER		CUSTOMER	
								SEE SHEET 3		GENERAL	
										SHEET NUMBER	
										2 OF 3	

10	9	8	7	6	5	4	3	2	1																																																																																																																													
△₃ 適合製品及び各種仕様書 APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS <table><tr><td rowspan="2">梱包仕様書 PACKAGING SPECIFICATION</td><td colspan="2">PART NUMBER</td><td colspan="2">SPECIFICATION NUMBER</td></tr><tr><td colspan="2">505432**0*</td><td colspan="2">5054329200 PS 200</td></tr></table> <table><tr><td rowspan="3">適合ターミナル APPLICABLE TERMINAL</td><td colspan="2">PART NUMBER</td><td colspan="2">PLATING TYPE</td><td>WIRE SIZE(AWG)</td></tr><tr><td colspan="2">5054311000</td><td colspan="2">TIN</td><td rowspan="2">#26-30</td></tr><tr><td colspan="2">5054311*00 1,2,3 ↑</td><td colspan="2">GOLD</td></tr></table> <table><tr><td rowspan="2">適合嵌合相手 MATE WITH</td><td colspan="2">TIN PLATING</td><td colspan="2">GOLD PLATING</td></tr><tr><td>VERTICAL</td><td>RIGHT ANGLE</td><td>VERTICAL</td><td>RIGHT ANGLE</td></tr><tr><td>シリーズ番号 SERIES NUMBER</td><td>505433**** 7,8 ↑</td><td>505448**7*</td><td>505433**** 2,3,4,5,6,9 ↑</td><td>505448**** 3,5,9 ↑</td></tr><tr><td>製品仕様書 PRODUCT SPECIFICATION</td><td colspan="2">5054320000 PS 002</td><td colspan="2">5054320000 PS 006</td></tr><tr><td>コネクタ取扱説明書 APPLICATION SPECIFICATION</td><td colspan="4">5054320000-AS PS 000</td></tr></table> 製品嵌合図は各嵌合相手図面を参照のこと MATING VIEW : REFER TO EACH "MATE WITH" PART DRAWING.										梱包仕様書 PACKAGING SPECIFICATION	PART NUMBER		SPECIFICATION NUMBER		505432**0*		5054329200 PS 200		適合ターミナル APPLICABLE TERMINAL	PART NUMBER		PLATING TYPE		WIRE SIZE(AWG)	5054311000		TIN		#26-30	5054311*00 1,2,3 ↑		GOLD		適合嵌合相手 MATE WITH	TIN PLATING		GOLD PLATING		VERTICAL	RIGHT ANGLE	VERTICAL	RIGHT ANGLE	シリーズ番号 SERIES NUMBER	505433**** 7,8 ↑	505448**7*	505433**** 2,3,4,5,6,9 ↑	505448**** 3,5,9 ↑	製品仕様書 PRODUCT SPECIFICATION	5054320000 PS 002		5054320000 PS 006		コネクタ取扱説明書 APPLICATION SPECIFICATION	5054320000-AS PS 000																																																																																
梱包仕様書 PACKAGING SPECIFICATION	PART NUMBER		SPECIFICATION NUMBER																																																																																																																																			
	505432**0*		5054329200 PS 200																																																																																																																																			
適合ターミナル APPLICABLE TERMINAL	PART NUMBER		PLATING TYPE		WIRE SIZE(AWG)																																																																																																																																	
	5054311000		TIN		#26-30																																																																																																																																	
	5054311*00 1,2,3 ↑		GOLD																																																																																																																																			
適合嵌合相手 MATE WITH	TIN PLATING		GOLD PLATING																																																																																																																																			
	VERTICAL	RIGHT ANGLE	VERTICAL	RIGHT ANGLE																																																																																																																																		
シリーズ番号 SERIES NUMBER	505433**** 7,8 ↑	505448**7*	505433**** 2,3,4,5,6,9 ↑	505448**** 3,5,9 ↑																																																																																																																																		
製品仕様書 PRODUCT SPECIFICATION	5054320000 PS 002		5054320000 PS 006																																																																																																																																			
コネクタ取扱説明書 APPLICATION SPECIFICATION	5054320000-AS PS 000																																																																																																																																					
△₄ 505432**0* 発注番号一覧 ORDER NUMBER LIST <table><tr><td>GREEN</td><td>BLUE</td><td>RED</td><td>BLACK</td><td>NATURAL (WHITE)</td><td>HOUSING COLOR</td></tr><tr><td>5054324206</td><td>5054324204</td><td>5054324202</td><td>5054324201</td><td>5054324200</td><td>42</td></tr><tr><td>5054324006</td><td>5054324004</td><td>5054324002</td><td>5054324001</td><td>5054324000</td><td>40</td></tr><tr><td>5054323806</td><td>5054323804</td><td>5054323802</td><td>5054323801</td><td>5054323800</td><td>38</td></tr><tr><td>5054323606</td><td>5054323604</td><td>5054323602</td><td>5054323601</td><td>5054323600</td><td>36</td></tr><tr><td>5054323406</td><td>5054323404</td><td>5054323402</td><td>5054323401</td><td>5054323400</td><td>34</td></tr><tr><td>5054323206</td><td>5054323204</td><td>5054323202</td><td>5054323201</td><td>5054323200</td><td>32</td></tr><tr><td>5054323006</td><td>5054323004</td><td>5054323002</td><td>5054323001</td><td>5054323000</td><td>30</td></tr><tr><td>5054322806</td><td>5054322804</td><td>5054322802</td><td>5054322801</td><td>5054322800</td><td>28</td></tr><tr><td>5054322606</td><td>5054322604</td><td>5054322602</td><td>5054322601</td><td>5054322600</td><td>26</td></tr><tr><td>5054322406</td><td>5054322404</td><td>5054322402</td><td>5054322401</td><td>5054322400</td><td>24</td></tr><tr><td>5054322206</td><td>5054322204</td><td>5054322202</td><td>5054322201</td><td>5054322200</td><td>22</td></tr><tr><td>5054322006</td><td>5054322004</td><td>5054322002</td><td>5054322001</td><td>5054322000</td><td>20</td></tr><tr><td>5054321806</td><td>5054321804</td><td>5054321802</td><td>5054321801</td><td>5054321800</td><td>18</td></tr><tr><td>5054321606</td><td>5054321604</td><td>5054321602</td><td>5054321601</td><td>5054321600</td><td>16</td></tr><tr><td>5054321406</td><td>5054321404</td><td>5054321402</td><td>5054321401</td><td>5054321400</td><td>14</td></tr><tr><td>5054321206</td><td>5054321204</td><td>5054321202</td><td>5054321201</td><td>5054321200</td><td>12</td></tr><tr><td>5054321006</td><td>5054321004</td><td>5054321002</td><td>5054321001</td><td>5054321000</td><td>10</td></tr><tr><td>5054320806</td><td>5054320804</td><td>5054320802</td><td>5054320801</td><td>5054320800</td><td>8</td></tr><tr><td colspan="5">発注番号 ORDER NUMBER</td><td rowspan="2">極数 CIRCUIT SIZE</td></tr><tr><td colspan="5">梱包形態 : ポリ袋 PACKAGING : POLYBAG PACKAGE</td></tr></table>										GREEN	BLUE	RED	BLACK	NATURAL (WHITE)	HOUSING COLOR	5054324206	5054324204	5054324202	5054324201	5054324200	42	5054324006	5054324004	5054324002	5054324001	5054324000	40	5054323806	5054323804	5054323802	5054323801	5054323800	38	5054323606	5054323604	5054323602	5054323601	5054323600	36	5054323406	5054323404	5054323402	5054323401	5054323400	34	5054323206	5054323204	5054323202	5054323201	5054323200	32	5054323006	5054323004	5054323002	5054323001	5054323000	30	5054322806	5054322804	5054322802	5054322801	5054322800	28	5054322606	5054322604	5054322602	5054322601	5054322600	26	5054322406	5054322404	5054322402	5054322401	5054322400	24	5054322206	5054322204	5054322202	5054322201	5054322200	22	5054322006	5054322004	5054322002	5054322001	5054322000	20	5054321806	5054321804	5054321802	5054321801	5054321800	18	5054321606	5054321604	5054321602	5054321601	5054321600	16	5054321406	5054321404	5054321402	5054321401	5054321400	14	5054321206	5054321204	5054321202	5054321201	5054321200	12	5054321006	5054321004	5054321002	5054321001	5054321000	10	5054320806	5054320804	5054320802	5054320801	5054320800	8	発注番号 ORDER NUMBER					極数 CIRCUIT SIZE	梱包形態 : ポリ袋 PACKAGING : POLYBAG PACKAGE				
GREEN	BLUE	RED	BLACK	NATURAL (WHITE)	HOUSING COLOR																																																																																																																																	
5054324206	5054324204	5054324202	5054324201	5054324200	42																																																																																																																																	
5054324006	5054324004	5054324002	5054324001	5054324000	40																																																																																																																																	
5054323806	5054323804	5054323802	5054323801	5054323800	38																																																																																																																																	
5054323606	5054323604	5054323602	5054323601	5054323600	36																																																																																																																																	
5054323406	5054323404	5054323402	5054323401	5054323400	34																																																																																																																																	
5054323206	5054323204	5054323202	5054323201	5054323200	32																																																																																																																																	
5054323006	5054323004	5054323002	5054323001	5054323000	30																																																																																																																																	
5054322806	5054322804	5054322802	5054322801	5054322800	28																																																																																																																																	
5054322606	5054322604	5054322602	5054322601	5054322600	26																																																																																																																																	
5054322406	5054322404	5054322402	5054322401	5054322400	24																																																																																																																																	
5054322206	5054322204	5054322202	5054322201	5054322200	22																																																																																																																																	
5054322006	5054322004	5054322002	5054322001	5054322000	20																																																																																																																																	
5054321806	5054321804	5054321802	5054321801	5054321800	18																																																																																																																																	
5054321606	5054321604	5054321602	5054321601	5054321600	16																																																																																																																																	
5054321406	5054321404	5054321402	5054321401	5054321400	14																																																																																																																																	
5054321206	5054321204	5054321202	5054321201	5054321200	12																																																																																																																																	
5054321006	5054321004	5054321002	5054321001	5054321000	10																																																																																																																																	
5054320806	5054320804	5054320802	5054320801	5054320800	8																																																																																																																																	
発注番号 ORDER NUMBER					極数 CIRCUIT SIZE																																																																																																																																	
梱包形態 : ポリ袋 PACKAGING : POLYBAG PACKAGE																																																																																																																																						
<table><tr><td>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td>DIMENSION UNITS</td><td>SCALE</td><td colspan="3" rowspan="2">CURRENT REV DESC:</td><td colspan="5" rowspan="2"> molex MICRO-LOCK PLUS 1.25 W/B DUAL ROW RECEPTACLE HOUSING </td></tr><tr><td>mm</td><td>NTS</td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="3" rowspan="7">EC NO: 736271 DRWN: SOKUMURA01 2022/12/27 CHK'D: SAKIYAMA 2023/02/16 APPR: AIDA 2023/02/16 INITIAL REVISION: DRWN: TAKAIKE 2017/02/10 APPR: TKANEKO 2017/04/03</td><td colspan="3">PRODUCT CUSTOMER DRAWING</td></tr><tr><td>ANGULAR TOL</td><td>± 3.0 °</td><td colspan="3">DOCUMENT NUMBER</td></tr><tr><td>4 PLACES</td><td>± 0.2</td><td colspan="2">5054320000</td><td>DOC TYPE</td></tr><tr><td>3 PLACES</td><td>± 0.2</td><td colspan="2">PSD</td><td>DOC PART</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td colspan="2">000</td><td>REVISION</td></tr><tr><td>1 PLACE</td><td>± 0.2</td><td colspan="2">H</td><td></td></tr><tr><td>0 PLACES</td><td>± 0.2</td><td colspan="2"></td><td></td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2"></td><td></td><td>A3-SIZE</td><td>505432</td><td>SEE CHART</td><td colspan="2">GENERAL</td><td colspan="2">3 OF 3</td></tr></table>										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	DIMENSION UNITS	SCALE	CURRENT REV DESC:			molex MICRO-LOCK PLUS 1.25 W/B DUAL ROW RECEPTACLE HOUSING					mm	NTS	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 736271 DRWN: SOKUMURA01 2022/12/27 CHK'D: SAKIYAMA 2023/02/16 APPR: AIDA 2023/02/16 INITIAL REVISION: DRWN: TAKAIKE 2017/02/10 APPR: TKANEKO 2017/04/03			PRODUCT CUSTOMER DRAWING			ANGULAR TOL	± 3.0 °	DOCUMENT NUMBER			4 PLACES	± 0.2	5054320000		DOC TYPE	3 PLACES	± 0.2	PSD		DOC PART	2 PLACES	± 0.2	000		REVISION	1 PLACE	± 0.2	H			0 PLACES	± 0.2				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER					A3-SIZE	505432	SEE CHART	GENERAL		3 OF 3																																																							
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																						
DIMENSION UNITS	SCALE	CURRENT REV DESC:			molex MICRO-LOCK PLUS 1.25 W/B DUAL ROW RECEPTACLE HOUSING																																																																																																																																	
mm	NTS																																																																																																																																					
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 736271 DRWN: SOKUMURA01 2022/12/27 CHK'D: SAKIYAMA 2023/02/16 APPR: AIDA 2023/02/16 INITIAL REVISION: DRWN: TAKAIKE 2017/02/10 APPR: TKANEKO 2017/04/03			PRODUCT CUSTOMER DRAWING																																																																																																																																	
ANGULAR TOL	± 3.0 °				DOCUMENT NUMBER																																																																																																																																	
4 PLACES	± 0.2				5054320000		DOC TYPE																																																																																																																															
3 PLACES	± 0.2				PSD		DOC PART																																																																																																																															
2 PLACES	± 0.2				000		REVISION																																																																																																																															
1 PLACE	± 0.2				H																																																																																																																																	
0 PLACES	± 0.2																																																																																																																																					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER																																																																																																																														
			A3-SIZE	505432	SEE CHART	GENERAL		3 OF 3																																																																																																																														
DOCUMENT STATUS	P1	RELEASE DATE	2023/02/16 15:22:23																																																																																																																																			
FORMAT: master-b-prod-A3 REVISION: J1 DATE: 2021/05/01																																																																																																																																						
10	9	8	7	6	5	4	3	2	1																																																																																																																													