

https://www.phoenixcontact.com/us/products/2908043



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Reinforced relay retaining bracket, with eject function and holder for marking material, suitable for RIF-2 relay base, for industrial relays

### Commercial data

Item number	2908043
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	C465
Product key	CK6546
Catalog page	Page 299 (C-5-2019)
GTIN	4055626266763
Weight per piece (including packing)	5.73 g
Weight per piece (excluding packing)	5.8 g
Customs tariff number	85389099
Country of origin	CN



https://www.phoenixcontact.com/us/products/2908043



## Technical data

### Product properties

Product type	Retaining bracket			
Product family	RIFLINE complete			
Data management status				
Article revision	00			
Material specifications				

orange (RAL 2003)

### Approvals

Color

#### Corrosive gas test

Identification	ISA-S71.04. G3 Harsh Group
	EN 60068-2-60



https://www.phoenixcontact.com/us/products/2908043



### **Approvals**

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2908043



**DNV GL** 

Approval ID: TAA000018V



https://www.phoenixcontact.com/us/products/2908043



## Classifications

UNSPSC 21.0

#### **ECLASS**

	ECLASS-11.0	27371692		
	ECLASS-12.0	27371692		
	ECLASS-13.0	27371692		
ETIM				
	ETIM 9.0	EC002586		
UN	SPSC			

39122300



https://www.phoenixcontact.com/us/products/2908043



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com