






NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. PRODUCT SPECIFICATION: NOT REQUIRED
4. DIMS ARE SHOWN IN MM/INCH
5. XX REFERS TO THE NUMBER OF CIRCUITS
6. ROHS COMPLIANT.

7	XX	SCREW #6-32, BHD, PHILL-SLOT SS -56	STAINLESS STEEL	PASSIVATED
6	XX	SCRW&WSHR,#6-32X.25 PANHD,PH-SL, -50	STEEL	ZN, CLEAR CHROMATE
5	XX	SCREW #6-32X.250 BHD PHSLNI -49	BRASS	NICKEL PLATE
4	XX	SCREW #6-32X.250 BHD PHSLZN	STEEL	ZN, CLEAR CHROMATE
3	2	PLATE MTG NI	BRASS	NICKEL PLATE
2	XX	TERM WW 6C SN-KT	BRASS	TIN PLATE
1	1	BARRIER TERMINAL STRIP	POLYESTER (PBT)	BLACK
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#515181.				molex							
mm/IN		2:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)								9.53/.375 SR BTS INS. PC W/MTG ENDS							
MM		INCH													
4 PLACES		±		±	EC NO: 793827 DRWN: RAVINR1 2024/06/05 CHK'D: GGA 2024/08/13 APPR: GGA 2024/08/13				PRODUCT CUSTOMER DRAWING						
3 PLACES		±		±									0.005		
2 PLACES		±	0.13	±					0.01						
1 PLACE		±	0.3	±											
0 PLACES		±		±	INITIAL REVISION: DRWN: JENCINAS 2008/04/18 APPR: JMACNEIL 2008/04/24				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION		
ANGULAR TOL		±	2.0 °						SD-38720-011		PSD	001	C1		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						B-SIZE		38720		SEE TABLE		GENERAL MARKET		1 OF 2	



10		9		8		7		6		5		4		3		2		1																																																																																																																																																																																																																																																																																																							
F																																																																																																																																																																																																																																																																																																																									
E																																																																																																																																																																																																																																																																																																																									
D																																																																																																																																																																																																																																																																																																																									
C																																																																																																																																																																																																																																																																																																																									
B																																																																																																																																																																																																																																																																																																																									
A																																																																																																																																																																																																																																																																																																																									
<table><tr><td colspan="2">QTY</td><td colspan="2">DIM "A"</td><td colspan="2">DIM "B"</td><td colspan="2">DIM "C"</td><td colspan="2">DIM "D"</td><td>MATERIAL #</td><td>MATERIAL #</td><td>MATERIAL #</td><td>MATERIAL #</td></tr><tr><td colspan="2">CKTS</td><td>MM</td><td>INCH</td><td>MM</td><td>INCH</td><td>MM</td><td>INCH</td><td>MM</td><td>INCH</td><td>STD. OPT.</td><td>-49 OPT.</td><td>-50 OPT.</td><td>-56 OPT.</td></tr><tr><td colspan="2">7</td><td>87.9</td><td>3.46</td><td>76.20</td><td>3.000</td><td>68.8</td><td>2.71</td><td>57.15</td><td>2.250</td><td>--</td><td>387205007</td><td>--</td><td>--</td></tr><tr><td colspan="2">8</td><td>97.4</td><td>3.84</td><td>85.73</td><td>3.375</td><td>78.3</td><td>3.08</td><td>66.68</td><td>2.625</td><td>--</td><td>387205008</td><td>--</td><td>387290490</td></tr><tr><td colspan="2">9</td><td>106.9</td><td>4.21</td><td>95.25</td><td>3.750</td><td>87.8</td><td>3.46</td><td>76.20</td><td>3.000</td><td>--</td><td>--</td><td>387205309</td><td>--</td></tr><tr><td colspan="2">10</td><td>116.5</td><td>4.59</td><td>104.78</td><td>4.125</td><td>97.3</td><td>3.83</td><td>85.73</td><td>3.375</td><td>--</td><td>387205010</td><td>--</td><td>--</td></tr><tr><td colspan="2">11</td><td>126.0</td><td>4.96</td><td>114.30</td><td>4.500</td><td>106.9</td><td>4.21</td><td>95.25</td><td>3.750</td><td>--</td><td>387205011</td><td>--</td><td>--</td></tr><tr><td colspan="2">13</td><td>145.0</td><td>5.71</td><td>133.35</td><td>5.250</td><td>125.9</td><td>4.96</td><td>114.30</td><td>4.500</td><td>--</td><td>387205013</td><td>387205313</td><td>--</td></tr><tr><td colspan="2">14</td><td>154.6</td><td>6.09</td><td>142.88</td><td>5.625</td><td>135.5</td><td>5.33</td><td>123.83</td><td>4.875</td><td>--</td><td>--</td><td>387205314</td><td>--</td></tr><tr><td colspan="2">15</td><td>164.1</td><td>6.46</td><td>152.40</td><td>6.000</td><td>145.0</td><td>5.71</td><td>133.35</td><td>5.250</td><td>--</td><td>387205015</td><td>--</td><td>--</td></tr><tr><td colspan="2">16</td><td>173.6</td><td>6.84</td><td>161.93</td><td>6.375</td><td>154.5</td><td>6.08</td><td>142.88</td><td>5.625</td><td>--</td><td>--</td><td>387205316</td><td>--</td></tr><tr><td colspan="2">17</td><td>183.1</td><td>7.21</td><td>171.45</td><td>6.750</td><td>164.1</td><td>6.46</td><td>152.40</td><td>6.000</td><td>387204717</td><td>387205017</td><td>387205317</td><td>--</td></tr><tr><td colspan="2">18</td><td>192.7</td><td>7.59</td><td>180.98</td><td>7.125</td><td>173.6</td><td>6.83</td><td>161.93</td><td>6.375</td><td>--</td><td>387205018</td><td>387205318</td><td>--</td></tr><tr><td colspan="2">19</td><td>202.2</td><td>7.96</td><td>190.50</td><td>7.500</td><td>183.1</td><td>7.21</td><td>171.45</td><td>6.750</td><td>387204719</td><td>387205019</td><td>387205319</td><td>--</td></tr><tr><td colspan="2">20</td><td>211.7</td><td>8.34</td><td>200.03</td><td>7.875</td><td>192.6</td><td>7.58</td><td>180.98</td><td>7.125</td><td>--</td><td>387205020</td><td>387205320</td><td>--</td></tr><tr><td colspan="2">21</td><td>221.2</td><td>8.71</td><td>209.55</td><td>8.250</td><td>202.2</td><td>7.96</td><td>190.50</td><td>7.500</td><td>387204721</td><td>387205021</td><td>387205321</td><td>--</td></tr><tr><td colspan="2">22</td><td>230.8</td><td>9.09</td><td>219.08</td><td>8.625</td><td>211.7</td><td>8.33</td><td>200.03</td><td>7.875</td><td>387204722</td><td>387205022</td><td>387205322</td><td>--</td></tr><tr><td colspan="2">23</td><td>240.3</td><td>9.46</td><td>228.60</td><td>9.000</td><td>221.2</td><td>8.71</td><td>209.55</td><td>8.250</td><td>387204723</td><td>387205023</td><td>387205323</td><td>--</td></tr><tr><td colspan="2">24</td><td>249.8</td><td>9.84</td><td>238.13</td><td>9.375</td><td>230.8</td><td>9.08</td><td>219.08</td><td>8.625</td><td>--</td><td>--</td><td>387205324</td><td>--</td></tr><tr><td colspan="2">25</td><td>259.3</td><td>10.21</td><td>247.65</td><td>9.750</td><td>240.3</td><td>9.46</td><td>228.60</td><td>9.000</td><td>387204725</td><td>--</td><td>387205325</td><td>--</td></tr><tr><td colspan="2">26</td><td>268.9</td><td>10.59</td><td>257.18</td><td>10.125</td><td>249.8</td><td>9.83</td><td>238.13</td><td>9.375</td><td>--</td><td>387205026</td><td>387205326</td><td>--</td></tr></table>																				QTY		DIM "A"		DIM "B"		DIM "C"		DIM "D"		MATERIAL #	MATERIAL #	MATERIAL #	MATERIAL #	CKTS		MM	INCH	MM	INCH	MM	INCH	MM	INCH	STD. OPT.	-49 OPT.	-50 OPT.	-56 OPT.	7		87.9	3.46	76.20	3.000	68.8	2.71	57.15	2.250	--	387205007	--	--	8		97.4	3.84	85.73	3.375	78.3	3.08	66.68	2.625	--	387205008	--	387290490	9		106.9	4.21	95.25	3.750	87.8	3.46	76.20	3.000	--	--	387205309	--	10		116.5	4.59	104.78	4.125	97.3	3.83	85.73	3.375	--	387205010	--	--	11		126.0	4.96	114.30	4.500	106.9	4.21	95.25	3.750	--	387205011	--	--	13		145.0	5.71	133.35	5.250	125.9	4.96	114.30	4.500	--	387205013	387205313	--	14		154.6	6.09	142.88	5.625	135.5	5.33	123.83	4.875	--	--	387205314	--	15		164.1	6.46	152.40	6.000	145.0	5.71	133.35	5.250	--	387205015	--	--	16		173.6	6.84	161.93	6.375	154.5	6.08	142.88	5.625	--	--	387205316	--	17		183.1	7.21	171.45	6.750	164.1	6.46	152.40	6.000	387204717	387205017	387205317	--	18		192.7	7.59	180.98	7.125	173.6	6.83	161.93	6.375	--	387205018	387205318	--	19		202.2	7.96	190.50	7.500	183.1	7.21	171.45	6.750	387204719	387205019	387205319	--	20		211.7	8.34	200.03	7.875	192.6	7.58	180.98	7.125	--	387205020	387205320	--	21		221.2	8.71	209.55	8.250	202.2	7.96	190.50	7.500	387204721	387205021	387205321	--	22		230.8	9.09	219.08	8.625	211.7	8.33	200.03	7.875	387204722	387205022	387205322	--	23		240.3	9.46	228.60	9.000	221.2	8.71	209.55	8.250	387204723	387205023	387205323	--	24		249.8	9.84	238.13	9.375	230.8	9.08	219.08	8.625	--	--	387205324	--	25		259.3	10.21	247.65	9.750	240.3	9.46	228.60	9.000	387204725	--	387205325	--	26		268.9	10.59	257.18	10.125	249.8	9.83	238.13	9.375	--	387205026	387205326	--
QTY		DIM "A"		DIM "B"		DIM "C"		DIM "D"		MATERIAL #	MATERIAL #	MATERIAL #	MATERIAL #																																																																																																																																																																																																																																																																																																												
CKTS		MM	INCH	MM	INCH	MM	INCH	MM	INCH	STD. OPT.	-49 OPT.	-50 OPT.	-56 OPT.																																																																																																																																																																																																																																																																																																												
7		87.9	3.46	76.20	3.000	68.8	2.71	57.15	2.250	--	387205007	--	--																																																																																																																																																																																																																																																																																																												
8		97.4	3.84	85.73	3.375	78.3	3.08	66.68	2.625	--	387205008	--	387290490																																																																																																																																																																																																																																																																																																												
9		106.9	4.21	95.25	3.750	87.8	3.46	76.20	3.000	--	--	387205309	--																																																																																																																																																																																																																																																																																																												
10		116.5	4.59	104.78	4.125	97.3	3.83	85.73	3.375	--	387205010	--	--																																																																																																																																																																																																																																																																																																												
11		126.0	4.96	114.30	4.500	106.9	4.21	95.25	3.750	--	387205011	--	--																																																																																																																																																																																																																																																																																																												
13		145.0	5.71	133.35	5.250	125.9	4.96	114.30	4.500	--	387205013	387205313	--																																																																																																																																																																																																																																																																																																												
14		154.6	6.09	142.88	5.625	135.5	5.33	123.83	4.875	--	--	387205314	--																																																																																																																																																																																																																																																																																																												
15		164.1	6.46	152.40	6.000	145.0	5.71	133.35	5.250	--	387205015	--	--																																																																																																																																																																																																																																																																																																												
16		173.6	6.84	161.93	6.375	154.5	6.08	142.88	5.625	--	--	387205316	--																																																																																																																																																																																																																																																																																																												
17		183.1	7.21	171.45	6.750	164.1	6.46	152.40	6.000	387204717	387205017	387205317	--																																																																																																																																																																																																																																																																																																												
18		192.7	7.59	180.98	7.125	173.6	6.83	161.93	6.375	--	387205018	387205318	--																																																																																																																																																																																																																																																																																																												
19		202.2	7.96	190.50	7.500	183.1	7.21	171.45	6.750	387204719	387205019	387205319	--																																																																																																																																																																																																																																																																																																												
20		211.7	8.34	200.03	7.875	192.6	7.58	180.98	7.125	--	387205020	387205320	--																																																																																																																																																																																																																																																																																																												
21		221.2	8.71	209.55	8.250	202.2	7.96	190.50	7.500	387204721	387205021	387205321	--																																																																																																																																																																																																																																																																																																												
22		230.8	9.09	219.08	8.625	211.7	8.33	200.03	7.875	387204722	387205022	387205322	--																																																																																																																																																																																																																																																																																																												
23		240.3	9.46	228.60	9.000	221.2	8.71	209.55	8.250	387204723	387205023	387205323	--																																																																																																																																																																																																																																																																																																												
24		249.8	9.84	238.13	9.375	230.8	9.08	219.08	8.625	--	--	387205324	--																																																																																																																																																																																																																																																																																																												
25		259.3	10.21	247.65	9.750	240.3	9.46	228.60	9.000	387204725	--	387205325	--																																																																																																																																																																																																																																																																																																												
26		268.9	10.59	257.18	10.125	249.8	9.83	238.13	9.375	--	387205026	387205326	--																																																																																																																																																																																																																																																																																																												
<table><tr><td colspan="14">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="6" rowspan="5"> molex 9.53/.375 SR BTS INS. PC W/MTG ENDS PRODUCT CUSTOMER DRAWING <table><tr><td colspan="3">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="3">SD-38720-011</td><td>PSD</td><td>001</td><td>C1</td></tr><tr><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">SEE TABLE</td><td colspan="2">GENERAL MARKET</td><td colspan="2">2 OF 2</td></tr></table></td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="10" rowspan="4">CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#515181.</td></tr><tr><td colspan="2">mm/IN</td><td colspan="2">2:1</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td></td><td>MM</td><td colspan="2">INCH</td></tr><tr><td colspan="2">4 PLACES</td><td>±</td><td></td><td>±</td><td colspan="10" rowspan="4">EC NO: 793827 DRWN: RAVINR1 CHK'D: GGA APPR: GGA</td></tr><tr><td colspan="2">3 PLACES</td><td>±</td><td></td><td>± 0.005</td></tr><tr><td colspan="2">2 PLACES</td><td>± 0.13</td><td>± 0.01</td></tr><tr><td colspan="2">1 PLACE</td><td>± 0.3</td><td>±</td></tr><tr><td colspan="2">0 PLACES</td><td>±</td><td></td><td>±</td><td colspan="10" rowspan="2">INITIAL REVISION: DRWN: JENCINAS APPR: JMACNEIL</td></tr><tr><td colspan="2">ANGULAR TOL</td><td colspan="3">± 2.0 °</td></tr><tr><td colspan="5">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="5"></td><td colspan="2"></td><td>B-SIZE</td><td>38720</td><td colspan="2">SEE TABLE</td><td colspan="2">GENERAL MARKET</td><td colspan="2">2 OF 2</td></tr></table>																				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														molex 9.53/.375 SR BTS INS. PC W/MTG ENDS PRODUCT CUSTOMER DRAWING <table><tr><td colspan="3">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="3">SD-38720-011</td><td>PSD</td><td>001</td><td>C1</td></tr><tr><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">SEE TABLE</td><td colspan="2">GENERAL MARKET</td><td colspan="2">2 OF 2</td></tr></table>						DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION	SD-38720-011			PSD	001	C1	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		SEE TABLE		GENERAL MARKET		2 OF 2		DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#515181.										mm/IN		2:1		GENERAL TOLERANCES (UNLESS SPECIFIED)					MM	INCH		4 PLACES		±		±	EC NO: 793827 DRWN: RAVINR1 CHK'D: GGA APPR: GGA										3 PLACES		±		± 0.005	2 PLACES		± 0.13	± 0.01	1 PLACE		± 0.3	±	0 PLACES		±		±	INITIAL REVISION: DRWN: JENCINAS APPR: JMACNEIL										ANGULAR TOL		± 2.0 °			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER									B-SIZE	38720	SEE TABLE		GENERAL MARKET		2 OF 2																																																																																																																																																			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														molex 9.53/.375 SR BTS INS. PC W/MTG ENDS PRODUCT CUSTOMER DRAWING <table><tr><td colspan="3">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="3">SD-38720-011</td><td>PSD</td><td>001</td><td>C1</td></tr><tr><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">SEE TABLE</td><td colspan="2">GENERAL MARKET</td><td colspan="2">2 OF 2</td></tr></table>						DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION	SD-38720-011			PSD	001	C1	MATERIAL NUMBER								CUSTOMER		SHEET NUMBER		SEE TABLE		GENERAL MARKET		2 OF 2																																																																																																																																																																																																																																																																									
DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION																																																																																																																																																																																																																																																																																																																				
SD-38720-011			PSD	001	C1																																																																																																																																																																																																																																																																																																																				
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																																																																																																																																																																																																																																					
SEE TABLE		GENERAL MARKET		2 OF 2																																																																																																																																																																																																																																																																																																																					
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#515181.																																																																																																																																																																																																																																																																																																																					
mm/IN		2:1																																																																																																																																																																																																																																																																																																																							
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																																																																																																																									
	MM	INCH																																																																																																																																																																																																																																																																																																																							
4 PLACES		±		±	EC NO: 793827 DRWN: RAVINR1 CHK'D: GGA APPR: GGA																																																																																																																																																																																																																																																																																																																				
3 PLACES		±		± 0.005																																																																																																																																																																																																																																																																																																																					
2 PLACES		± 0.13	± 0.01																																																																																																																																																																																																																																																																																																																						
1 PLACE		± 0.3	±																																																																																																																																																																																																																																																																																																																						
0 PLACES		±		±	INITIAL REVISION: DRWN: JENCINAS APPR: JMACNEIL																																																																																																																																																																																																																																																																																																																				
ANGULAR TOL		± 2.0 °																																																																																																																																																																																																																																																																																																																							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																																																																																																																																																																																																																												
							B-SIZE	38720	SEE TABLE		GENERAL MARKET		2 OF 2																																																																																																																																																																																																																																																																																																												
DOCUMENT STATUS		P1	RELEASE DATE	2024/08/13	06:11:35	7		6		5		4		3		2		1																																																																																																																																																																																																																																																																																																							
9		8		7		6		5		4		3		2		1																																																																																																																																																																																																																																																																																																									

13	12	11	10	9	8	7	6	5	4	3	2	1
----	----	----	----	---	---	---	---	---	---	---	---	---

PART NUMBER DATA								
CIRCUITS	A IN	mm	B IN	mm	C IN	mm	D IN	mm
2	1.58	40.2	1.125	28.58	.83	21.1	.375	9.52
3	1.96	49.7	1.500	38.10	1.21	30.7	.750	19.05
4	2.33	59.2	1.875	47.63	1.58	40.2	1.125	28.58
5	2.71	68.7	2.250	57.15	1.96	49.7	1.500	38.10
6	3.08	78.3	2.625	66.68	2.33	59.2	1.875	47.63
7	3.46	87.8	3.000	76.20	2.71	68.8	2.250	57.15
8	3.83	97.3	3.375	85.73	3.08	78.3	2.625	66.68
9	4.21	106.8	3.750	95.25	3.46	87.8	3.000	76.20
10	4.58	116.4	4.125	104.78	3.83	97.3	3.375	85.73
11	4.96	125.9	4.500	114.30	4.21	106.9	3.750	95.25
12	5.33	135.4	4.875	123.83	4.58	116.4	4.125	104.78
13	5.71	144.9	5.250	133.35	4.96	125.9	4.500	114.30
14	6.08	154.5	5.625	142.88	5.33	135.4	4.875	123.83
15	6.46	164.0	6.000	152.40	5.71	145.0	5.250	133.35
16	6.83	173.5	6.375	161.93	6.08	154.5	5.625	142.88
17	7.21	183.0	6.750	171.45	6.46	164.0	6.000	152.40
18	7.58	192.6	7.125	180.98	6.83	173.5	6.375	161.93
19	7.96	202.1	7.500	190.50	7.21	183.1	6.750	171.45
20	8.33	211.6	7.875	200.03	7.58	192.6	7.125	180.98
21	8.71	221.1	8.250	209.55	7.96	202.1	7.500	190.50
22	9.08	230.7	8.625	219.08	8.33	211.6	7.875	200.03
23	9.46	240.2	9.000	228.60	8.71	221.2	8.250	209.55
24	9.83	249.7	9.375	238.13	9.08	230.7	8.625	219.08
25	10.21	259.2	9.750	247.65	9.46	240.2	9.000	228.60
26	10.58	268.8	10.125	257.18	9.83	249.7	9.375	238.13

- NOTES:
1. MATERIAL: SEE TABLE
2. FINISH: SEE TABLE
3. ELECTRICAL SPECS:
- MAX VOLTAGE: 300V
- MAX CURRENT: 15A (6-32 BINDING HD SCREW STD, -49 & -56 OPT)
- MAX CURRENT: 25A (6-32 WIRE CLAMP SCREW -50 OPT)
4. WIRE RANGE: 22 TO 14 AWG FOR STD, -49 & -56 OPT
- WIRE RANGE: 22 TO 12 AWG FOR STD, -50 OPT
5. SCREW TIGHTENING TORQUE: 12 IN LBS.
6. WIRE STRIP: 5/16 (8mm)
7. OPERATING TEMP: 110°F
8. PRODUCT SPEC: PS-38710-001
9. PART IS RoHS COMPLIANT
10. XX EQUALS NUMBER OF CIRCUITS

7	XX	SCREW (-56 OPT)	ST. STEEL	PASSIVATED
6	XX	SCREW/CLAMP WASHER (-50 OPT)	STEEL	ZINC PLATED
5	XX	SCREW (-49 OPT)	BRASS	NICKEL PLATED
4	XX	SCREW (STD OPT)	STEEL	ZINC PLATED
3	2	MOUNTING PLATE	BRASS	NICKEL PLATED
2	XX	TERMINAL, WIRE WRAP	BRASS	TIN PLATED
1	1	BARRIER STRIP, INSULATED	PBT	BLACK
ITEM	QTY	DESCRIPTION	MATERIAL	FINISH



ENGINEERING NUMBER LEGEND

72 3 XX-Y-Z

SERIES

TERMINAL STYLE

NO. OF CIRCUITS

SCREW TYPE

BLANK: STD STEEL

-49: BRASS NI PLATE

-50: SCREW W/CLAMP WASHER

-56: ST. STEEL SCREW

BLANK: .47 STD TAIL LENGTH

-55: .54 TAIL LENGTH

-75: .75 TAIL LENGTH

-81: .81 TAIL LENGTH

RELEASED EC NO: ICG2016-0185 DRWN: RSTONE 2015/08/03 CHKD: B ARDEN APPR: BRUPERT 2015/08/12	DESCRIPTION REV	QUALITY SYMBOL ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION					
				mm	INCH	DRAWN BY RSTONE		DATE 2015/08/03	TITLE BARRIER TERMINAL STRIP WIRE WRAP ----						
			4 PLACES	±---	±---	CHECKED BY B ARDEN		DATE ----							
			3 PLACES	±---	±.005	APPROVED BY BRUPERT		DATE 2015/08/12	MOLEX INCORPORATED DOCUMENT NO. SD-38729-078						
			2 PLACES	±0.13	±.01	MATERIAL NO. ---		SHEET NO. 1 OF 1							
			1 PLACE	±0.3	±---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
			ANGULAR ±1°												
A															

13	12	11	10	9	8	7	6	5	4	3	2	1
----	----	----	----	---	---	---	---	---	---	---	---	---