

- Find by Feature
- Browse by Category
- Browse by Application
- Share

Clips, Clamps

Data Connectors

Header Systems

Liquid Silicone Technology

Other Connectors

Safety Relays

Standard Automotive Connections

Terminal Strippers

Suppliers

Enter part number or keyword

- Search Results (0)
- Search Options

No Search Results

Select a product type to narrow your search:

Results with your selections: --

Family

-  ☐ 0.64
- ☐ 040
- ☐ 070
- ☐ 56
- ☐ 59
- ☐ 090
- ☐ 187
- ☐ ACT
- ☐ APEX
- ☐ ATS
- ☐ Apex
- ☐ BTS
- ☐ Bus-Bar
- ☐ CTS
- ☐ Coax
- ☐ DCK
- ☐ DCS-1
- ☐ DCS-2
- ☐ DS
- ☐ DSQ
- ☐ Ducon
- ☐ DuoTwin
- ☐ Fakra
- ☐ Flexible Power
- ☐ Fuse
- ☐ GT
- ☐ GT Flex Beam
- ☐ GTS
- ☐ GTS-2
- ☐ GTS-3
- ☐ HES
- ☐ HPCS
- ☐ HV150
- ☐ High Power
- ☐ High Voltage
- ☐ Hylok
- ☐ IDC
- ☐ Lamp Socket
- ☐ MCS
- ☐ MTS
- ☐ MTS-B
- ☐ Metri-Pack
- ☐ Micro
- ☐ Micro HVT
- ☐ Micro-Pack
- ☐ Mixed
- ☐ Modupack
- ☐ OCS
- ☐ Pack-Con III
- ☐ Performance Pack
- ☐ Power Pack
- ☐ RCS800
- ☐ RCS890
- ☐ Shield-Pack
- ☐ Sicma
- ☐ Sleeve
- ☐ Sleeve / Pin
- ☐ Squib / Interface-ABX UC

- ☐ Squib / Interface-ABX-3
- ☐ Squib / Interface-AK-1
- ☐ Squib / Interface-AK-2
- ☐ Squib / Interface-AK-2+
- ☐ Squib / Interface-FCI
- ☐ TTS
- ☐ Timer
- ☐ UC
- ☐ USB 2.0
- ☐ USCAR
- ☐ VF
- ☐ Weather Pack
- ☐ ZRT



•

Search →

Clear

Cavities



- ☐ 1
- ☐ 2
- ☐ 2
- ☐ 3
- ☐ 4
- ☐ 5
- ☐ 6
- ☐ 7
- ☐ 7
- ☐ 8
- ☐ 9
- ☐ 10
- ☐ 11
- ☐ 12
- ☐ 13
- ☐ 14
- ☐ 15
- ☐ 16
- ☐ 17
- ☐ 18
- ☐ 19
- ☐ 20
- ☐ 21
- ☐ 22
- ☐ 23
- ☐ 24
- ☐ 25
- ☐ 26
- ☐ 27
- ☐ 28
- ☐ 29
- ☐ 30
- ☐ 31
- ☐ 32
- ☐ 34
- ☐ 35
- ☐ 36
- ☐ 37
- ☐ 38
- ☐ 39
- ☐ 40
- ☐ 41
- ☐ 42
- ☐ 44
- ☐ 45
- ☐ 46
- ☐ 47
- ☐ 48
- ☐ 49
- ☐ 50
- ☐ 52
- ☐ 54
- ☐ 55
- ☐ 56
- ☐ 57
- ☐ 58
- ☐ 59
- ☐ 60
- ☐ 62
- ☐ 63
- ☐ 64

- ☐ 65
- ☐ 66
- ☐ 68
- ☐ 72
- ☐ 73
- ☐ 74
- ☐ 76
- ☐ 78
- ☐ 80
- ☐ 81
- ☐ 82
- ☐ 84
- ☐ 90
- ☐ 96
- ☐ 100
- ☐ 108
- ☐ 112
- ☐ 116
- ☐ 120
- ☐ 130
- ☐ 133
- ☐ 154
- ☐ 162
- ☐ 169
- ☐ 202



•

Gender



- ☐ Female
- ☐ Female + Female
- ☐ Male
- ☐ Male + Female
- ☐ Male + Male



•

Sealed



- ☐ Sealed
- ☐ Unsealed



•

Terminal(s) blade size [mm]

☐ Mixed - Results will have exactly your selections in the same connector.



- ☐ 0.50
- ☐ 0.64
- ☐ 0.8
- ☐ 1.0
- ☐ 1.0 (round)
- ☐ 1.2
- ☐ 1.5
- ☐ 1.8
- ☐ 2.0 (round)
- ☐ 2.3
- ☐ 2.5
- ☐ 2.6
- ☐ 2.8
- ☐ 4.1
- ☐ 4.8
- ☐ 5.7
- ☐ 6.3
- ☐ 8.0
- ☐ 9.5
- ☐ 10.0
- ☐ 20.0



•

Search → Clear

Product Segment

- ☐ Headers
- ☐ High Power
- ☐ Safety Restraint Systems (SRS)
- ☐ Standard Automotive



Search → Clear

Application


- ☐ A/C Compressor
- ☐ Actuator
- ☐ Aerial / Antenna
- ☐ Airbag
- ☐ Alternator
- ☐ Antenna - Keyless System
- ☐ CAN
- ☐ Camera
- ☐ Cigar Lighter / Power Outlet
- ☐ Diagnostic
- ☐ Door To Body
- ☐ Electrovalve - Cold Start
- ☐ Fan - Engine Cooling
- ☐ Harness - Roof
- ☐ Heater - Rear Window
- ☐ Horn
- ☐ Ignition Coil
- ☐ Immobilizer
- ☐ Injector
- ☐ Inliner
- ☐ Instrument Cluster
- ☐ Lamp - Interior Lamp
- ☐ Lamp - Socket
- ☐ Latch
- ☐ Mirror
- ☐ Module - ABS
- ☐ Module - Airbag
- ☐ Module - Engine
- ☐ Module - Exterior
- ☐ Module - Interior
- ☐ Module - Transmission
- ☐ Motor - Blower
- ☐ Motor - Seat
- ☐ Motor - Wiper
- ☐ Multimedia
- ☐ Pad - Heated Seat
- ☐ Pump
- ☐ Relay
- ☐ Sensor - Accessories
- ☐ Sensor - Brakes
- ☐ Sensor - Crash
- ☐ Sensor - Engine
- ☐ Sensor - Exhaust
- ☐ Sensor - Exterior
- ☐ Sensor - Interior
- ☐ Sensor - Transmission
- ☐ Socket - Multimedia
- ☐ Socket - Tow Bar
- ☐ Speaker
- ☐ Starter
- ☐ Switch
- ☐ Switch - Multifunction



Search → Clear

Clear Search →

4 Way Black 56 Series Unsealed



Female Connector

Part #02977048

Question about this product?

- Attributes
- Documents (5)
- Related Products (62)

Part #:	02977048
Description:	4 Way Black 56 Series Unsealed Female Connector
Product Type:	Connector
Status:	 Active
Family:	56
Cavities:	4
Terminal(s) blade size [mm]:	6.3
Sealed:	Unsealed
Gender:	Female
Material:	PP
Weight [g]:	3.44
Color:	Black
ELV compliant:	 Yes
RoHs compliant:	 Yes
Application:	Inline (Wire to Wire)

Certain products listed on this website may be subject to restricted usage or distribution or may not be available. For additional information, please contact your local sales office.