# 215927-1 ACTIVE

#### **AMPLIMITE**

TE Internal #: 215927-1


Receptacle, Cable-to-Board, 7 Position, Power/Signal/Coax Combination, 2 Connector Shell Size, Socket, Box Mount D-Sub

Connectors

View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > Box Mount D-Sub Connectors



Connector & Housing Type: Receptacle

Connector System: Cable-to-Board

Number of Positions: 7

Power/Signal/Coax Combination: Yes

Connector Shell Size: 2

### **Features**

### **Product Type Features**

Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector Shell Size	2
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

### **Configuration Features**

PCB Mount Orientation	Vertical
Number of Positions	7
Power/Signal/Coax Combination	Yes

### **Body Features**

Rear Shell Material	Steel
Rear Shell Plating Material	Tin
Front Shell Plating Material	Tin
Mating Retention Feature Material	Stainless Steel
Front Shell Material	Steel
D-Sub Connector Insert Arrangement	7C2

### **Contact Features**

Contact Options	Order Separately
-----------------	------------------



Contact Type	Socket
Contact Size	Size 20, Size 8
Contact Current Rating (Max)	5 A, 10 A
Termination Features	
Termination Method to PCB	Through Hole - Solder
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mounting Hole Diameter	3.05 mm[.12 in]
Connector Mounting Type	Panel Mount
Mating Alignment	Without
Housing Features	
Centerline (Pitch)	2.77 mm[.109 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Power & Signal
Packaging Features	

### **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Box

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### Compatible Parts




## Customers Also Bought























### **Documents**

### **Product Drawings**

**HD MIXED 7C2 RC.ASS** 

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_215927-1\_C.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_215927-1\_C.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_215927-1\_C.2d\_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### **Product Specifications**

Ocena wizualna zlaczy HD20 WTW

Workmanship Specification