






回路番号1マーク
CIRCUIT 1 INDICATOR MARK

トレードマーク
TRADE MARK

回路番号1
CIRCUIT 1



キャビティ及び金型番号
CAVITY & MOLD NUMBER



回路番号N
CIRCUIT N

NOTES

- 材質及び仕上げ(めっき仕様) : TABLE 1 参照
MATERIAL AND FINISHES (PLATING SPECIFICATION) : SEE TABLE 1
- 製品仕様書、コネクタ取扱説明書、適合嵌合相手はSHEET 5をご参照下さい。
PLEASE REFER TO SHEET 5 FOR PRODUCT SPECIFICATION, APPLICATION SPECIFICATION AND MATE WITH.
- 偶数極に適用
APPLY TO EVEN CIRCUIT
- 本製品は金めっき品である。
錫めっき品は5055780001 PSD 000をご参照下さい。
THIS IS GOLD PLATING PRODUCT.
PLEASE REFER TO 5055780001 PSD 000 FOR TIN PLATING PRODUCT.
- 端子テール部及びネイルの平坦度 : 0.1mm以下
TAIL AND NAIL COPLANARITY TO BE 0.1mm MAXIMUM.
- 発注番号 : SHEET 5参照
ORDER NUMBER : PLEASE REFER TO SHEET 5

505578****

極数
CIRCUIT SIZE


番号 NO.	ハウジングカラー HOUSING COLOR
0	ナチュラル(白) NATURAL (WHITE)
1	黒 BLACK

番号 NO.	接点部 金めっき厚 CONTACT GOLD PLATING THICKNESS [MICROMETER MINIMUM]
6	0.1
2	0.38
4	0.76

34.53	30	36	16
32.53	28	34	15
30.53	26	32	14
28.53	24	30	13
26.53	22	28	12
24.53	20	26	11
22.53	18	24	10
20.53	16	22	9
18.53	14	20	8
16.53	12	18	7
14.53	10	16	6
12.53	8	14	5
10.53	6	12	4
8.53	4	10	3
6.53	2	8	2
C	B	A	極数 CIRCUIT SIZE


TABLE 1

番号 NO.	部品 PART	材質 MATERIAL
①	ハウジング HOUSING	ポリアミド (PA), ガラス充填, UL94V-0, 色 : SHEET 5 参照 POLYAMIDE (PA), GLASS FILLED, UL94V-0, COLOR : SEE SHEET 5
②	ターミナル TERMINAL	黄銅 BRASS
		金めっき (接点部) : SHEET 5 参照 GOLD PLATING (CONTACT) : SEE SHEET 5 ニッケルめっき (下地めっき) : 2.0 MICROMETER MINIMUM NICKEL PLATING (UNDERPLATING)
③	ネイル NAIL	リン青銅 PHOSPHOR BRONZE
		錫めっき : 1.0 MICROMETER MINIMUM MATTE TIN PLATING
		ニッケルめっき (下地めっき) : 1.0 MICROMETER MINIMUM NICKEL PLATING (UNDERPLATING)




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex			
DIMENSION UNITS	SCALE			MICRO-LOCK PLUS 2.0 W/B SINGLE ROW RIGHT ANGLE SMT PLUG ASSEMBLY GOLD PLATING			
mm	NTS			PRODUCT CUSTOMER DRAWING			
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 718854 DRWN: SOKUMURA01 CHK'D: SAKIYAMA APPR: MARAI		DOCUMENT NUMBER			
ANGULAR TOL	± 3.0 °	INITIAL REVISION:		5055780002-SD		DOC TYPE	DOC PART
4 PLACES	± 0.2	DRWN: SOKUMURA01 APPR: MARAI		2022/04/27 2023/08/04		PSD	000
3 PLACES	± 0.2					REVISION	
2 PLACES	± 0.2					A	
1 PLACE	± 0.2						
0 PLACES	± 0.2						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
		⊕	A3-SIZE	505578	SEE SHEET 5	GENERAL	1 OF 5

製品形状
PRODUCT SHAPE




基板パターンレイアウト
PCB PATTERN LAYOUT




- 推奨基板パターンレイアウト
(参考：基板厚1.6mm, メタルマスク厚0.15mm, マスク開口率100%)
RECOMMENDED PCB PATTERN LAYOUT
(REFERENCE: PCB THICKNESS 1.6mm, STENCIL THICKNESS 0.15mm, APERTURE RATIO 100%)
- パターン禁止エリア
RESTRICTED AREA
NO PCB COMPONENTS ALLOWED

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex MICRO-LOCK PLUS 2.0 W/B SINGLE ROW RIGHT ANGLE SMT PLUG ASSEMBLY GOLD PLATING					
mm		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)												
ANGULAR TOL ± 3.0 °				EC NO: 718854 DRWN: SOKUMURA01 2022/04/27 CHK'D: SAKIYAMA 2023/08/04 APPR: MARAI 2023/08/04			PRODUCT CUSTOMER DRAWING					
4 PLACES		± 0.2										
3 PLACES		± 0.2										
2 PLACES		± 0.2										
1 PLACE		± 0.2		INITIAL REVISION: DRWN: SOKUMURA01 2022/04/27 APPR: MARAI 2023/08/04			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
0 PLACES		± 0.2					5055780002-SD		PSD	000	A	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
						A3-SIZE	505578	SEE SHEET 5		GENERAL		2 OF 5

吸着エリア
SUCTION AREA





2-5 CIRCUIT



6-16 CIRCUIT

嵌合状態図
MATED CONNECTOR




嵌合相手 : 505570シリーズ
MATE WITH : 505570 SERIES

14	16
	15
	14
	13
	12
	11
10	10
	9
	8
	7
5.5	6
	5
	4
3.5	3
	2
D	極数 CIRCUIT SIZE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 718854 DRWN: SOKUMURA012022/04/27 CHK'D: SAKIYAMA2023/08/04 APPR: MARAI2023/08/04 INITIAL REVISION: DRWN: SOKUMURA012022/04/27 APPR: MARAI2023/08/04				MICRO-LOCK PLUS 2.0 W/B SINGLE ROW RIGHT ANGLE SMT PLUG ASSEMBLY GOLD PLATING							
ANGULAR TOL		±	3.0 °					PRODUCT CUSTOMER DRAWING							
4 PLACES		±	0.2					DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
3 PLACES		±	0.2					5055780002-SD		PSD		000		A	
2 PLACES		±	0.2												
1 PLACE		±	0.2												
0 PLACES		±	0.2												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		505578		SEE SHEET 5		GENERAL		3 OF 5	

DOCUMENT STATUS	P1	RELEASE DATE	2023/08/04	04:04:02
-----------------	----	--------------	------------	----------



10	9	8	7	6	5	4	3	2	1																																																																																																																													
△適合製品及び各種仕様書 APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS <table><tr><td>梱包仕様書 PACKAGING SPECIFICATION</td><td>5055789200 PS 200</td></tr><tr><td>適合嵌合相手シリーズ番号 MATE WITH SERIES NUMBER</td><td>505570</td></tr><tr><td>製品仕様書 PRODUCT SPECIFICATION</td><td>5055700002-PS PS 000</td></tr><tr><td>コネクタ取扱説明書 APPLICATION SPECIFICATION</td><td>5055700001 PS A03</td></tr></table>										梱包仕様書 PACKAGING SPECIFICATION	5055789200 PS 200	適合嵌合相手シリーズ番号 MATE WITH SERIES NUMBER	505570	製品仕様書 PRODUCT SPECIFICATION	5055700002-PS PS 000	コネクタ取扱説明書 APPLICATION SPECIFICATION	5055700001 PS A03																																																																																																																					
梱包仕様書 PACKAGING SPECIFICATION	5055789200 PS 200																																																																																																																																					
適合嵌合相手シリーズ番号 MATE WITH SERIES NUMBER	505570																																																																																																																																					
製品仕様書 PRODUCT SPECIFICATION	5055700002-PS PS 000																																																																																																																																					
コネクタ取扱説明書 APPLICATION SPECIFICATION	5055700001 PS A03																																																																																																																																					
△製品一覧 ORDER NUMBER LIST <table><tr><td>BLACK</td><td>NATURAL(WHITE)</td><td>BLACK</td><td>NATURAL(WHITE)</td><td>BLACK</td><td>NATURAL(WHITE)</td><td>HOUSING COLOR</td></tr><tr><td>5055781641</td><td>5055781640</td><td>5055781621</td><td>5055781620</td><td>5055781661</td><td>5055781660</td><td>16</td></tr><tr><td>5055781541</td><td>5055781540</td><td>5055781521</td><td>5055781520</td><td>5055781561</td><td>5055781560</td><td>15</td></tr><tr><td>5055781441</td><td>5055781440</td><td>5055781421</td><td>5055781420</td><td>5055781461</td><td>5055781460</td><td>14</td></tr><tr><td>5055781341</td><td>5055781340</td><td>5055781321</td><td>5055781320</td><td>5055781361</td><td>5055781360</td><td>13</td></tr><tr><td>5055781241</td><td>5055781240</td><td>5055781221</td><td>5055781220</td><td>5055781261</td><td>5055781260</td><td>12</td></tr><tr><td>5055781141</td><td>5055781140</td><td>5055781121</td><td>5055781120</td><td>5055781161</td><td>5055781160</td><td>11</td></tr><tr><td>5055781041</td><td>5055781040</td><td>5055781021</td><td>5055781020</td><td>5055781061</td><td>5055781060</td><td>10</td></tr><tr><td>5055780941</td><td>5055780940</td><td>5055780921</td><td>5055780920</td><td>5055780961</td><td>5055780960</td><td>9</td></tr><tr><td>5055780841</td><td>5055780840</td><td>5055780821</td><td>5055780820</td><td>5055780861</td><td>5055780860</td><td>8</td></tr><tr><td>5055780741</td><td>5055780740</td><td>5055780721</td><td>5055780720</td><td>5055780761</td><td>5055780760</td><td>7</td></tr><tr><td>5055780641</td><td>5055780640</td><td>5055780621</td><td>5055780620</td><td>5055780661</td><td>5055780660</td><td>6</td></tr><tr><td>5055780541</td><td>5055780540</td><td>5055780521</td><td>5055780520</td><td>5055780561</td><td>5055780560</td><td>5</td></tr><tr><td>5055780441</td><td>5055780440</td><td>5055780421</td><td>5055780420</td><td>5055780461</td><td>5055780460</td><td>4</td></tr><tr><td>5055780341</td><td>5055780340</td><td>5055780321</td><td>5055780320</td><td>5055780361</td><td>5055780360</td><td>3</td></tr><tr><td>5055780241</td><td>5055780240</td><td>5055780221</td><td>5055780220</td><td>5055780261</td><td>5055780260</td><td>2</td></tr></table> <table><tr><td colspan="6">発注番号：ORDER NUMBER</td><td rowspan="2">極数 CIRCUIT SIZE</td></tr><tr><td colspan="6">梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL</td></tr></table>										BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	HOUSING COLOR	5055781641	5055781640	5055781621	5055781620	5055781661	5055781660	16	5055781541	5055781540	5055781521	5055781520	5055781561	5055781560	15	5055781441	5055781440	5055781421	5055781420	5055781461	5055781460	14	5055781341	5055781340	5055781321	5055781320	5055781361	5055781360	13	5055781241	5055781240	5055781221	5055781220	5055781261	5055781260	12	5055781141	5055781140	5055781121	5055781120	5055781161	5055781160	11	5055781041	5055781040	5055781021	5055781020	5055781061	5055781060	10	5055780941	5055780940	5055780921	5055780920	5055780961	5055780960	9	5055780841	5055780840	5055780821	5055780820	5055780861	5055780860	8	5055780741	5055780740	5055780721	5055780720	5055780761	5055780760	7	5055780641	5055780640	5055780621	5055780620	5055780661	5055780660	6	5055780541	5055780540	5055780521	5055780520	5055780561	5055780560	5	5055780441	5055780440	5055780421	5055780420	5055780461	5055780460	4	5055780341	5055780340	5055780321	5055780320	5055780361	5055780360	3	5055780241	5055780240	5055780221	5055780220	5055780261	5055780260	2	発注番号：ORDER NUMBER						極数 CIRCUIT SIZE	梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL					
BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	HOUSING COLOR																																																																																																																																
5055781641	5055781640	5055781621	5055781620	5055781661	5055781660	16																																																																																																																																
5055781541	5055781540	5055781521	5055781520	5055781561	5055781560	15																																																																																																																																
5055781441	5055781440	5055781421	5055781420	5055781461	5055781460	14																																																																																																																																
5055781341	5055781340	5055781321	5055781320	5055781361	5055781360	13																																																																																																																																
5055781241	5055781240	5055781221	5055781220	5055781261	5055781260	12																																																																																																																																
5055781141	5055781140	5055781121	5055781120	5055781161	5055781160	11																																																																																																																																
5055781041	5055781040	5055781021	5055781020	5055781061	5055781060	10																																																																																																																																
5055780941	5055780940	5055780921	5055780920	5055780961	5055780960	9																																																																																																																																
5055780841	5055780840	5055780821	5055780820	5055780861	5055780860	8																																																																																																																																
5055780741	5055780740	5055780721	5055780720	5055780761	5055780760	7																																																																																																																																
5055780641	5055780640	5055780621	5055780620	5055780661	5055780660	6																																																																																																																																
5055780541	5055780540	5055780521	5055780520	5055780561	5055780560	5																																																																																																																																
5055780441	5055780440	5055780421	5055780420	5055780461	5055780460	4																																																																																																																																
5055780341	5055780340	5055780321	5055780320	5055780361	5055780360	3																																																																																																																																
5055780241	5055780240	5055780221	5055780220	5055780261	5055780260	2																																																																																																																																
発注番号：ORDER NUMBER						極数 CIRCUIT SIZE																																																																																																																																
梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL																																																																																																																																						
<table><tr><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td>DIMENSION UNITS mm</td><td>SCALE NTS</td><td colspan="2" rowspan="5">CURRENT REV DESC: EC NO: 718854 DRWN: SOKUMURA01 2022/04/27 CHK'D: SAKIYAMA 2023/08/04 APPR: MARAI 2023/08/04 INITIAL REVISION: DRWN: SOKUMURA01 2022/04/27 APPR: MARAI 2023/08/04</td><td colspan="3" rowspan="2"> molex MICRO-LOCK PLUS 2.0 W/B SINGLE ROW RIGHT ANGLE SMT PLUG ASSEMBLY GOLD PLATING </td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td>ANGULAR TOL</td><td>± 3.0 °</td><td colspan="2">DOCUMENT NUMBER 5055780002-SD</td><td>DOC TYPE PSD</td><td>DOC PART 000</td><td>REVISION A</td></tr><tr><td>4 PLACES</td><td>± 0.2</td><td colspan="2">MATERIAL NUMBER SEE CHART</td><td colspan="2">CUSTOMER GENERAL</td><td>SHEET NUMBER 5 OF 5</td></tr><tr><td>3 PLACES</td><td>± 0.2</td><td colspan="2">DRAWING A3-SIZE</td><td colspan="2">SERIES 505578</td><td></td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td colspan="2">THIRD ANGLE PROJECTION </td><td colspan="2"></td><td></td></tr><tr><td>1 PLACE</td><td>± 0.2</td><td colspan="2"></td><td colspan="2"></td><td></td></tr><tr><td>0 PLACES</td><td>± 0.2</td><td colspan="2"></td><td colspan="2"></td><td></td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2"></td><td colspan="2"></td><td></td></tr></table>										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DIMENSION UNITS mm	SCALE NTS	CURRENT REV DESC: EC NO: 718854 DRWN: SOKUMURA01 2022/04/27 CHK'D: SAKIYAMA 2023/08/04 APPR: MARAI 2023/08/04 INITIAL REVISION: DRWN: SOKUMURA01 2022/04/27 APPR: MARAI 2023/08/04		molex MICRO-LOCK PLUS 2.0 W/B SINGLE ROW RIGHT ANGLE SMT PLUG ASSEMBLY GOLD PLATING			GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL	± 3.0 °	DOCUMENT NUMBER 5055780002-SD		DOC TYPE PSD	DOC PART 000	REVISION A	4 PLACES	± 0.2	MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL		SHEET NUMBER 5 OF 5	3 PLACES	± 0.2	DRAWING A3-SIZE		SERIES 505578			2 PLACES	± 0.2	THIRD ANGLE PROJECTION 					1 PLACE	± 0.2						0 PLACES	± 0.2						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																							
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																						
DIMENSION UNITS mm	SCALE NTS	CURRENT REV DESC: EC NO: 718854 DRWN: SOKUMURA01 2022/04/27 CHK'D: SAKIYAMA 2023/08/04 APPR: MARAI 2023/08/04 INITIAL REVISION: DRWN: SOKUMURA01 2022/04/27 APPR: MARAI 2023/08/04		molex MICRO-LOCK PLUS 2.0 W/B SINGLE ROW RIGHT ANGLE SMT PLUG ASSEMBLY GOLD PLATING																																																																																																																																		
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																						
ANGULAR TOL	± 3.0 °			DOCUMENT NUMBER 5055780002-SD		DOC TYPE PSD	DOC PART 000	REVISION A																																																																																																																														
4 PLACES	± 0.2			MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL		SHEET NUMBER 5 OF 5																																																																																																																														
3 PLACES	± 0.2			DRAWING A3-SIZE		SERIES 505578																																																																																																																																
2 PLACES	± 0.2	THIRD ANGLE PROJECTION 																																																																																																																																				
1 PLACE	± 0.2																																																																																																																																					
0 PLACES	± 0.2																																																																																																																																					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																																																																																						
DOCUMENT STATUS	P1	RELEASE DATE	2023/08/04	04:04:02	7	6	5	4	3	2	1																																																																																																																											
FORMAT: master-B-prod-A3 REVISION: J1 DATE: 2021/05/01										9	8	7	6	5	4	3	2	1																																																																																																																				