

Part Number : 522130417

Series Number: 52213

**Product Description :** Mizu-P25 2.50mm Pitch Waterproof Wire-to-Wire Receptacle Housing,

4 Circuits, Brown

Status: Planned for Obsolescence

**Product Category:** Connector Housings

#### **Documents & Resources**

### **Product Environment Compliance**

### Compliance

GADSL/IMDS	Compliant
China RoHS	<b>©</b>
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### **EU RoHS Certificate of Compliance**

#### **Part Details**

#### General

Status	Planned for Obsolescence
Category	Connector Housings

Series	52213
Description	Mizu-P25 2.50mm Pitch Waterproof Wire-to-Wire Receptacle Housing, 4 Circuits, Brown
Application	Signal, Wire-to-Wire
Comments	See Product Specification for maximum current rating by wire AWG
Product Family	Mizu Sealed Connectors
Product Name	Mizu-P25 Waterproof,Splash Proof
UPC	800754377027

# Agency

UL E29179
-----------

# Physical

Circuits (maximum)	4
Color - Resin	Brown
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Polyester
Net Weight	0.758/g
Number of Rows	1
Packaging Type	Tray
Panel Mount	No
Pitch - Mating Interface	2.50mm
Stackable	No
Temperature Range - Operating	-40° to +105°C

### Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

# Application Tooling

## Global

Description	Part Number
Sealing Cap Hand Tool	622024400

# **Application Tooling**

## Japan

Description	Part Number
Sealing Cap Attachment Tool	571486000
Sealing Cap Attachment Tool	571716000

This document was generated on Sep 14, 2024